

**Topic:** Absolute, relative, and percentage error

**Question:** Use a linear approximation to estimate the value of  $\sqrt{99}$ , then find the absolute error of the estimate.

**Answer choices:**

- A  $E_A(100) \approx 0.0050$
- B  $E_A(100) \approx 0.0001$
- C  $E_A(99) \approx 0.0050$
- D  $E_A(99) \approx 0.0001$



**Solution: D**

The root  $\sqrt{99}$  is very close to  $\sqrt{100}$ , which we already know is 10. So instead of thinking specifically about  $\sqrt{99}$ , let's think about  $\sqrt{x}$  and use the function  $f(x) = \sqrt{x}$ .

Differentiate the function,

$$f'(x) = \frac{1}{2}x^{-\frac{1}{2}}$$

$$f'(x) = \frac{1}{2x^{\frac{1}{2}}}$$

$$f'(x) = \frac{1}{2\sqrt{x}}$$

then evaluate the derivative at  $x = 100$ .

$$f'(100) = \frac{1}{2\sqrt{100}}$$

$$f'(100) = \frac{1}{2(10)}$$

$$f'(100) = \frac{1}{20}$$

So the linear approximation line intersects  $f(x) = \sqrt{x}$  at the point of tangency  $(100, 10)$ , and has a slope of  $m = 1/20$ . Substitute these values into the linear approximation equation.

$$L(x) = f(a) + f'(a)(x - a)$$



$$L(x) = 10 + \frac{1}{20}(x - 100)$$

$$L(x) = 10 + \frac{1}{20}x - \frac{100}{20}$$

$$L(x) = \frac{1}{20}x - \frac{100}{20} + \frac{200}{20}$$

$$L(x) = \frac{1}{20}x + \frac{100}{20}$$

Then the linear approximation at  $x = 99$  is

$$L(99) = \frac{1}{20}(99) + \frac{100}{20}$$

$$L(99) = \frac{99}{20} + \frac{100}{20}$$

$$L(99) = \frac{199}{20}$$

$$L(99) = 9.95$$

In comparison, the actual value of  $\sqrt{99}$  is

$$f(x) = \sqrt{x}$$

$$f(99) = \sqrt{99}$$

$$f(99) \approx 9.9499$$

Therefore, the absolute error of the approximation is

$$E_A(a) = |f(a) - L(a)|$$



$$E_A(99) = |f(99) - L(99)|$$

$$E_A(99) \approx |9.9499 - 9.95|$$

$$E_A(99) \approx |-0.0001|$$

$$E_A(99) \approx 0.0001$$



**Topic:** Absolute, relative, and percentage error

**Question:** If the absolute error of a linear approximation estimate of  $\sqrt{99}$  is  $E_A(99) = 0.0001$ , then find the relative error of the estimate.

**Answer choices:**

- A  $E_R(99) \approx 0.00005001$
- B  $E_R(99) \approx 0.00001005$
- C  $E_R(100) \approx 0.00005001$
- D  $E_R(100) \approx 0.00001005$



**Solution: B**

The actual value of  $\sqrt{99}$  is

$$f(x) = \sqrt{x}$$

$$f(99) = \sqrt{99}$$

$$f(99) \approx 9.9499$$

and we've been told that the absolute error of the estimate is

$$E_A(99) = 0.0001$$

The relative error is

$$E_R(a) = \frac{E_A(a)}{f(a)}$$

$$E_R(99) = \frac{E_A(99)}{f(99)}$$

$$E_R(99) \approx \frac{0.0001}{9.9499}$$

$$E_R(99) \approx 0.00001005$$



**Topic:** Absolute, relative, and percentage error

**Question:** If the absolute error of a linear approximation estimate of  $\sqrt{99}$  is  $E_A(99) = 0.0001$  and the relative error is  $E_R(99) \approx 0.00001005$ , then find the percentage error of the estimate.

**Answer choices:**

- A  $E_p(100) \approx 0.001005$
- B  $E_p(100) \approx 0.00001005$
- C  $E_p(99) \approx 0.001005$
- D  $E_p(99) \approx 0.00001005$



**Solution: C**

The actual value of  $\sqrt{99}$  is

$$f(x) = \sqrt{x}$$

$$f(99) = \sqrt{99}$$

$$f(99) \approx 9.9499$$

and we've been told that the absolute error of the estimate is

$E_A(99) = 0.0001$  and that the relative error of the estimate is

$E_R(99) \approx 0.00001005$ .

The percentage error is

$$E_P(a) = 100\% \cdot E_R(a)$$

$$E_P(99) = 100\% \cdot E_R(99)$$

$$E_P(99) \approx 100\% \cdot 0.00001005$$

$$E_P(99) \approx 0.001005$$

