



Calculus 1 Workbook Solutions

Definition of the limit

IDEA OF THE LIMIT

■ 1. The table below shows some values of a function $g(x)$. What does the table show for the value of $\lim_{x \rightarrow 4} g(x)$?

x	$g(x)$
3.9	1.9748
3.99	1.9975
3.999	1.9997
4.001	2.0002
4.01	2.0025
4.1	2.0248

Solution:

We see that when x approaches 4 both from the left and right sides, $g(x)$ approaches 2. Then $\lim_{x \rightarrow 4} g(x) = 2$.

■ 2. How would we express, mathematically, the limit of the function $f(x) = x^2 - x + 2$ as x approaches 3?

Solution:



When a is the value that x approaches, and $f(x)$ is the given function, the limit is written as

$$\lim_{x \rightarrow a} f(x)$$

In this case x approaches 3 so $a = 3$, and the function is $f(x) = x^2 - x + 2$. So we'd write the limit as

$$\lim_{x \rightarrow 3} (x^2 - x + 2)$$

■ 3. How would you write the limit of $g(x)$ as x approaches ∞ , using correct mathematical notation?

$$g(x) = \frac{5x^2 - 7}{3x^2 + 8}$$

Solution:

When a is the value that x approaches, and $g(x)$ is the given function, the limit is written as

$$\lim_{x \rightarrow a} g(x)$$

In this case x approaches ∞ so $a = \infty$, and the function is

$$g(x) = \frac{5x^2 - 7}{3x^2 + 8}$$



So we'd write the limit as

$$\lim_{x \rightarrow \infty} \frac{5x^2 - 7}{3x^2 + 8}$$

■ 4. Explain what is meant by the equation.

$$\lim_{x \rightarrow -2} (x^3 + 2) = -6$$

Solution:

Break down the given limit into its component parts.

- x approaches -2
- the function is $f(x) = x^3 + 2$
- the value of the limit is -6

Putting these pieces together gives a full statement about the limit:

“The limit as x approaches -2 of the function $f(x) = x^3 + 2$ is equal to -6 .”

■ 5. Evaluate the limit.

$$\lim_{x \rightarrow -1} \frac{-x^2 + 3x - 1}{5}$$



Solution:

To evaluate the limit,

$$\lim_{x \rightarrow -1} \frac{-x^2 + 3x - 1}{5}$$

plug the value that's being approached into the function, then simplify the result.

$$\frac{-(-1)^2 + 3(-1) - 1}{5}$$

$$\frac{-1 - 3 - 1}{5}$$

$$-\frac{5}{5}$$

$$-1$$

■ 6. Evaluate the limit.

$$\lim_{x \rightarrow 0} \frac{x^2 - 5}{2}$$

Solution:

To evaluate the limit,



$$\lim_{x \rightarrow 0} \frac{x^2 - 5}{2}$$

plug the value that's being approached into the function, then simplify the answer.

$$\frac{0^2 - 5}{2}$$

$$\frac{-5}{2}$$

$$-\frac{5}{2}$$



ONE-SIDED LIMITS

■ 1. Find the limit.

$$\lim_{x \rightarrow -7^+} x^2 \sqrt{x + 7}$$

Solution:


The value of the limit is 0.

x	-6.09	-6.9	-6.99	-6.999	-6.9999	-7
Value	35.38	15.056	4.886	1.5481	0.48999	0

We see that as x approaches -7 from the right, the value of the function approaches 0. Then $\lim_{x \rightarrow -7^+} x^2 \sqrt{x + 7} = 0$. We could also graph the function to visually analyze its limit.

■ 2. What does the graph of $f(x)$ say about the value of $\lim_{x \rightarrow -1^+} f(x)$?





Solution:

The positive sign after the -1 indicates that we’re talking about the limit as we approach -1 from the positive, or right side of -1 . From the graph, we see that the limit is

$$\lim_{x \rightarrow -1^+} f(x) = -2$$

■ 3. The table shows values of $k(x)$. What is $\lim_{x \rightarrow -5^-} k(x)$?

x	-5.1	-5.01	-5.0001	-5	-4.999	-4.99	-4.9
k(x)	-392.1	-3,812	-38,012	?	37,988	3,788	368.1



Solution:

The negative sign after the -5 indicates that we're talking about the limit as we approach -5 from the negative, or left side. From the table, we see that as we get very close to $x = -5$ on the left side, the function's value is trending toward $-\infty$, but as we get very close to $x = -5$ on the right side, the function's value is trending toward ∞ . So the left-hand limit is

$$\lim_{x \rightarrow -5^-} k(x) = -\infty$$


■ 4. What is $\lim_{x \rightarrow -2^-} h(x)$?

$$h(x) = \begin{cases} -2x - 1 & x < -2 \\ x & -2 \leq x < 2 \\ 2x - 3 & x \geq 2 \end{cases}$$

Solution:

The graph of $h(x)$ is





Based on the graph, the limit is 3. Or we could plug into the first piece of the function, which is the piece that approaches $x = -2$ from the left side.

$$\lim_{x \rightarrow -2^-} h(x) = [-2(-2) - 1] = 3$$

■ 5. What is $\lim_{x \rightarrow 6^+} g(x)$?

$$g(x) = \frac{x^2 + x - 42}{x - 6}$$

Solution:

We could tell that the limit is 13 by making a table,



x	6	6.001	6.01	6.1
g(x)	?	13.001	13.01	13.1

Alternatively, we could have factored the numerator, canceled like terms, and then evaluated at the limit.

$$g(x) = \frac{x^2 + x - 42}{x - 6}$$

$$g(x) = \frac{(x + 7)(x - 6)}{x - 6}$$

$$g(x) = x + 7$$

Then the limit is

$$\lim_{x \rightarrow 6^+} x + 7$$

$$6 + 7$$

$$13$$

■ 6. Find the left- and right-hand limits of the function at $x = 3$.

$$f(x) = \frac{|x - 3|}{x - 3}$$

Solution:



This function includes $|x - 3|$, which is the absolute value of $x - 3$. When $x < 3$, $|x - 3| = -(x - 3)$, so the left-hand limit is

$$\lim_{x \rightarrow 3^-} \frac{-(x - 3)}{x - 3}$$

$$\frac{-1}{1}$$

$$-1$$

When $x > 3$, $|x - 3| = x - 3$, so the right-hand limit is

$$\lim_{x \rightarrow 3^+} \frac{x - 3}{x - 3}$$

$$1$$



PROVING THAT THE LIMIT DOES NOT EXIST

- 1. Prove that the limit does not exist.

$$\lim_{x \rightarrow 0} \frac{-2|3x|}{3x}$$

Solution:

The left-hand limit is


$$\lim_{x \rightarrow 0^-} \frac{-2|3x|}{3x} = \lim_{x \rightarrow 0^-} \frac{-2(-3x)}{3x} = \frac{6x}{3x} = 2$$

The right-hand limit is

$$\lim_{x \rightarrow 0^+} \frac{-2|3x|}{3x} = \lim_{x \rightarrow 0^+} \frac{-2(3x)}{3x} = \frac{-6x}{3x} = -2$$

Since the left- and right-hand limits aren't equal, the limit does not exist.
The graph of the function would also prove that the limit doesn't exist.





■ 2. Prove that the limit does not exist.

$$\lim_{x \rightarrow -5} \frac{x^2 + 7x + 9}{x^2 - 25}$$

Solution:

The left-hand limit is

$$\lim_{x \rightarrow -5.001} \frac{x^2 + 7x + 9}{x^2 - 25} = \frac{(-5.001)^2 + 7(-5.001) + 9}{(-5.001)^2 - 25} = -99.69$$

$$\lim_{x \rightarrow -5^-} \frac{x^2 + 7x + 9}{x^2 - 25} = -\infty$$




The right-hand limit is

$$\lim_{x \rightarrow -4.999} \frac{x^2 + 7x + 9}{x^2 - 25} = \frac{(-4.999)^2 + 7(-4.999) + 9}{(-4.999)^2 - 25} = 100.31$$

$$\lim_{x \rightarrow -5^+} \frac{x^2 + 7x + 9}{x^2 - 25} = \infty$$

Since the left- and right-hand limits aren't equal, the limit does not exist. The graph of the function would also prove that the limit doesn't exist.



■ 3. Prove that $\lim_{x \rightarrow 1} f(x)$ does not exist.

$$f(x) = \begin{cases} -3x + 2 & x < 1 \\ 3x - 2 & x \geq 1 \end{cases}$$



Solution:

The left-hand limit is

$$\lim_{x \rightarrow 1^-} f(x) = \lim_{x \rightarrow 1^-} (-3x + 2) = [-3(1) + 2] = -1$$

The right-hand limit is


$$\lim_{x \rightarrow 1^+} f(x) = \lim_{x \rightarrow 1^+} (3x - 2) = [3(1) - 2] = 1$$

Because the left- and right-hand limits aren't equal, the limit does not exist.

$$\lim_{x \rightarrow 1^-} f(x) \neq \lim_{x \rightarrow 1^+} f(x)$$

■ 4. Use the graph to determine whether or not the limit exists at $x = 0$.





Solution:

At $x = 0$, the function is approaching 5 from the left side and approaching 5 from the right side. So if we say that the graph represents the function $f(x)$, then the one-sided limits are

$$\lim_{x \rightarrow 0^-} f(x) = 5$$

$$\lim_{x \rightarrow 0^+} f(x) = 5$$

Because the left- and right-hand limits are equal, we've proven that the general limit of the function exists at $x = 0$ and is equal to 5.

$$\lim_{x \rightarrow 0} f(x) = 5$$



- 5. Suppose we know that $\lim_{x \rightarrow 5} f(x) = 12$. If possible, determine the values of the one-sided limits.

$$\lim_{x \rightarrow 5^-} f(x)$$

$$\lim_{x \rightarrow 5^+} f(x)$$

Solution:

If the general limit exists at a point $x = c$, then the left- and right-hand limits exist at $x = c$ and are equal to one another. Because the general limit exists, we know that the one-sided limits also exist, and they must both be equal to the value of the general limit. Therefore,

$$\lim_{x \rightarrow 5^-} f(x) = \lim_{x \rightarrow 5^+} f(x) = 12$$

- 6. Prove that the limit does not exist.

$$\lim_{x \rightarrow -2} \frac{x^2 - 4}{(x + 2)^2}$$

Solution:



The left-hand limit is

$$\lim_{x \rightarrow -2.001} \frac{x^2 - 4}{(x + 2)^2} = \frac{(-2.001)^2 - 4}{(-2.001 + 2)^2} = 4,001$$


$$\lim_{x \rightarrow -2^-} \frac{x^2 - 4}{(x + 2)^2} = \infty$$

The right-hand limit is

$$\lim_{x \rightarrow -1.999} \frac{x^2 - 4}{(x + 2)^2} = \frac{(-1.999)^2 - 4}{(-1.999 + 2)^2} = -3,999$$

$$\lim_{x \rightarrow -2^+} \frac{x^2 - 4}{(x + 2)^2} = -\infty$$

Since the left- and right-hand limits aren't equal, the limit does not exist. Graphing the function shows the unequal one-sided limits.



PRECISE DEFINITION OF THE LIMIT

- 1. Use the precise definition of the limit to prove the value of the limit.

$$\lim_{x \rightarrow 4} (5x - 16) = 4$$

Solution:

If $0 < |x - 4| < \delta$, then $|(5x - 16) - 4| < \epsilon$. So,

$$|5x - 20| < \epsilon$$

$$|5(x - 4)| < \epsilon$$

$$|5| \cdot |x - 4| < \epsilon$$

$$5 \cdot |x - 4| < \epsilon$$

$$|x - 4| < \frac{\epsilon}{5}$$

Now if $|x - 4| < \epsilon/5$ and $0 < |x - 4| < \delta$, then if $\epsilon > 0$ then $\delta = \epsilon/5$. Therefore, the limit equation is true.

- 2. Use the precise definition of the limit to prove the value of the limit.

$$\lim_{x \rightarrow -7} (-2x + 15) = 29$$



Solution:

If $0 < |x - (-7)| < \delta$ then $|-2x + 15 - 29| < \epsilon$. Or we could rewrite this as $0 < |x + 7| < \delta$ and $|-2x - 14| < \epsilon$. So,

$$|(-2)(x + 7)| < \epsilon$$

$$|-2| \cdot |x + 7| < \epsilon$$

$$2 \cdot |x + 7| < \epsilon$$

$$|x + 7| < \frac{\epsilon}{2}$$

Now if $|x + 7| < \epsilon/2$ and $0 < |x + 7| < \delta$, then if $\epsilon > 0$ then $\delta = \epsilon/2$. Therefore, the limit equation is true.

■ 3. Use the precise definition of the limit to prove the value of the limit.

$$\lim_{x \rightarrow 16} \left(\frac{2}{5}x - \frac{17}{5} \right) = 3$$

Solution:

If $0 < |x - 16| < \delta$ then $\left| \left(\frac{2}{5}x - \frac{17}{5} \right) - 3 \right| < \epsilon$. Or we could rewrite this as $0 < |x - 16| < \delta$ and



$$\left| \left(\frac{2}{5}x - \frac{17}{5} \right) - \frac{15}{5} \right| < \epsilon$$

$$\left| \frac{2}{5}x - \frac{32}{5} \right| < \epsilon$$

$$\left| \frac{2}{5}(x - 16) \right| < \epsilon$$

$$\left| \frac{2}{5} \right| |x - 16| < \epsilon$$

$$|x - 16| < \frac{5}{2}\epsilon$$

Now if $|x - 16| < (5/2)\epsilon$ and $0 < |x - 16| < \delta$, then if $\epsilon > 0$, then $\delta = (5/2)\epsilon$.
Therefore, the limit equation is true.

■ 4. Use the precise definition of the limit to prove the value of the limit.

$$\lim_{x \rightarrow 7} \frac{x^2 - 15x + 56}{x - 7} = -1$$

Solution:

We'll apply the precise definition to the given limit.



$$\text{If } 0 < |x - 7| < \delta, \text{ then } \left| \left(\frac{x^2 - 15x + 56}{x - 7} \right) - (-1) \right| < \epsilon.$$

$$\text{If } 0 < |x - 7| < \delta, \text{ then } \left| \left(\frac{x^2 - 15x + 56}{x - 7} \right) - \frac{-1(x - 7)}{x - 7} \right| < \epsilon.$$

So,

$$\left| \left(\frac{x^2 - 15x + 56}{x - 7} \right) + \frac{x - 7}{x - 7} \right| < \epsilon$$

$$\left| \frac{x^2 - 14x + 49}{x - 7} \right| < \epsilon$$

$$\left| \frac{(x - 7)(x - 7)}{x - 7} \right| < \epsilon$$

$$|x - 7| < \epsilon$$

Now, if $|x - 7| < \epsilon$ and $0 < |x - 7| < \delta$, then if $\epsilon > 0$ and $\delta = \epsilon$. Therefore, the limit equation is true.

■ 5. Find δ when $f(x) = 2x - 5$, such that if $0 < |x - 1| < \delta$ then $|f(x) + 3| < 0.1$.

Solution:



We want to use the value for ϵ to determine the δ value by remembering from the precise definition of the limit that

$$\text{if } 0 < |x - a| < \delta \text{ then } |f(x) - L| < \epsilon$$

If $0 < |x - 1| < \delta$ then $|2x - 5 + 3| < \epsilon = 0.1$, and we can rewrite this second inequality as

$$|2x - 2| < 0.1$$

$$|2| \cdot |x - 1| < 0.1$$

$$2 \cdot |x - 1| < 0.1$$

$$|x - 1| < \frac{0.1}{2}$$

$$|x - 1| < 0.05$$

So,

$$\delta = 0.05$$

■ 6. Find a value of δ given $\epsilon = 0.04$.

$$\lim_{x \rightarrow 2} (x - 2)^2 = 0$$

Solution:



We want to use the value for ϵ to determine the δ value by remembering from the precise definition of the limit that

$$\text{if } 0 < |x - a| < \delta \text{ then } |f(x) - L| < \epsilon$$

If $0 < |x - 2| < \delta$, then $|(x - 2)^2 - 0| < \epsilon$, and we can rewrite this second inequality as

$$|(x - 2)^2| < \epsilon$$

$$|x - 2| < \sqrt{\epsilon}$$

So,

$$\delta = \sqrt{\epsilon} = \sqrt{0.04} = 0.2$$



