

Hashing

Topics covered hashing day 1

- ▶ Homework and review
- ▶ What is hashing
- ▶ Class exercise

Topics covered day 2

- ▶ Syllabus Change!!!
- ▶ Attacks on Hashes
- ▶ Salts and nonce
- ▶ Key Stretching
- ▶ Proof of work
- ▶ Lab 1 discussion

Homework review

Did anyone do any further digging?

Are there any questions over this?

What questions would you NOT want me to ask on a quiz?

What is Hashing?

You guys tell me:

A cryptographic hash function is a one way mathematical function that maps data of an arbitrary size to a bit array of fixed size. The output bit array is commonly called a hash or digest.

Key tenets of a hash algorithm:

1. **Fast**, must not take a lot of resources or time to compute
2. **Irreversible**, must not be able to retrieve the original data from the resulting hash (one way transformation)
3. **Deterministic**, for the same input value, a hash function must always provide the same output
4. A small change to the input should result in large change to the hash value (**avalanche effect**)

What is Hashing used for:

- ▶ verify the integrity of data (block chain, downloads, git commits, secure software)
- ▶ digital signatures
- ▶ as a part of verifying a given users *Authenticity* (a part of *Authentication*)
- ▶ Proof-of-work (mining, defense against Denial of Service)

Class Exercise

Bogus quiz results are in!

But first, a pet peeve of mine...

Link to quiz result data sha256sum :

7e320905f9480a0257abe1176da9b632322b9fc3f4135d6152e8c350d68

Do you trust the above?

Follow along (in `bash`) for some data science fun:

What is the difference between the following:

- ▶ `echo "Hi!"`
- ▶ `printf "Hi!"` <— Hint: Use this one for the exercise

What do the following do?

- ▶ `|` The pipe character
- ▶ `awk -F ',' '{ print $1 }'` Hint: pipe the cat output of `quiz-data.csv` into this
- ▶ `grep <string>`

Now about the quiz data, can we reverse our hash?

What are some common (semi) unique identifiers for people?

- ▶ campus W-number
- ▶ campus UID
- ▶ Social Security Number
- ▶ First initial Last name combo ie. MKijowski

There is a quiz covering today's in class exercise and the homework!

Quiz is available till 11:59pm tonight! One chance only this time!
Take the quiz! Note: your grade might be low on this one, I may have broken the auto-grader. . .

Syllabus Change!

Addition to grading policies

- ▶ Students are permitted 3 unexcused 0's on graded assignments (Labs, quizzes, or in class activities). If you miss more than 3 assignments without express permission from the instructor you will receive a 0 in this course.
- ▶ Failure to take the Midterm exam or Final exam will result in a 0 in this course.

What this means for you. . .

Day 2 Hashing

Don't believe everything you read on the internet.

Attacks on hashes

- ▶ Pass the hash: an authenticating system accepts hashes, and you have them
- ▶ Dictionary attack: you have a dictionary of likely input data used to compute hashes
- ▶ Rainbow table: you have a dictionary of pre-computed hashes and known input data
- ▶ Collision: you guess/compute *different* data that computes to the same hash value
- ▶ Brute force: hash everything

Nonce and salt

Both added to data prior to the hashing function to increase uniqueness. Used for different reasons though.

- ▶ Salts increase complexity and prevent several known attacks on hash values (dictionary and rainbow table attacks)
- ▶ Nonce's are unique (number used only once) and are used to prevent replay attacks (cannot use same nonce) and in proof of work
- ▶ These do not increase any guarantee of integrity!!

Key stretching

Suppose an attacker has the salts and hash values and can guess at the original data used. . .

To make things harder for an attacker, we can simply apply the hashing algorithm to the output of the first.

Do this multiple times to *stretch* (lengthen) the time it takes to attack the hash using common dictionary attacks.

Proof of Work

Proof of an amount of work prior to participating.

Created to reduce email spam.

Example: include a nonce that hashes to X number of leading 0's
(see Hashcash)

Lets talk lab 1

10 commits == 10 points style == 10 points

task 1 == 50 points (15 points for salted quiz data set) task 2 ==
50 points (15 points for coins)

Git

Anatomy of a git commit

Linux password hashes are stored in `/etc/shadow`. Lets make a new user and see if we can verify their hash!