Table 5. Summary of agronomic characteristics of 43 wheats grown in the 1999 SRPN.

					I			
			volum e	days to			head	
		yield	weight	head ing	plant	lodging	shattering	winter
line	entry	kg/ha	kg/hl	from 1/1	height cm	%	0-9	survival%
num ber of locations	1		J.					
reporting		33	30	20	23	5	3	1
XH1888	40	4712	76.3	136	94	22	2.8	81
хн 9806	41	4620	76.2	135	90	9	2.9	83
XH 9815	42	4506	76.2	133	89	10	1.8	88
нвк0630-4-5	44	4456	76.9	135	88	15	3 .9	87
W 95-385	35	4375	77.3	133	90	17	3 .6	83
Trego	18	4359	78.1	135	89	22	1.5	72
OK95616-14C	5	4319	75.1	132	87	24	2.3	78
ОК96717	7	4312	78.6	134	92	29	1.7	81
OK94P549-2C	4	4297	77.1	134	87	9	1.7	82
W 95-392	36	4294	78.3	133	87	12	2.6	89
TX95V5905	14	4261	75.4	132	87	14	3.4	72
ОК95571	6	4255	76.0	133	89	16	2.6	72
ОК95548-26С	8	4223	75.5	132	81	11	2.0	84
W 95-091	37	4222	76.4	134	91	19	4 .0	77
KS89180B-2-1-2	43	4211	74.4	136	86	4	3.7	73
G96047	23	4186	76.5	134	88	14	2.1	83
CO950043	17	4182	76.3	133	90	17	2.2	79
KS95H167-3	19	4177	76.5	134	95	18	1.6	77
KS96HW115	21	4168	76.3	134	92	20	2.6	78
TX95D8283	10	4168	74.0	136	87	13	3 .0	82
KS96HW 94	22	4159	76.3	136	90	19	1.8	90
CO940611	16	4152	77.3	134	92	24	1.7	87
TX93D2066	9	4147	75.6	135	94	10	2.6	80
W 95-610W	39	4145	76.3	137	84	8	1.6	84
T108	31	4143	75.6	133	86	13	2.6	77
T112	33	4134	76.1	133	100	24	2.7	82
TX90A9528	11	4097	74.5	137	90	23	2.0	88
TX95V4339	13	4097	74.3	136	87	19	1.8	85
W 94-480W	38	4081	76.3	136	95	21	2.2	83
TX94V5922	12	4064	75.4	133	87	32	2.2	83
NW 97S151	45	4025	72.2	136	90	13	2 .8	89
T111	32	3966	76.8	133	85	22	1.9	87
T114	34	3906	74.1	133	89	14	2.8	79
G96044	26	3854	75.9	132	87	15	2.2	76
NE96573	28	3780	72.8	137	97	30	2.7	71
G96135	25	3769	76.4	133	89	16	1 .6	77
TAM 107	3	3759	74.3	132	86	24	2.8	82
NE95510	27	3735	75.9	139	95	26	2.4	79
G96134	24	3711	74.7	134	87	18	1.5	88
KS96HW10-3	20	3641	76.7	136	88	14	2.4	77
TX97V4311	15	3639	75.4	131	78	28	1.9	78
Scout66	2	2982	76.5	136	106	57	1.9	69
Kharkof	1	2491	76.1	141	113	46	3.1	82