# Movie Ticketing System

# Software Requirements Specification

Version 1.0

9/18/2025

Group18
James Shumate
Philip Revak
Anthony Diego

Prepared for CS 250- Introduction to Software Systems Instructor: Gus Hanna, Ph.D. Fall 2025

# **Revision History**

Date	Description	Author	Comments
09/18/25	Version 1	Group-18	Document Creation

# **Document Approval**

The following Software Requirements Specification has been accepted and approved by the following:

Signature	Printed Name	Title	Date
	<your name=""></your>	Software Eng.	
	Dr. Gus Hanna	Instructor, CS 250	

# **Table of Contents**

REVISION HISTORY	II
DOCUMENT APPROVAL	II
1. Introduction	1
1.1 Purpose	1
1.1 Scope	
1.3 Definitions, Acronyms, and Abbreviations	
1.4 References.	
1.5 Overview	
2. General Description.	
2.1 Product Perspective	
2.2 Product Functions.	
2.3 USER CHARACTERISTICS	
2.4 General Constraints	
2.5 Assumptions and Dependencies	2
3. Specific Requirements	2
3.1 External Interface Requirements.	3
3.1.1 User Interfaces	
3.1.2 Hardware Interfaces	3
3.1.3 Software Interfaces	
3.2 Functional Requirements.	
3.2.1 User login or registration.	3
3.2.2 < Functional Requirement or Feature #2>	
3.3 Use Cases	
3.3.1 Use Case #1	
3.3.2 Use Case #2	3
3.3.3 Use Case #3	
3.4.1 < Class / Object #1>	
3.4.2 < Class / Object #2>	
3.5 Non-Functional Requirements	
3.5.1 Performance	4
3.5.2 Reliability	
3.5.3 Availability	4 1
3.5.5 Maintainability	
3.5.6 Portability	
3.6 Inverse Requirements	
3.7 Design Constraints	4
3.8 Logical Database Requirements	4
3.9 Other Requirements	4
4. Analysis Models	4
4.1 Sequence Diagrams	
4.1 Sequence Diagrams 4.3 Data Flow Diagrams (DFD)	
4.2 State-Transition Diagrams (STD)	
• • •	
5. Change Management Process	5
A. APPENDICES.	5
A 1 Appropried 1	5

A 2 Appendix 2	
A.2 APPENDIX 2	

### 1. Introduction

### 1.1 Purpose

The purpose of this document is to define requirements for the movie ticketing system and to detail the software's functionality and any constraints. The intended audience for this document is developers and investors of the company.

### 1.2 Scope

The movie ticketing website allows anyone with a stable internet connection and a modern, majorly supported browser, to view information regarding movie showings across our multiple movie theaters and allows them to select seats and purchase tickets. It includes a login page where customers can login and view their purchase history and receive special discounts. When an administrator logs in, they will have administrative view and access to the website, allowing them to view graphs and statistics regarding earnings, see individual purchases, and modify them by cancelling and refunding the order. The statistics page is customizable by date, time, theater, and movie. The website will have network protection, preventing DDOS attacks. We will have a database containing encrypted data of the user's account information and payment history, as well as data of all ticket purchases. Credit card information will not be stored. The deadline is 12/11/2025.

### 1.3 Definitions, Acronyms, and Abbreviations

UI: User Interface

DDOS: distributed denial-of-service

#### 1.4 References

#### 1.5 Overview

This document contains information on the purpose of our product, its functionality, data on the users of the product, and use-case information. We split the information into three sections. The first section is an introduction to the document, the second section explains the functions of our system along with constraints. The third section follows the requirements our products follow.

# 2. General Description

# 2.1 Product Perspective

There are many movie theater ticketing websites that provide a number of extra functionalities that our website will not contain such as the ability to purchase food online. However we believe the advantage our software will provide is that without many of these extra functionalities it will be simpler, faster, and easier to use for customers most of whom do not benefit from these extra functionalities. For example it is estimated only 1 in 10 people have ever preordered food at a

theater. The absence of these functionalities will also allow us to work with a larger range of theaters by not imposing as many requirements onto them, like preparing and distributing preordered food.

#### 2.2 Product Functions

Users will first be presented with a list of nearby theatres available to select. Once selected, they will be shown a catalog of movies which they can select. After movie selection, the user will choose the number of their party and their seating arrangement based on available seats. Finally, they will purchase their tickets and receive their receipts. Logging in is optional, by default users are considered guests.

Tickets may qualify for a discount depending on age.

#### 2.3 User Characteristics

The eventual users of the movie ticketing software will be members of the general public that are capable of purchasing movie tickets online. Customer users of this software will not be required to have more than basic computer skills so the software will need to be easy to use even for teens. The software will also need to support access from customer service members in the company who will have better knowledge of the website and the ability to modify customer orders.

### 2.4 General Constraints

Some constraints the software will have are constraints from the browser it is running on, constraints from the payment processor, server and network restrictions, as well as constraints of theaters that are supported.

# 2.5 Assumptions and Dependencies

It is assumed that the user's device has enough computational power, memory, resources, and a stable network connection in order to navigate the website as intended. It is also assumed that the user is using the latest major version of a supported browser.

# 3. Specific Requirements

# 3.1 External Interface Requirements

#### 3.1.1 User Interfaces

The page a first time user sees is either the theater location selector or move search. The theater location selector will consist of a list of buttons containing the city and name of the theater, in order from closest to farthest. After selecting the theater, the user will be shown a catalog of movies with their poster art and details. This page will also contain a date selector which will bring them to a movie catalog page only containing movies from that date. If the user searches by movie they will be shown theaters and times when the movie is playing. After selecting a movie and theater, the user will be shown a seat selector, visually showing all of the seats

available and taken by color code and key. Available seats can be temporarily "reserved" by interacting with their UI element. After seat selection, the payment page will be displayed that shows the user's total and has textboxes requiring payment information and discount code(s). Finally, after purchase, the user will be presented with a receipt page that shows their ticket details and purchase receipt. There is a login page that requires an email and password to be entered in textboxes. There is also an account info page, where logged in users can view information about their account and change their details. There is a separate section of user interfaces for logged-in administrators. They will see purchase histories, buttons to refund tickets, and account information of logged-in users and guests. There will be a page that shows statistical graphs containing revenue earned with category selection and timeframe selection.

#### 3.1.2 Hardware Interfaces

No hardware interface is required beyond the user's device.

#### 3.1.3 Software Interfaces

The website will involve using multiple external software systems to do its core functionality. It will need to be reliant on major web browsers such as Google Chrome, Microsoft Edge, Safari, and Firefox for today's modern standards. We will also need a database management system, (Not sure what we are gonna use), to retrieve user account data, ticket payments, and theater information. All of these connections will be encrypted through TLS. Payments will be handled through a third-party payment gateway API, such as PayPal, making sure that we do not store credit card information on the website. The system will also need an email or notification service to send receipts and ticket information. For user login, we will use traditional email and password registration. (maybe add google login?)

#### 3.1.4 Communications Interfaces

The website will communicate using standard internet protocols to ensure secure and reliable interactions between users, the server, and external services. All client-to-server communication will use HTTPS for data confidentiality. TLS encryption will be applied to protect sensitive information like login info and payment information. The website will communicate with the payment gateway using secure API requests to authorize transactions.

# **3.2 Functional Requirements**

#### 3.2.1 User login or registration

#### 3.2.1.1 Introduction

Allows users and administrators to login or register an account, if not already logged in. It also supports resetting passwords.

#### **3.2.1.2 Inputs**

Registration requires the user's full name, email, password, and optionally their phone number. Login requires the user's email and password. Resetting one's password requires their email and the email verification code sent to their email and a new password.

#### 3.2.1.3 Processing

Password validation checks whether the password contains special characters, numbers, both lower and upper case letters, and a minimum of 8 characters. Email validation checks whether an email is already registered. All login and registration data is securely encrypted and stored.

### **3.2.1.4 Outputs**

Outputs include informing the user a new account has been created, an email already exists, an email doesn't exist, the password is incorrect, the password is invalid, the email is invalid, the user has made too many new attempts, a code has been sent to the user's email, the user has successfully logged in.

### 3.2.1.5 Error Handling

All registration and login errors are outputted to the user. Backend errors such as being unable to fetch whether an email already exists is logged in a database visible only to admins.

#### 3.2.2 < Functional Requirement or Feature #2>

#### 3.2.2.1 Introduction

This feature allows users to select a movie, choose their seats, and buy their tickets. Both guest users and logged-in users are supported.

#### **3.2.2.2 Inputs**

The inputs include the user's chosen theater, movie name, showtime, amount of tickets, and seat selections. At the purchase stage, users must provide payment information. This is where users can also add optional discounts or promos.

### 3.2.2.3 Processing

The system checks seat availability in real time and prevents seats being selected twice. It calculates the total price with the applied discounts and taxes. We use the payment gateway API to process the transaction. If payment is successful the selected seats are reserved and stored in the database under the users account or guest registration.

### **3.2.2.4 Outputs**


The outputs include an on-screen confirmation showing the transaction ID, movie information, seat numbers, and the amount of money spent. A receipt along with the digital tickets are sent to the registered email address.

### 3.2.2.5 Error Handling

If selected seats are unavailable at the time of checkout, the system prompts the user to select new seats. If payment fails due to invalid information, insufficient funds, or the card declines, the user will be notified and asked to retry or choose another payment option.


#### 3.3 Use Cases

### 3.3.1 Use Case #1




#### 3.3.2 Use Case #2

Basic User: Multiple ways to chose



### 3.3.3 Use Case #3

Basic User: Request Refund



# 3.4 Classes / Objects

# 3.4.1 <Class / Object #1>

#### 3.4.1.1 Attributes

- userID (UUID)
- fullName (string)
- email (string, unique)
- passwordHased (string, hashed)
- phoneNumber (string, optional)

- role (enum: CUSTOMER | ADMIN)
- createdAt, updatedAt (timestamp)
- lastloginAt (timestamp)
- isLocked (boolean, throttling/too many attempts)

#### 3.4.1.2 Functions

- register (fullName, email, password, phoneNumber?) userAccount
- authentication (email, password) AuthResult
- requestPasswordReset (email) void
- resetPassword(email, code, newPassword) void
- updateProfile(fields)
- listPurchases() TicketOrder

### 3.4.2 < Class / Object #2>

#### 3.4.2.1

- orderID
- userID
- theaterID
- movieID
- showtimeID
- seats
- subtotal, discounts, tax, total
- transactionID

#### 3.4.2.2

- reserveSeats (showtimeID, seats)
- applyDiscount (code)
- calculateTotal()
- checkout(paymentMethod)
- confirm()
- emailReceipt()

## 3.5 Non-Functional Requirements

#### 3.5.1 Performance

The website will be capable of running on most devices but performance will vary depending on the device's hardware components. The server will need to process transactions in under 5 seconds and should not take more than 3 seconds to process any other requests.

### 3.5.2 Reliability

The website and database will be backed up at least once a day to save transaction logs and user information ex passwords so that in the event of unforeseen issues the website will minimize any data lost. The website will be tested before any major updates for reliability, any bugs that are identified will be fixed ASAP. Stress tests will be conducted to ensure the website remains stable in scenarios where there is a large fluctuation of users.

### 3.5.3 Availability

The website will be available to users 24/7 unless under scheduled maintenance which will warn users for at least 1 week before. The website will be available anywhere in the United States although most areas will not have supported theaters nearby.

### 3.5.4 Security

Security is a top concern and steps including encryption of all information will be taken to protect users information and privacy. The user's login information will be stored securely on a secure server. Any credit card information will be erased as soon as the transaction is completed and not stored anywhere in our website. The website will have network security protection against denial-of-service and other attacks.

### 3.5.5 Maintainability

We will continue to maintain the system for the foreseeable future. We plan to do regular updates for compatibility with browsers, bug fixes, and security updates.

### 3.5.6 Portability

The latest major version of the most popular desktop browsers and mobile browsers will be supported, such as Google Chrome for desktop, and Safari for mobile.

### 3.6 Inverse Requirements

State any \*useful\* inverse requirements.

### 3.7 Design Constraints

Specify design constraints imposed by other standards, company policies, hardware limitations, etc. that will impact this software project.

# 3.8 Logical Database Requirements

Will a database be used? If so, what logical requirements exist for data formats, storage capabilities, data retention, data integrity, etc.

# 3.9 Other Requirements

Catchall section for any additional requirements.

# 4. Analysis Models

List all analysis models used in developing specific requirements previously given in this SRS. Each model should include an introduction and a narrative description. Furthermore, each model should be traceable the SRS's requirements.

### **4.1 Sequence Diagrams**

- **4.3 Data Flow Diagrams (DFD)**
- **4.2 State-Transition Diagrams (STD)**

# **5. Change Management Process**

Identify and describe the process that will be used to update the SRS, as needed, when project scope or requirements change. Who can submit changes and by what means, and how will these changes be approved.

# A. Appendices

Appendices may be used to provide additional (and hopefully helpful) information. If present, the SRS should explicitly state whether the information contained within an appendix is to be considered as a part of the SRS's overall set of requirements.

Example Appendices could include (initial) conceptual documents for the software project, marketing materials, minutes of meetings with the customer(s), etc.

### A.1 Appendix 1

# A.2 Appendix 2