

# **MEet and You**

**Brent Nishioka (Leader)**

**Gideon Essel**

**Joshua Ramos**

**Raymond Guevara**

**Vivian Dinh**

**Team Pentaskilled**

**October 4th, 2021**

## TEST PLAN

### **Test Policy**

#### **In Scope**

- Unit Testing
- Integration Testing
- End to End Testing

#### **Out of Scope**

- Penetration Testing
- Performance Testing
- Regression Testing
- Accessibility Testing

### **General Test Policy**

#### **Unit Testing**

All the components related to a class, such as its methods and constructors, must pass unit tests before more thorough testing can be performed. In order to pass the unit test, each method must have a valid result based on the pass or failure scenarios. The goal of all tests is to have all of our tests return their expected values. Unit tests will be performed in each sprint with each completion of a new function, a set of functions, or the completion of classes.

Each component that undergoes unit testing should not take longer than 5-10 seconds for the test suite to be completed. This value will be subject to change, but as the code is reoptimized, the runtime.

#### **Integration Testing**

Utilized to determine whether the various components of our website are compatible and work together as designed. It will not be system-wide testing but will be required on various features coupled together or requiring various components.

It ensures that we have a web application with components that work together well at the feature level.

#### **End to End Testing**

End to end refers to the testing of the application from the front end to the back end. It ensures that all the components and the incorporated features work as intended. It tests the flow as we transition from one scenario in one end to another. It does not focus on the communication of the two modules.

## TEST PLAN

### **Feature Level Scenarios**

#### **Datastore Access**

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

Datastore access includes the ability to create, delete, update, and read application data.

Datastore is indispensable to the functionality of the application due to its influence over other features. As such, effective end-to-end testing is required to validate the integrity of application data.

#### **End to End Testing**

- **Expected Outcome(s)**
  - The system can create and store application data.
  - The system can delete existing stored data.
  - Existing data within the system can be modified.

## TEST PLAN

- The ability to read data from the system is supported.
- **Failing Outcome(s)**
  - The ability to create and store data is not present within the system.
  - Data within the system cannot be deleted, updated, or read.

### Logging/Archive

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

Logging as well as archiving will be well tested along with our various features. The specific tests for logging can be narrowed to end-to-end testing in order to verify data is logged to the database.

### End-to-End Testing(Logging)

- **Expected Outcome(s)**
  - Personal user data is recorded unless the user opts out
  - Errors and telemetry based data is properly logged
- **Failing Outcome(s)**
  - Data/Actions are not logged into the database.
  - Data/Actions are inaccurately logged into the database.

### End-to-End Testing(Archive)

- **Expected Outcome(s)**
  - Logs with extended lifespans are archived when one-day criteria are met.
- **Failing Outcome(s)**
  - Logs are not archived when the time conditions are met.
  - The logs are not properly carried over into the archives.
  - The log does not provide enough contextual information.

### Login / Logout

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing (Log in)

- The user will attempt to log in to the system using the appropriate username and password associated with their account without two-factor authentication.
  - **Expected Outcome(s)**
    - The system will verify that the username and password entered are associated with an account in the database and allow the user further access to the web app's features.

## TEST PLAN

- **Failing Outcome(s)**
  - The system will display an error message if the user enters a username and password that does not have a corresponding account.

### End-to-End Testing (Log in)

- The user attempts to log into the system with invalid credentials.
  - **Expected Outcome(s)**
    - The system will give the user an error message stating that their username or password is incorrect.
    - The site will prompt the user to enter their credentials again.
  - **Failing Outcome(s)**
    - Nothing happens, and the user is left with no message.
- The user will attempt to log into the system using the appropriate username and password associated with their account with two-factor authentication.
  - **Expected Outcome(s)**
    - The system will verify the username and password and then ask the user to send a code to their phone.
  - **Failing Outcome(s)**
    - The system will display

### Integration Testing (Log out)

- The user is idle from the application.
  - **Expected Outcome(s)**
    - The user is logged out after 15 minutes.
  - **Failing Outcome(s)**
    - The user is not automatically logged out after 15 minutes of being idle.
- The user tries to log out.
  - **Expected Outcome(s)**
    - The user is logged out from the system, and taken back to the homepage.
  - **Failing Outcome(s)**
    - The user is still logged into the system upon attempting to log out.

### Usage Analysis Dashboard

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- The calculations of metrics to be measured are correctly displayed on the dashboard within our system

## TEST PLAN

- **Expected Outcome(s)**
  - The data retrieved is correctly calculated such as the number of times a specific event category has been utilised.
- **Failing Outcomes(s)**
  - The calculations are not understandable in any way.
  - The calculated data has no output of any type.
  - The data calculated displays negative results

### End to End Testing:

- An administrator selects a specific metric to view
  - **Expected Outcome(s)**
    - The proper graph is displayed to the administrator.
  - **Failing Outcomes(s)**
    - The selected metric displays no graph.
    - The incorrect graph is shown to the administrator.
    - The graph's visualization differs from the calculated values(inaccurate graph or wrong values).
    - User specific information(sensitive) is logged and displayed in the form of a graph.
- The administrator refreshes/updates the visualisation.
  - **Expected Outcome(s)**
    - The graph refreshes and populates with the updated information.(i.e. New user registration means that information is logged which alters the number of current accounts engaged in the web application).
  - **Failing Outcome(s)**
    - The graph fails to populate with the updated information. The updated information is not retrieved when the administrator refreshes the user analysis dashboard.
- The relevant data utilised in the user dashboard is stored/present within the database for access.
  - **Expected Outcome(s)**
    - The relevant data for the dashboard is able to be queried.
  - **Failing Outcome(s)**
    - The required data is not being logged by the logging feature.
    - The data that is meant to be populate the dashboard is not present in the data storage to be queried or the information present is insufficient.

## TEST PLAN

### User Access Control

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### End to End Testing

- An account attempts to edit information without suitable permissions
  - **Expected Outcome(s)**
    - The user should not have the ability to view, execute, or manipulate data that does not apply to them.
    - The system informs unauthorized users that they do not have access to the data they are trying to access.
    - Users are prompted to sign up/sign in order to perform a certain action.
  - **Failing Outcome(s)**
    - Changes are logged and successfully saved into the data store.
    - User is not prompted to sign up/sign in order to perform a certain action
- User attempts to edit information from outside the specific country of the web application.
  - **Expected Outcome(s)**
    - Informs unauthorized users that they do not have access to the data they are trying to access.
  - **Failing Outcome(s)**
    - The user is outside of the United States and can access the web application.

### User Management

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- Users attempt to delete their account.
  - **Expected Outcome(s)**
    - The account holder's records are deleted from the data store and they are simultaneously logged out of the application.
  - **Failing Outcome(s)**
    - The account holder's records remain in the data store.
    - User remains logged in after a successful account deletion.
- User fails to login after multiple attempts.
  - **Expected Outcome(s)**



## TEST PLAN

- Account is locked down and further attempts thwarted
  - User is prompted on the duration of the account lockdown.
  - Access attempts are logged.
- **Failing Outcome(s)**
  - Account remains unlocked
  - Users are not prompted on lockdown duration.
  - Attempts to log into the account are not logged.
- Administrator attempts to unlock a locked account
  - **Expected Outcome(s)**
    - The administrator successfully unlocks the target account.
  - **Failing Outcome(s)**
    - Administrator fails to unlock the account.
    - Wrong account is unlocked
- Administrator attempts to delete an account
  - **Expected Outcome(s)**
    - The target account is successfully deleted from the data store
  - **Failing Outcome(s)**
    - The target account remains in the data store.
    - The wrong user is deleted due to similar account details such as username.

### Registration

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- The user attempts to register an account with a valid email, valid name, valid username, valid password, and valid phone number.
  - **Expected Outcome(s)**
    - Account information (such as user's email, username, and password) is stored in the data store.
    - The user is redirected to the home page.
    - A verification email is sent to the account holder's email
  - **Failing Outcome(s)**
    - Account information is not stored in the data store.
    - Incorrect information is stored within the data store.

## TEST PLAN

- Verification email is not sent to specified email.
  - An account with invalid information is created and stored in the data store.
- User registers for an account with a duplicate username.
  - **Expected Outcome(s)**
    - User is prompted that the username is already in use and the account is not created.
    - Written account info is stored for user to freely manipulate it after the account creation fails
  - **Failing Outcome(s)**
    - User is not prompted that the username is already in use.
    - Account is created and the information stored within the data store.
    - Prior information is not saved.
- User attempts to register an account with a duplicate email.
  - **Expected Outcome(s)**
    - The user is prompted with an error message ;letting them know that the mail is in use.
    - Written account info is stored for users to freely manipulate it after the account creation fails.
  - **Failing Outcome(s)**
    - No error message is displayed.
    - The account is created and stored in the data store.
- User attempts to register an account with an invalid name
  - **Expected Outcome(s)**
    - The user is prompted that their name does not match the given criteria.
    - Written account info is stored for users to freely manipulate it after the account creation fails.
  - **Failing Outcome(s)**
    - The user is not prompted with an error message.
    - The account is created and stored in the data store.
- The user attempts to register an account with an invalid email.
  - **Expected Outcome(s)**
    - The user is prompted with an error message letting them know that the email was invalid.
    - Written account info is stored for users to freely manipulate it after the account creation fails.
  - **Failing Outcome(s)**
    - The user is not prompted with an error message.
    - The account is created and stored in the data store.
- The user attempts to register with an invalid username.
  - **Expected Outcome(s)**

## TEST PLAN

- The user is prompted with an error message letting them know that the username was invalid.
  - Written account info is stored for users to freely manipulate it after the account creation fails.
- **Failing Outcome(s)**
  - The user is not prompted with an error message.
  - The account is created and stored in the data store.
- The user attempts to register with an invalid password.
  - **Expected Outcome(s)**
    - The user is prompted with an error message letting them know that the username was invalid.
    - Written account info is stored for users to freely manipulate it after the account creation fails.
  - **Failing Outcome(s)**
    - The user is not prompted with an error message.
    - The account is created and stored in the data store.
- The user attempts to register with a phone number.
  - **Expected Outcome(s)**
    - The user is sent a confirmation message.
  - **Failing Outcome(s)**
    - The user is not sent a confirmation message.
    - The account is created and stored in the data store.
- The user attempts to register with an invalid phone number.
  - **Expected Outcome(s)**
    - The user is prompted with an error message letting them know that the phone number was invalid.
    - Written account info is stored for users to freely manipulate it after the account creation fails.
  - **Failing Outcome(s)**
    - The user is not prompted with an error message.
    - The account is created and stored in the data store.

### Duplicating Itineraries (maybe update)

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- The user attempts to duplicate an itinerary that has collaborators in it.
  - **Expected Outcome(s)**

## TEST PLAN

- The collaborators do not have access to the duplicated itinerary.
  - **Failing Outcomes(s)**
    - The collaborators have access to the duplicated itinerary.
- The user attempts to duplicate an itinerary after their account has reached the maximum number of itineraries.
  - **Expected Outcome(s)**
    - The user is notified to delete itineraries in the user profile dashboard.
  - **Failing Outcome(s)**
    - A new itinerary is made and the limit of itineraries per user account is not enforced.
- The user attempts to insert the name of the new itinerary that they are duplicating.
  - **Expected Outcome(s)**
    - The itinerary is duplicated with the name the user specifies.
  - **Failing Outcome(s)**
    - A new itinerary is not created because the name is not different from the original.
    - A new itinerary is not created because the user did not use solely alphanumeric characters.
    - A new itinerary is not created because the name exceeded the character count of 35.

### End to End Testing

- The user accesses the context menu and selects duplicate itineraries.
  - **Expected Outcome(s)**
    - The user is presented with the option to name the new duplicated itinerary.
  - **Failing Outcome(s)**
    - The user is not presented with the option to name the new itinerary.
- The user updates the name on the duplicated itinerary.
  - **Expected Outcome(s)**
    - The user is presented with a list of events that they want to transfer into the new itinerary.
  - **Failing Outcome(s)**
    - The user was not allowed to proceed further because the name they entered violated one of the restrictions:
      - Longer than 35 characters
      - Not alphanumeric
      - The name is the same as the original itinerary
- The user chooses from a list of events within the itinerary to copy over to the new itinerary.
  - **Expected Outcome(s)**
    - A new itinerary is created.

## TEST PLAN

- **Failing Outcome(s)**
  - Events are not copied over and duplicated itinerary is not created.

### Hyperlink Sharing

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- The user clicks on the share prompt.
  - **Expected Outcome(s)**
    - The user is presented with options to share the itinerary via email or a shareable link.
  - **Failing Outcomes(s)**
    - The user is not given the sharing option prompt.
- The user specifies whether they want to share via email, or using a shareable link.
  - **Expected Outcome(s)**
    - The user is presented with the option to copy the shareable hyperlink with varying sharing permission (e.g., view and edit); or the user appends the emails they want to use to share.
  - **Failing Outcome(s)**
    - The user is not given any sharing permissions and cannot share the itinerary with anyone.

### End to End Testing

- The owner of the itinerary attempts to remove a collaborator.
  - **Expected Outcome(s)**
    - The collaborator no longer has access to the itinerary.
  - **Failing Outcome(s)**
    - The collaborator still has access.
- No more than five people can be in a shared itinerary.
  - **Expected Outcome(s)**
    - Limit is enforced when shared collaborator count exceeds five.
  - **Failing Outcome(s)**
    - More than five people are in a shared itinerary.
- The owner of the itinerary attempts to update sharing permissions of a collaborator.
  - **Expected Outcome(s)**
    - The collaborator has modified sharing permissions within five seconds of the permissions being changed.
  - **Failing Outcome(s)**

## TEST PLAN

- The collaborator still has the original sharing permissions instead of the updated ones.

### Localized Weather Forecast

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- An event is populated with relevant weather metrics.
  - **Expected Outcome(s)**
    - Details related to the weather such as wind speed, humidity, precipitation, temperatures are shown
  - **Failing Outcomes(s)**
    - Details fail to populate.
    - Widget fails to appear for the events.

### End to End Testing

- User selects an event to see weather metrics
  - **Expected Outcome(s)**
    - Correct information is displayed
  - **Failing Outcome(s)**
    - Incorrect information is displayed.
    - Weather metrics fail to display.
    - The widget fails to populate with the information.
- The relevant data is stored/present data to be accessed
  - **Expected Outcome(s)**
    - The relevant data for the weather metrics is able to be queried.
  - **Failing Outcome(s)**
    - The required data is not being logged by the logging feature.
    - The data that is meant to populate the dashboard is not present in the data storage to be queried or the information present is insufficient.

### Memory Album

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

## TEST PLAN

- - **Expected Outcome(s)**
    -
  - **Failing Outcomes(s)**

### Ratings System

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- User appends a rating to a specific event.
  - **Expected Outcome(s)**
    - The rating is now associated with a specific event.
  - **Failing Outcomes(s)**
    - User rating fails to be logged to a specific event
- User appends a note to an event
  - **Expected Outcome(s)**
    - User's note is added and displayed with the relevant itinerary.
  - **Failing Outcome(s)**
    - The note fails to be saved and displayed with the relevant event.
    - Incorrect note is appended to the event(what user typed is not what is displayed).
    - Note is attached to the wrong event.

### End to End Testing

- An account selects a location pin rating of 1-5
  - **Expected Outcome(s)**
    - The user rating is successfully submitted and is accurately visualized on the UI.
  - **Failing Outcomes(s)**
    - The user rating is not properly registered.
    - The rating is not properly logged
    - The rating the user input is displayed as a different value from the original input(i.e. Rating of one displayed as three etc.)
    - The rating is incorrectly visualized at the UI level(5 stars showing as 4, 2 stores as 3,etc.)
- User modifies the rating
  - **Expected Outcome(s)**

## TEST PLAN

- The account successfully submits the rating.
- **Failing Outcome(s)**
  - The account is unable to submit a modification to the ratings.

### Suggestions

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- - **Expected Outcome(s)**
    -
  - **Failing Outcomes(s)**

### User Profile Dashboard

Test Creation Time Estimate:

Test Execution Time Estimate:

Total Testing Time (TTT):

### Integration Testing

- - **Expected Outcome(s)**
    -
  - **Failing Outcomes(s)**



## TEST PLAN