



## Oral toxicity prediction results for input compound




Predicted LD50: 920mg/kg

Predicted Toxicity Class: 4



Average similarity: 45.4%

Prediction accuracy: 54.26%



|                                           |                                       |
|-------------------------------------------|---------------------------------------|
| Name                                      | Brc1ccc(C2([NH2+])Cc3nc4ccccc4c32)cc1 |
| Molweight                                 | 379.27                                |
| Number of hydrogen bond acceptors         | 3                                     |
| Number of hydrogen bond donors            | 1                                     |
| Number of atoms                           | 23                                    |
| Number of bonds                           | 26                                    |
| Number of rotatable bonds                 | 5                                     |
| Molecular refractivity                    | 90.87                                 |
| Topological Polar Surface Area            | 64.76                                 |
| octanol/water partition coefficient(logP) | 2.48                                  |

## Toxicity Model Report

[Copy](#)
[Excel](#)
[CSV](#)
[PDF](#)

| Classification                             | Target                                                                                                | Shorthand     | Prediction    | Probability |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------|---------------|-------------|
| Organ toxicity                             | <a href="#">Hepatotoxicity</a>                                                                        | dili          | Inactive      | 0.58        |
| Organ toxicity                             | <a href="#">Neurotoxicity</a>                                                                         | neuro         | <b>Active</b> | 0.73        |
| Organ toxicity                             | <a href="#">Nephrotoxicity</a>                                                                        | nephro        | Inactive      | 0.59        |
| Organ toxicity                             | <a href="#">Respiratory toxicity</a>                                                                  | respi         | <b>Active</b> | 0.86        |
| Organ toxicity                             | <a href="#">Cardiotoxicity</a>                                                                        | cardio        | Inactive      | 0.75        |
| Toxicity end points                        | <a href="#">Carcinogenicity</a>                                                                       | carcino       | <b>Active</b> | 0.60        |
| Toxicity end points                        | <a href="#">Immunotoxicity</a>                                                                        | immuno        | Inactive      | 0.91        |
| Toxicity end points                        | <a href="#">Mutagenicity</a>                                                                          | mutagen       | <b>Active</b> | 0.54        |
| Toxicity end points                        | <a href="#">Cytotoxicity</a>                                                                          | cyto          | Inactive      | 0.71        |
| Toxicity end points                        | <a href="#">BBB-barrier</a>                                                                           | bbb           | <b>Active</b> | 0.84        |
| Toxicity end points                        | <a href="#">Ecotoxicity</a>                                                                           | eco           | <b>Active</b> | 0.56        |
| Toxicity end points                        | <a href="#">Clinical toxicity</a>                                                                     | clinical      | Inactive      | 0.53        |
| Toxicity end points                        | <a href="#">Nutritional toxicity</a>                                                                  | nutri         | Inactive      | 0.56        |
| Tox21-Nuclear receptor signalling pathways | <a href="#">Aryl hydrocarbon Receptor (AhR)</a>                                                       | nr_ahr        | Inactive      | 0.82        |
| Tox21-Nuclear receptor signalling pathways | <a href="#">Androgen Receptor (AR)</a>                                                                | nr_ar         | Inactive      | 0.95        |
| Tox21-Nuclear receptor signalling pathways | <a href="#">Androgen Receptor Ligand Binding Domain (AR-LBD)</a>                                      | nr_ar_lbd     | Inactive      | 0.94        |
| Tox21-Nuclear receptor signalling pathways | <a href="#">Aromatase</a>                                                                             | nr_aromatase  | Inactive      | 0.86        |
| Tox21-Nuclear receptor signalling pathways | <a href="#">Estrogen Receptor Alpha (ER)</a>                                                          | nr_er         | Inactive      | 0.77        |
| Tox21-Nuclear receptor signalling pathways | <a href="#">Estrogen Receptor Ligand Binding Domain (ER-LBD)</a>                                      | nr_er_lbd     | Inactive      | 0.93        |
| Tox21-Nuclear receptor signalling pathways | <a href="#">Peroxisome Proliferator Activated Receptor Gamma (PPAR-Gamma)</a>                         | nr_ppar_gamma | Inactive      | 0.97        |
| Tox21-Stress response pathways             | <a href="#">Nuclear factor (erythroid-derived 2)-like 2/antioxidant responsive element (nrf2/ARE)</a> | sr_are        | Inactive      | 0.89        |
| Tox21-Stress response pathways             | <a href="#">Heat shock factor response element (HSE)</a>                                              | sr_hse        | Inactive      | 0.89        |
| Tox21-Stress response pathways             | <a href="#">Mitochondrial Membrane Potential (MMP)</a>                                                | sr_mmp        | Inactive      | 0.79        |
| Tox21-Stress response pathways             | <a href="#">Phosphoprotein (Tumor Suppressor) p53</a>                                                 | sr_p53        | Inactive      | 0.87        |
| Tox21-Stress response pathways             | <a href="#">ATPase family AAA domain-containing protein 5 (ATAD5)</a>                                 | sr_atad5      | Inactive      | 0.85        |
| Molecular Initiating Events                | <a href="#">Thyroid hormone receptor alpha (THRα)</a>                                                 | mie_thr_alpha | Inactive      | 0.85        |
| Molecular Initiating Events                | <a href="#">Thyroid hormone receptor beta (THRβ)</a>                                                  | mie_thr_beta  | Inactive      | 0.81        |
| Molecular Initiating Events                | <a href="#">Transthyretin (TTR)</a>                                                                   | mie_ttr       | Inactive      | 0.76        |
| Molecular Initiating Events                | <a href="#">Ryanodine receptor (RYR)</a>                                                              | mie_ryr       | Inactive      | 0.77        |
| Molecular Initiating Events                | <a href="#">GABA receptor (GABAR)</a>                                                                 | mie_gabar     | Inactive      | 0.55        |

| Classification              | Target                                                                               | Shorthand  | Prediction | Probability |
|-----------------------------|--------------------------------------------------------------------------------------|------------|------------|-------------|
| Molecular Initiating Events | <a href="#">Glutamate N-methyl-D-aspartate receptor (NMDAR)</a>                      | mie_nmdar  | Inactive   | 0.94        |
| Molecular Initiating Events | <a href="#">alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor (AMPA)</a> | mie_ampar  | Inactive   | 0.98        |
| Molecular Initiating Events | <a href="#">Kainate receptor (KAR)</a>                                               | mie_kar    | Inactive   | 0.99        |
| Molecular Initiating Events | <a href="#">Acetylcholinesterase (AChE)</a>                                          | mie_ache   | Inactive   | 0.65        |
| Molecular Initiating Events | <a href="#">Constitutive androstane receptor (CAR)</a>                               | mie_car    | Inactive   | 1.0         |
| Molecular Initiating Events | <a href="#">Pregnane Xreceptor (PXR)</a>                                             | mie_pxr    | Inactive   | 0.52        |
| Molecular Initiating Events | <a href="#">NADH-quinone oxidoreductase (NADHox)</a>                                 | mie_nadhox | Inactive   | 0.90        |
| Molecular Initiating Events | <a href="#">Voltage gated sodium channel (VGSC)</a>                                  | mie_vgsc   | Active     | 0.54        |
| Molecular Initiating Events | <a href="#">Na<sup>+</sup>/I<sup>-</sup> symporter (NIS)</a>                         | mie_nis    | Inactive   | 0.76        |
| Metabolism                  | <a href="#">Cytochrome CYP1A2</a>                                                    | CYP1A2     | Inactive   | 0.85        |
| Metabolism                  | <a href="#">Cytochrome CYP2C19</a>                                                   | CYP2C19    | Inactive   | 0.60        |
| Metabolism                  | <a href="#">Cytochrome CYP2C9</a>                                                    | CYP2C9     | Inactive   | 0.56        |
| Metabolism                  | <a href="#">Cytochrome CYP2D6</a>                                                    | CYP2D6     | Active     | 0.54        |
| Metabolism                  | <a href="#">Cytochrome CYP3A4</a>                                                    | CYP3A4     | Inactive   | 0.72        |
| Metabolism                  | <a href="#">Cytochrome CYP2E1</a>                                                    | CYP2E1     | Inactive   | 0.98        |

### Toxicity targets

Possible binding to toxicity targets is shown below. For more information on the targets, please click on the individual abbreviations.



|                       |                       |                      |                      |                       |                      |                      |                      |                     |                      |                       |                      |                      |                       |                      |                      |
|-----------------------|-----------------------|----------------------|----------------------|-----------------------|----------------------|----------------------|----------------------|---------------------|----------------------|-----------------------|----------------------|----------------------|-----------------------|----------------------|----------------------|
| <a href="#">AA2AR</a> | <a href="#">ADRB2</a> | <a href="#">ANDR</a> | <a href="#">AOFA</a> | <a href="#">CRFR1</a> | <a href="#">DRD3</a> | <a href="#">ESR1</a> | <a href="#">ESR2</a> | <a href="#">GCR</a> | <a href="#">HRH1</a> | <a href="#">NR1I2</a> | <a href="#">OPRK</a> | <a href="#">OPRM</a> | <a href="#">PDE4D</a> | <a href="#">PGH1</a> | <a href="#">PRGR</a> |
|                       |                       |                      |                      |                       |                      |                      |                      |                     |                      |                       |                      |                      |                       |                      |                      |