2. Requirements

Elicitation of requirements

- 1. The provided product brief indicated the overall goals and intentions of the finished product and contained general descriptions of its desired functionality
- 2. Group brainstorming session was held to compare our interpretations of the brief and to raise a list of questions to address to the customer
- 3. In a group meeting with the customer, answers to the questions and any other customer comments were detailed in informal meeting notes.
- 4. Recorded info was formalised as a set of user requirements.
- 5. User requirements were distilled down into more specific functional and non-functional requirements.
 - a. Functional requirements detailed concrete, specific functionality and capabilities of the product as related to its software implementation.
 - b. Non-functional requirements captured the performative characteristics of the completed product as a whole which could be perceived by the user or tester.
- 6. Resulting functional and non-functional requirements were closely evaluated for possible risks to their implementation; these were detailed within the risk register.

Research into requirement specification and presentation

- IEEE requirements engineering document ¹:
 - Provided comprehensive information on all aspects of requirement elicitation and presentation, although sections 5.1-5.2.8 and 6.1-6.6.3 were most helpful
 - Contained robust justification for the need for requirements and their role in the overall software lifecycle process
 - Informed our choice of specific language, standardised subjects and verbs (user, shall, etc.), the choice of imperative tone, and justifications for these
 - o Ultimately, aimed at larger, more critical projects than ours
- ENG1 lecture on requirements engineering:
 - Provided an excellent overview of the motivations for requirements engineering and a lucid overview of this process
 - Introduced the user/functional/non-functional requirements methodology which proved an excellent fit for our scope of project (versus lifecycle-based requirement methodology in the IEEE document)
 - Demonstrated requirements tables as a tool for writing down and detailing requirements

Informed by these resources, we chose a tabular format for implementing for the requirements register, allowing us to easily add additional metadata to individual rows as extra columns and permitting a quick, comprehensive overview of the entire register. All rows were labelled with unique identifiers, permitting cross-referencing between user and (non-)functional requirements, as well as with other sections of project documentation, such as the risk register and architecture specs.

¹ Systems and software engineering -- Life cycle processes -- Requirements engineering , ISO/IEC/IEEE 29148:2018(E), 2018.

User Requirements

Category	ID	Description	Priority
Game setting	UR_PLATFORM	The user shall use a standard laptop PC to play the game	Shall
Game setting	UR_GAME_INIT	The user shall begin a new game from an initial state	Shall
Game setting	UR_SHIP_CONTROL	The user shall control a ship sailing across the great Lake of York	Shall
Game setting	UR_COMPETING_COLLEGES	The user shall encounter at least 3 other colleges	Shall
Game setting	UR_LEARNING_CURVE	The user shall play the game without training	Shall
Game setting	UR_GAME_DURATION	The user shall be able to complete the game within a ~5 minute timespan	Shall
Game setting	UR_GAME_OBSERVABILITY	The game shall accommodate onlookers in the PCs surroundings	Shall
Encounters	UR_FRIENDLY_SHIP_ENCOUNTER	The user shall encounter friendly NPC ships	Shall
Encounters	UR_HOSTILE_SHIP_ENCOUNTER	The user shall encounter hostile NPC ships	Shall
Encounters	UR_FIRE_WEAPONS	The user shall be able to fire weapons from the ship	Shall
Encounters	UR_BULLET_DODGE	The user shall be able to manoeuvre their ship to dodge fired munitions	Shall
Encounters	UR_FRIENDLY_BUILDING_INTERACT	The user shall interact with friendly buildings	Shall
Encounters	UR_HOSTILE_BUILDING_COMBAT	The user shall engage in combat with hostile buildings	Shall
Encounters	UR_HOSTILE_COLLEGE_CAPTURE	The user shall capture other colleges via combat	Shall
Earnables	UR_EARN_MONEY	The user shall earn money	Shall
Earnables	UR_EARN_POINTS	The user shall earn points	Shall
Earnables	UR_EARN_XP	The user shall earn XP	May
Progress	UR_QUEST_PROGRESS	The user shall progress through a series of quests	Shall
Progress	UR_GAME_WIN	The user shall win the game through achieving an ultimate objective unlocked by the fulfilment of preceding requirements/quests	Shall
Progress	UR_GAME_LOSE	The user shall lose the game through being defeated in combat	Shall
Encounters	UR_SHIP_COMBAT	The user shall engage in combat with other ships	Shall
Encounters	UR_OBSTACLE_ENCOUNTER	The user shall encounter obstacles while sailing in game	Shall
Encounters	UR_WEATHER_ENCOUNTER	The user shall encounter bad weather while sailing	Shall
Earnables	UR_SPEND_MONEY	The user shall spend the money earned	Shall
Encounters	UR_POWERUPS	The user shall encounter powerups that grant temporary improvements to their ship	Shall
Encounters	UR_POWERUPS_QUANTITY	The user shall encounter 5 different types of powerups	Shall
Game setting	UR_DIFFICULTY	The user shall be able to choose between different difficulty levels	Shall
Progress	UR_SAVE_STATE	The user shall be able to save the state of the game at any point and resume a saved game	Shall

Functional Requirements

ID	Description	User requirement	Risks	Priority
FR_MENU_KB_INPUT	The game shall accept keyboard input for menu navigation	UR_PLATFORM		Shall
FR_VIEWPORT_SCALING	The game shall render on a 13"-27" monitor	UR_PLATFORM	R6	Shall
FR_MIN_FPS	The game shall render at a minimum of 30 FPS	UR_PLATFORM	R7, R3	Shall
FR_CROSS_PLATFORM_WIN	The game shall be playable on Windows	UR_PLATFORM		Shall
FR_CROSS_PLATFORM_MAC FR_CROSS_PLATFORM_GNU_LINU	The game shall be playable on Mac OS	UR_PLATFORM	R10	May
X	The game shall be playable on GNU/Linux	UR_PLATFORM		Shall
FR_GAME_RESET	The game shall allow restarting play from an initial configuration	UR_GAME_INIT		Shall
FR_SHIP_KB_INPUT	The game shall accept keyboard input for ship control	UR_SHIP_CONTROL		Shall
FR_COLLEGE_ENTITY_TRACKING	The game shall keep track of ships and buildings for a minimum of 3 distinct factions	UR_COMPETING_COLLEGES		Shall
FR_FRIENDLY_AI	The game shall control the actions of friendly ships	UR_FRIENDLY_SHIP_ENCOUNTE R		Shall
FR_FRIENDLY_INTERACT	The game shall allow user interaction with friendly ships	UR_FRIENDLY_SHIP_ENCOUNTE R		Shall
FR_HOSTILE_AI	The game shall control the actions of enemy ships	UR_HOSTILE_SHIP_ENCOUNTER	R1	Shall
FR_PLAYER_FIRE	The game shall enable the user to fire ship weapons	UR_FIRE_WEAPONS		Shall
FR_PLAYER_AMMO	The game shall maintain the state of the user's ship armament and ammunition	UR_FIRE_WEAPONS		Shall
FR_BULLET_TRAVEL	The game shall render the travel of a ship's fired munition	UR_BULLET_DODGE	R2	Shall
FR_MONEY_TRACKING	The game shall keep track of a player's money	UR_EARN_MONEY		Shall
FR_MONEY_UPDATE	The game shall give money on success in quests and encounters	UR_EARN_MONEY		Shall
FR_POINTS_TRACKING	The game shall keep track of a player's points	UR_EARN_POINTS		May
FR_POINTS_UPDATE	The game shall give points with time survived and obstacles navigated	UR_EARN_POINTS		May
FR_XP_TRACKING	The game shall keep track of a player's XP	UR_EARN_XP		May
FR_XP_UPDATE	The game shall give XP on successful combat encounters completed	UR_EARN_XP		May
FR_QUEST_TRACKING	The game shall maintain the state of the user's progress through multiple objectives	UR_QUEST_PROGRESS		Shall
FR_QUEST_RANDOMISE	The game shall randomise user's objectives between different playthroughs	UR_QUEST_PROGRESS		May
FR_QUEST_OBJECTIVE	The game shall associate quest objectives with game entities	UR_QUEST_PROGRESS		Shall
FR_BOSS_UNLOCK_TRACKING	The game shall monitor quest progression status prior to unlocking final objective	UR_GAME_WIN		Shall
FR_BOSS_SPAWN	The game shall spawn boss upon final objective ready status	UR_GAME_WIN		May
FR_GAME_WIN	The game shall display game stats upon successful completion of boss encounter	UR_GAME_WIN		May
FR_PLAYER_DEFEAT	The game shall display game stats upon player defeat	UR_GAME_LOSE		May
FR_SCENARIO_FAIL	The game shall display game stats upon game over scenario completion	UR_GAME_LOSE		May

FR_POWERUPS	The game shall provide players with short-term advantages upon collecting a powerup	UR_POWERUPS	R4,R16	Shall
FR_DIFFICULTY	The game shall provide a way to adjust the difficulty level upon start-up	UR_DIFFICULTY		Shall
FR_PLUNDER_SPEND	The game shall provide permanent advantages in exchange for the player's money	UR_SPEND_MONEY		Shall
FR_SAVE_STATE	The game shall provide the means to save and store the current game state	UR_SAVE_STATE	R9,R14	Shall
FR_RESTORE_STATE	The game shall provide the means to begin playing the game from a configuration saved from a previous play session	UR_SAVE_STATE	R9,R14	Shall

Non-Functional Requirements

ID	Description	User requirement	Fit criteria	Risks
NFR_SHIP_COLLISIONS	The game shall detect collisions between different ships	UR_HOSTILE_SHIP_ENCOUNTER	Distance between drawn assets <5px	R4
NFR_WORLD_COLLISIONS	The game shall detect collisions between ships and world objects	UR_COMPETING_COLLEGES	Distance between drawn assets <5px	
NFR_BULLET_COLLISIONS	The game shall detect collisions between game entities and fired munitions	UR_BULLET_DODGE	Distance between drawn assets <5px	
NFR_USER_INPUT_LAG	The game shall be responsive to user input NPC actions' responsiveness shall	UR_SHIP_CONTROL	Input lag <200ms	
NFR_AI_LAG	approximate that of player actions	UR_HOSTILE_SHIP_ENCOUNTER	Al response time <200ms	R3
NFR_RENDER_SMOOTHNESS	The game world shall render smoothly during player movement	UR_SHIP_CONTROL	Visual render lag <200ms	R8
NFR_COLOURBLINDNESS	Game map and assets should be distinguishable by a colourblind person	UR_PLATFORM	Subjective screenshot test via colourblind accessibility evaluation app	
NFR_EASE_OF_USE	The game shall be self-explainable and feature obvious controls	UR_LEARNING_CURVE	Tester must be able to pick up and play with no prior instruction	
NFR_GAME_DURATION	The game shall finish within ~5 mins in a win or loss for the player	UR_GAME_DURATION	Tester must reach the game stats screen within 4-6 mins	
NI N_OAML_DONATION	The game assets shall be large enough to	OK_OAME_DOKATION	Observer standing 2m away should be	
NFR_LARGE_ASSETS	observe from several metre's distance away on a standard laptop PC screen	UR_GAME_OBSERVABILITY	able to answer questions about gameplay state	
			When the player chooses to recover a configuration, the playing field shall	
NFR_SAVEFILE_AVAILABILIT Y	The game shall recover a previously saved configuration file	UR_SAVE_STATE	conform to the description specified by the saved file.	R14