Name: Jay Goyal

Roll no.: C017

Semester: VI

Program: B.Tech

Branch: EXTC

Date of performance: 11th December

Date of Submission: 11th December

Experiment Number: 1

Conclusion: From this experiment 1a we learnt how to upscale and downscale the image the image used here is the cameraman image and using experiment 1b we learnt how to Grey Scale an image we used 8 bits and we see the calrity as the bits number changes from a completely dark image to a completely clear image.

Collab link:https://colab.research.google.com/drive/12QcKKzn1ibH1lepiMkQpjsxKfH1im7oQ?usp=sharing


```python
#Importing all the required Libraries
import cv2
import matplotlib.pyplot as plt
import numpy as np


#Read the image
img2 = cv2.imread('/content/cameraman.tif',0)


#Determine the type of Image
type(img2)
```

```
    numpy.ndarray
```

```python
#Get size of the image
[m,n]= img2.shape
print(m,n)
```

```
    512 512
```

Up and Down Sampling

```python
#Ask for sampling rate for down sampling from the user
f = int(input("Enter the down sampling rate: "))
```

```
    Enter the down sampling rate: 2
```

```python
#Downsample the image
img3=np.zeros((m//f,n//f),dtype=np.int)
```

```python
for i in range(0,m,f):
  for j in range(0,n,f):
    try:
      img3[i//f][j//f] = img2[i][j]
    except IndexError:
      pass


img3.shape
```

   (256, 256)

```python
#Writing the image
cv2.imwrite('sampled_img.png',img3)
```

    True

```python
plt.imshow(img2,cmap='gray')
```

    <matplotlib.image.AxesImage at 0x7f6fcb0f23c8>


```python
plt.imshow(img3,cmap='gray')
```

    <matplotlib.image.AxesImage at 0x7f6fcac41080>


```python
# to upsacle the image
img4=np.zeros((m , n),dtype=np.int)
for i in range(0, m-1, f):
```

```
    for j in range(0, n-1, f):
      img4[i,j]=img3[i//f][j//f]


plt.imshow(img4,cmap='gray')
```

        <matplotlib.image.AxesImage at 0x7f6fc93a0748>


```
#Nearest  neighbour Replication.

#Replication Rows
for i in range(1, m-1, f):
  for j in range(0, n-1):
    img4[i,j]=img4[i-1,j]


plt.imshow(img4,cmap='gray')
```

   <matplotlib.image.AxesImage at 0x7f6fc937f908>


```
#Replication Columns
for i in range(0, m-1):
  for j in range(1, n-1, f):
    img4[i,j]=img4[i,j-1]


plt.imshow(img4,cmap='gray')
```

Experiment 1b

Grey Level Sampling

```
#Importing all the required Libraries
import cv2
import matplotlib.pyplot as plt
import numpy as np
```

```
#Read the image
img2 = cv2.imread('/content/cameraman.tif',0)
img2
```

```
array([[156, 157, 160, ..., 152, 152, 152],
       [156, 157, 159, ..., 152, 152, 152],
       [158, 157, 156, ..., 152, 152, 152],
       ...,
       [121, 123, 126, ..., 121, 113, 111],
       [121, 123, 126, ..., 121, 113, 111],
       [121, 123, 126, ..., 121, 113, 111]], dtype=uint8)
```

```
#By using img.shape we are trying to find the number of rows and columns in the image
[m,n]=img2.shape
print(m,n)
```

```
512 512
```

```
#Ask for the number of bit in which a pixel has to be represented in the new image
b= int(input("Enter the number of bits for the new image"))
```

```
Enter the number of bits for the new image8
```

```
#For a range of bits
fig = plt.figure(figsize=(20,20))

for b in range(1,10):
  img =np.zeros((m,n), dtype= np.int)
  for i in range(m):
    for j in range(n):
      img[i,j] = (2**b/512)*img2[i,j]
```

```
ax = fig.add_subplot(5,5,b+1)
plt.imshow(img,cmap='gray')
plt.xlabel("Image width {} bits".format(b),color = 'w')
plt.title("Number of Bits = {}".format(b))
```