## NH-atlantic: absolute difference surface flux surface flux surface concentration surface concentration surface concentration of BC - shp-atl-shift-195 of SO2 - shp-atl-shift-195 of SO2 - shp-atl-shift-195 of BC - shp-atl-shift-1950 of SO4 - shp-atl-shift-195 4 0e-13 emibc (kg $\mathrm{m}^{-2} \mathrm{s}^{-1}$ ) emiso2 (kg m $^{-2}$ s $^{-1}$ nmrbc (kg kg-1) 1.1e-2 so2 (kg kg – 1) 3.9e-13 mmrso4 (kg kg 3.8e-13 2.56 0e+00 -1.4e-20 3.7e-13 2.0e-2000 2001 2002 2003 2004 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2000 2001 2002 Year Year Year Year Year upwelling longwave flux at TOA – shp-atl-shift-195 upwelling shortwave flux at TOA – shp-atl-shift-1950 upwelling clear-sky longway flux at TOA - shp-atl-shift-1 incident shortwave flux at TOA – shp-atl-shift-19 net radiative flux at TOA - shp-atl-shift-195 5.0e-02 -lut + rsut $(W m^{-2})$ 0e+00 5 1e-01 rlut (Wm-2)rsut (Wm-2)rsdt (Wm-2)lutcs (W m--1e-01 2e-01 0.0e + 0.00e+00 1e-01 -2e-01 -2 5e-02 -3e-02 0e+00 -1e-0 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 Year Year Year Year Year upwelling clear-sky shortwav clear-sky net radiative implied cloud response dry deposition rate wet deposition rate flux at TOA - shp-atl-shift-19 flux at TOA - shp-atl-shift-19 rsutcs (W $m^{-2}$ ) at TOA - shp-atl-shift-19 of BC - shp-atl-shift-195 of BC - shp-atl-shift-198 1.6e-16 1.0erlutcs + rsutcs (W m<sup>-2</sup>) rsutcs (W m-2) 3e-02 1.0e-01 drybc (kg $m^{-2}$ s<sup>-1</sup> 8.5e-17 6.0e-16 wetbc (kg m<sup>-2</sup> s<sup>-</sup> 5.0e-02 2e-02 9.7e rlutcs 0.0e+00 1e-02 0e+00 -6.6e-1 rsut -5.0e-02 0e+00 \_1 40\_16 rit + 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 Year Year Year Year Year wet deposition rate of SO4 – shp-atl-shift-19 dry deposition rate of SO4 – shp-atl-shift-195 total deposition rate of BC – shp-atl-shift-195 dry deposition rate of SO2 – shp-atl-shift-195 wet deposition rate of SO2 – shp-atl-shift-195 1.2e 3.5e $\mathrm{drybc} + \mathrm{wetbc} \, (\mathrm{kg} \, \mathrm{m}^{-2} \, \mathrm{s}^{-1})$ wetso2 (kg $\mathrm{m}^{-2}\,\mathrm{s}^{-1}$ dryso2 (kg m $^{-2}$ s $^{-1}$ wetso4 (kg $\mathrm{m}^{-2} \mathrm{s}^{-1}$ 6.9e-16 dryso4 (kg m<sup>-2</sup> s<sup>-′</sup> 1.9e-16 2.7e-13 3.2e-17 -3.1e 2.6e-13 3.1e 1.8e-13 -8.1e-2.6e-13 3.0e 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 Year Year dryso2 + wetso2)/2 + (dryso4 + wetso4)/3Ice water path - shp-atl-sDifferethyl sulphide (DMS) mole fraction - sh total deposition rate cloud cover ambient aerosol optical thickness at 550nm - shp-atl-shift-1 of S - shp-atl-shift-19 percentage - shp-atl-shift-19 expression cltc (%) 8.0e-14 2.0e 2e-02 clivi (kg m<sup>-2</sup>) \_lom lom) smb $(kg m^{-2} s^{-1})$ 0e+00 od550aeı 0e+00 4.0e-14 -2e-02 0.0e+00 1 9e-13 -4e-0220002001200220032004 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 Year Year Year Year Year load load of so4 - shp-atl-shift-1950 of bc - shp-atl-shift-1950 $\log \log (\log \, m^{-2})$ 2eoadbc (kg m<sup>-2</sup>) 6e-08 1e-11 4e-08 2e-08 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004

Year

Year