3rd Model Layer Summary: SO2-at-height (absolute difference) surface flux of BC - global surface flux of SO2 - global 1.2e-19 2e-13 6.1e-20 Δ emiso2 (kg $\mathrm{m}^{-2}\,\mathrm{s}^{-1})$ Δ emibc (kg $\mathrm{m}^{-2}~\mathrm{s}^{-1})$ 0.0e+000e+00 -6.1e-20 -2e-13 -1.2e-19 50 100 150 200 50 100 150 200 Third Layer (m) Third Layer (m) surface concentration of SO4 - global surface concentration of BC - global 2e-12 2e-10 Δ mmrso4 (kg kg – 1) Δ mmrbc (kg kg-1) 1e-12 1e-10 0e+00 0e+00 -1e-10 1e-12 -2e-10 -2e-12 50 100 150 200 50 100 150 200 Third Layer (m) Third Layer (m) surface concentration of SO2 - global surface concentration of DMS - global 1e-12 5e-10 5e-13 Δ dms (kg kg – 1) $\Delta \cos (kg kg - 1)$ 0e+00 0e+00 -5e-13 -5e-10 -1e-12 50 100 150 200 50 100 150 200 Third Layer (m) Third Layer (m)

CAM-ATRAS

CESM

CESM2

E3SM

GEOS

GFDL-ESM4

GISS modelE

NorESM2

MIROC-SPRINTARS

OsloCTM3

UKESM1







