## 1\_0\_Lexical\_Complexity\_Dataset\_Classification\_Functional\_Testing\_FINA

## April 8, 2025

```
[1]: #@title Install Packages
[2]: !pip install -q transformers
     !pip install -q torchinfo
    !pip install -q datasets
    !pip install -q evaluate
    !pip install -q nltk
                              491.2/491.2 kB
    13.7 MB/s eta 0:00:00
                              116.3/116.3 kB
    11.6 MB/s eta 0:00:00
                              183.9/183.9 kB
    17.1 MB/s eta 0:00:00
                              143.5/143.5 kB
    14.6 MB/s eta 0:00:00
                              194.8/194.8 kB
    18.0 MB/s eta 0:00:00
```

```
ERROR: pip's dependency resolver does not currently take into account
all the packages that are installed. This behaviour is the source of the
following dependency conflicts.
gcsfs 2025.3.2 requires fsspec==2025.3.2, but you have fsspec 2024.12.0 which is
incompatible.
torch 2.6.0+cu124 requires nvidia-cublas-cu12==12.4.5.8; platform_system ==
"Linux" and platform_machine == "x86_64", but you have nvidia-cublas-cu12
12.5.3.2 which is incompatible.
torch 2.6.0+cu124 requires nvidia-cuda-cupti-cu12==12.4.127; platform_system ==
"Linux" and platform_machine == "x86_64", but you have nvidia-cuda-cupti-cu12
12.5.82 which is incompatible.
torch 2.6.0+cu124 requires nvidia-cuda-nvrtc-cu12==12.4.127; platform system ==
"Linux" and platform_machine == "x86_64", but you have nvidia-cuda-nvrtc-cu12
12.5.82 which is incompatible.
torch 2.6.0+cu124 requires nvidia-cuda-runtime-cu12==12.4.127; platform system
== "Linux" and platform_machine == "x86_64", but you have nvidia-cuda-runtime-
cu12 12.5.82 which is incompatible.
torch 2.6.0+cu124 requires nvidia-cudnn-cu12==9.1.0.70; platform_system ==
"Linux" and platform_machine == "x86_64", but you have nvidia-cudnn-cu12
9.3.0.75 which is incompatible.
torch 2.6.0+cu124 requires nvidia-cufft-cu12==11.2.1.3; platform system ==
"Linux" and platform_machine == "x86_64", but you have nvidia-cufft-cu12
11.2.3.61 which is incompatible.
torch 2.6.0+cu124 requires nvidia-curand-cu12==10.3.5.147; platform_system ==
"Linux" and platform_machine == "x86_64", but you have nvidia-curand-cu12
10.3.6.82 which is incompatible.
torch 2.6.0+cu124 requires nvidia-cusolver-cu12==11.6.1.9; platform_system ==
"Linux" and platform machine == "x86_64", but you have nvidia-cusolver-cu12
11.6.3.83 which is incompatible.
torch 2.6.0+cu124 requires nvidia-cusparse-cu12==12.3.1.170; platform_system ==
"Linux" and platform_machine == "x86_64", but you have nvidia-cusparse-cu12
12.5.1.3 which is incompatible.
```

12.5.82 which is incompatible.

torch 2.6.0+cu124 requires nvidia-nvjitlink-cu12==12.4.127; platform\_system == "Linux" and platform\_machine == "x86\_64", but you have nvidia-nvjitlink-cu12

## 3.6 MB/s eta 0:00:00

```
[3]: !sudo apt-get update
     ! sudo apt-get install tree
    Get:1 https://cloud.r-project.org/bin/linux/ubuntu jammy-cran40/ InRelease
    [3.632 B]
    Get:2 https://developer.download.nvidia.com/compute/cuda/repos/ubuntu2204/x86_64
    InRelease [1,581 B]
    Get:3 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
    Hit:4 http://archive.ubuntu.com/ubuntu jammy InRelease
    Get:5 https://r2u.stat.illinois.edu/ubuntu jammy InRelease [6,555 B]
    Get:6 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
    Get:7 https://cloud.r-project.org/bin/linux/ubuntu jammy-cran40/ Packages [70.9
    kBl
    Get:8 https://developer.download.nvidia.com/compute/cuda/repos/ubuntu2204/x86 64
    Packages [1,381 kB]
    Get:9 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
    Hit:10 https://ppa.launchpadcontent.net/deadsnakes/ppa/ubuntu jammy InRelease
    Hit:11 https://ppa.launchpadcontent.net/graphics-drivers/ppa/ubuntu jammy
    InRelease
    Hit:12 https://ppa.launchpadcontent.net/ubuntugis/ppa/ubuntu jammy InRelease
    Get:13 https://r2u.stat.illinois.edu/ubuntu jammy/main all Packages [8,808 kB]
    Get:14 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [3,092
    kB]
    Get:15 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages
    [1,241 kB]
    Get:16 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages
    [1,540 \text{ kB}]
    Get:17 http://archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages
    [4,148 kB]
    Get:18 https://r2u.stat.illinois.edu/ubuntu jammy/main amd64 Packages [2,688 kB]
    Get:19 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages
    [2,775 \text{ kB}]
    Get:20 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64
    Packages [3,978 kB]
    Fetched 30.1 MB in 4s (6,851 kB/s)
    Reading package lists... Done
    W: Skipping acquire of configured file 'main/source/Sources' as repository
    'https://r2u.stat.illinois.edu/ubuntu jammy InRelease' does not seem to provide
    it (sources.list entry misspelt?)
    Reading package lists... Done
    Building dependency tree... Done
    Reading state information... Done
    The following NEW packages will be installed:
      tree
    O upgraded, 1 newly installed, O to remove and 46 not upgraded.
```

```
Need to get 47.9 kB of archives.
    After this operation, 116 kB of additional disk space will be used.
    Get:1 http://archive.ubuntu.com/ubuntu jammy/universe amd64 tree amd64 2.0.2-1
    [47.9 kB]
    Fetched 47.9 kB in 0s (158 kB/s)
    debconf: unable to initialize frontend: Dialog
    debconf: (No usable dialog-like program is installed, so the dialog based
    frontend cannot be used. at /usr/share/perl5/Debconf/FrontEnd/Dialog.pm line 78,
    <> line 1.)
    debconf: falling back to frontend: Readline
    debconf: unable to initialize frontend: Readline
    debconf: (This frontend requires a controlling tty.)
    debconf: falling back to frontend: Teletype
    dpkg-preconfigure: unable to re-open stdin:
    Selecting previously unselected package tree.
    (Reading database ... 126210 files and directories currently installed.)
    Preparing to unpack .../tree_2.0.2-1_amd64.deb ...
    Unpacking tree (2.0.2-1) ...
    Setting up tree (2.0.2-1) ...
    Processing triggers for man-db (2.10.2-1) ...
[4]: #@title Imports
     import transformers
     import evaluate
     import nltk
     from datasets import load_dataset
     from torchinfo import summary
     from transformers import AutoTokenizer, AutoModel, __
      → AutoModelForSequenceClassification
     from transformers import TrainingArguments, Trainer
     import os
     import pandas as pd
     import numpy as np
[5]: # @title Mount Google Drive
[6]: from google.colab import drive
     drive.mount('/content/drive')
    Mounted at /content/drive
[7]: dir root = '/content/drive/MyDrive/266-final/'
     # dir_data = '/content/drive/MyDrive/266-final/data/'
```

```
dir_data = '/content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/'
      dir_models = '/content/drive/MyDrive/266-final/models/'
      dir_results = '/content/drive/MyDrive/266-final/results/'
 [8]: | tree -L 2 /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/
     /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/
        evaluate.py
       Readme.md
        test
           lcp_multi_test.tsv
           lcp_single_test.tsv
        test-labels
           lcp_multi_test.tsv
           lcp_single_test.tsv
        train
           lcp_multi_train.tsv
           lcp_single_train.tsv
        trial
            lcp_multi_trial.tsv
            lcp_single_trial.tsv
     4 directories, 10 files
 [9]: # !tree -L 4 /content/drive/MyDrive/266-final/
[10]: || ls -R /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/
     /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/:
     evaluate.py Readme.md test test-labels train trial
     /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/test:
     lcp_multi_test.tsv lcp_single_test.tsv
     /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/test-labels:
     lcp_multi_test.tsv lcp_single_test.tsv
     /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/train:
     lcp_multi_train.tsv lcp_single_train.tsv
     /content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/trial:
     lcp_multi_trial.tsv lcp_single_trial.tsv
[11]: #@title Import Data
[17]: from datasets import load_dataset
      # Suppose you just want to load train + test for your "single" dataset
```

```
data_files = {
    "train": os.path.join(dir_data, "train", "lcp_single_train.tsv"),
    "test": os.path.join(dir_data, "test", "lcp_single_test.tsv"),
}
dataset = load_dataset(
    "csv", # we can still pass "csv" even though it's TSV
    data_files=data_files,
    delimiter="\t" # crucial to handle TSV
)
# dataset is now a DatasetDict with 'train' and 'test' splits
print(dataset)
# Suppose each row has columns like `sentence`, `target_word`, `complexity`
# Next, define a tokenization function:
from transformers import AutoTokenizer
model_checkpoint = "bert-base-cased" # for example
tokenizer = AutoTokenizer.from_pretrained(model_checkpoint)
def tokenize_function(examples):
    # Usually you'd tokenize the 'sentence' field (and maybe 'target_word'?).
    return tokenizer(examples["sentence"], truncation=True)
# Apply tokenization to each row in the dataset
tokenized_dataset = dataset.map(tokenize_function, batched=True)
# If you want to train with a Trainer:
from transformers import DataCollatorWithPadding,
 → AutoModelForSequenceClassification
model = AutoModelForSequenceClassification.from_pretrained(model_checkpoint,_
 →num labels=1)
data_collator = DataCollatorWithPadding(tokenizer=tokenizer)
# etc. (TrainingArguments, Trainer, and so on).
Generating train split: 0 examples [00:00, ? examples/s]
Generating test split: 0 examples [00:00, ? examples/s]
DatasetDict({
    train: Dataset({
       features: ['id', 'corpus', 'sentence', 'token', 'complexity'],
       num_rows: 7232
   })
    test: Dataset({
```

```
features: ['id', 'corpus', 'sentence', 'token', 'complexity'],
        num_rows: 808
    })
})
tokenizer_config.json:
                         0%1
                                       | 0.00/49.0 [00:00<?, ?B/s]
config.json:
               0%|
                             | 0.00/570 [00:00<?, ?B/s]
             0%|
                           | 0.00/213k [00:00<?, ?B/s]
vocab.txt:
tokenizer.json:
                  0%|
                                | 0.00/436k [00:00<?, ?B/s]
                     | 0/7232 [00:00<?, ? examples/s]
Map:
       0%1
                     | 0/808 [00:00<?, ? examples/s]
       0%1
Map:
```

Xet Storage is enabled for this repo, but the 'hf\_xet' package is not installed. Falling back to regular HTTP download. For better performance, install the package with: `pip install huggingface\_hub[hf\_xet]` or `pip install hf\_xet` WARNING:huggingface\_hub.file\_download:Xet Storage is enabled for this repo, but the 'hf\_xet' package is not installed. Falling back to regular HTTP download. For better performance, install the package with: `pip install huggingface\_hub[hf\_xet]` or `pip install hf\_xet`

```
model.safetensors: 0%| | 0.00/436M [00:00<?, ?B/s]
```

Some weights of BertForSequenceClassification were not initialized from the model checkpoint at bert-base-cased and are newly initialized: ['classifier.bias', 'classifier.weight']

You should probably TRAIN this model on a down-stream task to be able to use it for predictions and inference.