




# AI Master Class series – Day 19

## License Plate Recognition



## License Plate recognition.

- LPR (License Plate Recognition) is an image-processing technology used to identify vehicles by their license plates. This technology is used in various security and traffic applications, such as the access-control system featured in the following animation:



# OpenALPR.

- The OpenALPR CarCheck API is a hosted ALPR web service for application integration. Send images to the OpenALPR cloud servers and the response will be a JSON document describing the license plates, and vehicle variables such as color, make, and body type.
- There are a number of plans that offer a fixed number of recognitions per month. Select a plan below.





[About](#)

[Solutions](#) ▼

[Products](#) ▼

[Log in](#)

[Start free trial](#)

# Automatic license plate recognition made easy


Deploy license plate and vehicle recognition with Rekor's OpenALPR suite of solutions designed to provide invaluable vehicle intelligence which enhances business capabilities, automates tasks, and increases overall community safety!

ABC-5678



[Get started](#)

[Learn more](#)





Analytic  
Reports



Advanced  
Search



**CarCheck API**



Search Audit



Guides and  
Support

There are a number of plans that offer a fixed number of recognitions per month. Select a plan below.

## CarCheck API Credentials:

### Secret Key

[REDACTED]

Ready to integrate OpenALPR CarCheck API into your application? [Check out the documentation to get started](#)

**Current Plan:** Trial / 50 API requests per month.

Upgrade your plan in the [Billing and Licenses](#) section.

[API Demo](#)

# **! PRACTICAL SESSION !**

**License Plate recognition using OpenALPR**





**ALPR FROM IMAGE**







# Thanks!

Connect with me on **LinkedIn:**  
link in Description

Product & Project:  
[www.pantechsolutions.net](http://www.pantechsolutions.net)

Course:  
[Learn.pantechsolutions.net](http://Learn.pantechsolutions.net)

## Tomorrow session

**Drowsiness Detection**

