#### Git & Github Tutorial

Daniel Schädler & Jean-Pierre Hotz

DHBW Karlsruhe

22. October 2018



Terminology

Git areas

Use your Github user in Git

Ignoring files
Local repositories

Staging and committing

Display changes and commits

Remote repositories

Branches

merging

conflict resolving

rebasing

Rewriting history

GitHub (& others)





► Git is a Version Control System



- ► Git is a Version Control System
- created in 2005 by Linus Torvalds

# Terminology



# Terminology


Commit (History)

# Terminology

- ► Commit (History)
- ► (Remote) Repository



#### Git areas





# Use your Github user in Git



### Use your Github user in Git

- set your username and e-mail
  - \$ git config --global user.name "<username>"
  - \$ git config --global user.email <e-mail>

exclude files with .gitignore-file



- exclude files with .gitignore-file
- contains patterns



- exclude files with .gitignore-file
- contains patterns
- \* matches anything

- exclude files with .gitignore-file
- contains patterns
- \* matches anything
- postceding / matches a folder

- exclude files with .gitignore-file
- contains patterns
- \* matches anything
- postceding / matches a folder
- preceding / matches only in the root folder



- exclude files with .gitignore-file
- contains patterns
- \* matches anything
- postceding / matches a folder
- preceding / matches only in the root folder
- preceding ! negates the pattern (i.e. includes files)



#### What do the following rules exclude?

```
/src/
!/src/working/
```



# Local repositories

# Local repositories

- create new local repository
  - \$ git init

### Local repositories

- create new local repository
  - \$ git init
- clone a remote repository
  - \$ git clone <URL>



```
stage changes
$ git add (--all / <files>)
```

- stage changes
  \$ git add (--all / <files>)
- commit all the staged changes
  - \$ git commit -m "<Message>"

- stage changes
  \$ git add (--all / <files>)
- commit all the staged changes
  - \$ git commit -m "<Message>"
- Commit messages are important!



see changes in code
\$ git diff <commit1> <commit2> <files>



- see changes in code
  \$ git diff <commit1> <commit2> <files>
- see staged changes
  \$ git status

- see changes in code
  \$ git diff <commit1> <commit2> <files>
- see staged changes
  \$ git status
- see commit history
  - \$ git log



add remote repository
\$ git remote add <Name> <URL>

- add remote repository
  \$ git remote add <Name> <URL>
- not needed when repository was cloned



- add remote repository
  \$ git remote add <Name> <URL>
- not needed when repository was cloned
- set remote repository as up-stream
  - \$ git branch -u <Name> <Branch>
  - \$ git push -u <Name> <Branch>

- add remote repository
  \$ git remote add <Name> <URL>
- not needed when repository was cloned
- set remote repository as up-stream
  - \$ git branch -u <Name> <Branch>
  - \$ git push -u <Name> <Branch>
- push all commits to remote repository
  - \$ git push



- add remote repository
  \$ git remote add <Name> <URL>
- not needed when repository was cloned
- set remote repository as up-stream
  - \$ git branch -u <Name> <Branch>
  - \$ git push -u <Name> <Branch>
- push all commits to remote repository
  \$ git push
  - \$ git push
- pulls all commits from remote repository \$ git pull







```
list tags
$ git tag --list
```

- list tags
  \$ git tag --list
- tag a commit
  - $\$  git tag -a <version> -m "<message>"<commit>

- list tags
  \$ git tag --list
- tag a commit
  - \$ git tag -a <version> -m "<message>"<commit>
- push all tags
  - \$ git push origin --tags




- official release history with commits tagged with version numbers
- -O- integration branch for features
- release branch that will get merged to master
  - local branches for each feature that will get merged back to development branch




different directions the project is heading of into





- different directions the project is heading of into
- different features (feature branches)





- different directions the project is heading of into
- different features (feature branches)
- can be merged again



- bringing two branches back together
  - \$ git merge <branchname>

- bringing two branches back together
  - \$ git merge <branchname>
- merges <branchname> into current branch



- bringing two branches back together
  \$ git merge <branchname>
- merges <branchname> into current branch



conflicts happen when two people edit the same line



conflicts happen when two people edit the same line

```
To help you with git,

<<<<< HEAD

this line has many infos

======

I write many different tutorials

>>>>> conflicting branch
```

resolve them manually by editing the files



conflicts happen when two people edit the same line

```
To help you with git,

<<<<< HEAD

this line has many infos

======

I write many different tutorials

>>>>>> conflicting branch
```

- resolve them manually by editing the files
- git add <conflicting-file>



reapply commits on top of another base tip


- reapply commits on top of another base tip
- keeps the git history straight



- reapply commits on top of another base tip
- keeps the git history straight
- ▶ allows for --ff-only merge
  - \$ git merge --ff-only <branchname>

- reapply commits on top of another base tip
- keeps the git history straight
- ▶ allows for --ff-only merge

\$ git merge --ff-only <branchname>





► You can rewrite git history

- ► You can rewrite git history
- \$ git rebase -i HEAD~<number>
  <number> is the number of commits you want to go back and
  edit

- ► You can rewrite git history
- \$ git rebase -i HEAD~<number>
  <number> is the number of commits you want to go back and
  edit

#### \$ git rebase -i HEAD~<number>

```
pick ce28e71 change gitignore intellij
pick 4067bbb Add chapter about tags
pick 4067bbb Add chapter about tags
pick 78580c3 Change some slides
pick 1641359 Complete my slides
pick 091611d add current pdf version
pick db3e8b4 add Daniels part to slides

# Rebase 3a4a271..db3e8b4 onto 3a4a271 (7 commands)

# Commands:
# p, pick <commit> = use commit
# r, reword <commit> = use commit, but edit the commit message
# e, edit <commit> = use commit, but stop to amend
# s, squash <commit> = use commit, but meld into previous commit
# These lines can be re—ordered; they are executed from top to bottom.
# If you remove a commit here THAT COMMIT WILL BE LOST.
```

## GitHub (& others)



## GitHub (& others)

complete copy

branch protection

pull requests

issues



