
Vascular Model Repository Specifications Document



Species	Human
Anatomy	Aortofemoral
Disease	Aortofemoral Peripheral Occlusive Disease
Procedure	-

Clinical Significance and Background

Aortofemoral

The abdominal aorta runs from the diaphragm and ends just above the pelvis, where it divides into the iliac arteries. There are five arteries that branch from the abdominal aorta: the celiac artery, the superior mesenteric artery, the inferior mesenteric artery, the renal arteries and the iliac arteries. The celiac artery provides blood to the stomach, liver and pancreas; the superior mesenteric artery supplies blood to the small intestine; the inferior mesenteric artery supplies blood to the large intestine; and the renal arteries provide blood to the kidneys as well as the muscles of the abdominal wall and the lower spinal cord. The end of the abdominal aorta branches into the iliac arteries, which supply blood to the legs and the organs in the pelvis.

Each of the iliac arteries then branch and lead into the femoral artery, which is the main blood vessel supplying blood to the lower body. The femoral artery starts in the upper thigh, near the groin and runs down to the back of the knee. The function of the femoral artery and its branches is to supply the lower body with blood. When the femoral arteries are included with the abdominal aorta, the whole system is referred to as the aortofemoral system.

Aortofemoral Peripheral Occlusive Disease

A buildup of fatty deposits in your artery is called atherosclerosis. It's called peripheral artery disease (PAD) when atherosclerosis affects the arteries leading to your arms, legs, stomach, or head. It usually affects the arteries leading to your legs. Aortofemoral peripheral occlusive disease is a manifestation of peripheral arterial disease (PAD) in which obstructing plaques caused by atherosclerotic occlusive disease occur in the infrarenal aorta and iliac arteries, ultimately resulting in partial or total vascular occlusion. The atherosclerotic plaques may induce symptoms either by obstructing blood flow or by breaking apart and embolizing atherosclerotic and/or thrombotic debris to more distal blood vessels. If the plaques are large enough to impinge on the arterial lumen, reduction of blood flow to the extremities occurs.

Clinical Data

General Patient Data

Age (yrs)	67
1 0 0 7	

Notes

See below for information on the image data and boundary conditions associated with the model.

Image Modality: MR

Image Type: DICOM

Image Source: TLAB

Image Manufacturer: GE MEDICAL SYSTEMS

Publications

See the following publications which include the featured model for more details:

Nathan M. Wilson, Frank R. Arko & Charles A. Taylor (2005) Predicting changes in blood flow in patient-specific operative plans for treating aortoiliac occlusive disease, Computer Aided Surgery, 10:4, 257-277

http://www.doi.org/10.3109/10929080500230445

License

Copyright (c) Stanford University, the Regents of the University of California, Open Source Medical Software Corporation, and other parties.

All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this data to use the data for research and development purposes subject to the following conditions:

The above copyright notice and the README-COPYRIGHT file shall be included in all copies of any portion of this data. Whenever reasonable and possible in publications and presentations when this data is used in whole or part, please include an acknowledgement similar to the following:

"The data used herein was provided in whole or in part with Federal funds from the National Library of Medicine under Grant No. R01LM013120, and the National Heart, Lung, and Blood Institute, National Institutes of Health, Department of Health and Human Services, under Contract No. HHSN268201100035C"

AND/OR

N.M. Wilson, A.K. Ortiz, and A.B. Johnson, "The Vascular Model Repository: A Public Resource of Medical Imaging Data and Blood Flow Simulation Results," J. Med. Devices 7(4), 040923 (Dec 05, 2013) doi:10.1115/1.4025983.

AND/OR

Reference the official website for this data: www.vascularmodel.com

THE DATA IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE DATA OR THE USE OR OTHER DEALINGS IN THE DATA.