

Contents

Geography 485L/585L Milestones	1
Week 1 - Creating your first web page in GitHub	1
Create a GitHub Account and Public Repository for the Class	2
Create Your First Web Page	2
Make Your New Web Page Visible to the World	3
Week 2 - Create a More Complex Web Page and Style It	3
Week 3 - Creation of a Web Page with an Embedded Google Map	4
Week 4 - Styling of an Embedded Google Map	5
Week 5 - Proj4, GDAL, and OGR	5
Week 6 - WMS & KML	6
Week 7 - WMS GetMap Requests, Map Scale and Aspect Ratio Calculations	7
Week 10 - OpenLayers Mapping	11
Week 11 - A Customized OpenLayers Mapping Client	12
Week 12: WMS and WFS Access in Quantum GIS (QGIS)	12
Week 13: Linux Basics and GeoServer Data Import	14
Working on the Class Server	14
Adding data to GeoServer	14
Week 14: Styling of Layers in GeoServer	16

Geography 485L/585L Milestones

These *milestone* assignments will be compiled into an online, web-based *portfolio* that you will develop over the course of the semester. This portfolio will include a “home page” (started in the second week’s milestone) that includes links to all of the created milestone and “[deep dive](#)” pages that you will create.

Week 1 - Creating your first web page in GitHub

Developing content to go onto the web has evolved from a solitary effort to one where teams work together in developing components of larger web sites. These teams need to have a variety of tools to enable their work. Some of the most important tools enable code sharing with the team, and in projects based on the [Open Source](#) software model the rest of the world. The [GitHub](#) web platform uses the [Git](#) distributed [version control](#) system to enable sharing of code and hosting static web pages based on that shared code.

We will be using GitHub as the platform for hosting your portfolios for the class, allowing you to learn how version control operates, and how to provide comments and keep notes on your work and the work of others (this will be part of our peer review process).

While the work we do this and next week will be directly through the editor integrated into the GitHub system, you will eventually want to install one of the recommended desktop applications that allow you to develop your web pages on your local computer and then update the files on the GitHub system when you want to create a new version. Also, you can’t add things like images to your web pages until you are adding them to a local repository on your computer and then sending them to GitHub.

Create a GitHub Account and Public Repository for the Class

Step 1 Go to the [GitHub](#) web site and sign up for an account by providing a username, email address and password and submitting the requested information by clicking the “Sign up for GitHub” button.

[Figure 1 about here.]

You will then be taken to the “Welcome to GitHub” page where you can see that you have signed up for a free GitHub account.

[Figure 2 about here.]

Step 2 Click the “Finish sign up” button near the bottom of the page.

This takes you to your GitHub dashboard from which you can access all the information about your account. *Feel free to review the GitHub Bootcamp materials that are highlighted on your home page.*

[Figure 3 about here.]

Step 3 Click the “Create repository” button near the lower right corner of your dashboard.

Step 4 Fill out the information requested for the new repository and click the “Create repository” button near the bottom of the page.

[Figure 4 about here.]

Step 5 Create the first file in your repository - a “README” file by clicking on the “README” link provided just under the “Quick Setup” box. When you click this link you will be taken to the editor where you can edit the default README file and “commit” (save) the new/modified file. You will then be taken back to your repository’s home page.

[Figure 5 about here.]

Create Your First Web Page

Step 1 From your repository page (shown after completing Step 5 above), click on the “Create a new file here button”

[Figure 6 about here.]

Step 2 Add the information for the new page as shown in the following figure and click the “Commit New File” button to save your changes.

[Figure 7 about here.]

Make Your New Web Page Visible to the World

Step 1 Create a new “Branch” from your “Master” branch called “gh-pages”. This is a specially named branch of content that GitHub will make available through a specific web address as a web site instead of the standard GitHub interface.

[Figure 8 about here.]

Step 2 Test to see if your new page is visible, and looks the way you expect by opening the web address for the page you have in your “gh-pages” branch. This web address is structured like this:

`http://<your GitHub username>.github.io/<your repository name>/<the HTML file name>`

For example: <http://geog12345.github.io/geog485/helloworld.html>

[Figure 9 about here.]

Week 2 - Create a More Complex Web Page and Style It

This week’s milestone activity takes you through the process of creating two more web pages in preparation for next week’s work with the Google Maps API in developing your first web mapping page. These pages will be:

1. A *home page* for your portfolio that will be the access point for all of the materials you create ([template](#)), and
2. Your first web page containing materials related to a *milestone* assignment ([template](#)).

Open the *milestone* assignment template linked above and select “view Source” from the browser’s menu to view the source code for the file. Create a new document in your GitHub **gh-pages** branch named `milestone_02.html`, copy the page code from the “view source”, and paste it into your `milestone_02.html` document. Add your responses to the following questions to the `milestone_02.html` document.

Open the *home page* template linked above in your web browser and select “view source” from the browser’s menu to examine the source code for the page.

Question 1 From examining the display in your web browser and the structure of the source code in the page, what effect (if any) does the white space (i.e. tabs, blank lines, multiple spaces) have on what is displayed in the browser?

Question 2 : How are the

`<h1>`

and

`<h2>`

elements from the source code displayed differently in the browser?

Question 3 What type of element would you use to create additional list elements in either the “topic” or “data type” lists on the page.

Log into your GitHub account, and create a new document in the `gh-pages` branch and name it `index.html`.

Copy the source code from the “view source” information for the web page you opened in 1) above and paste it into `index.html` document in the GitHub editor. Save your changes

Test your new page by trying the following web address (it may take a few minutes for your newly created page to become available):

```
http://<your GitHub username>.github.io/<your repository name>
```

```
http://<your GitHub username>.github.io/<your repository name>/index.html
```

Where `<your GitHub username>` is replaced by your username for GitHub, and `<your repository name>` is replaced with the name of the repository that you created your `helloworld.html` document in during last week’s milestone exercise.

The reason that the first web address works (without specifying the file name) is that if a file name is not provided in a web address, many web servers will deliver a file named “index.html” if it is found in the requested directory.

Flesh out (using using the GitHub *edit* function) the `index.html` page that you created above with information specific to you based upon the content areas in the page. Add a link to your `milestone_02.html` file to the “milestones” section of your `index.html` page.

Make a copy of your `index.html` page by copying the content of the page and pasting it into a new document named `index_styled.html`.

Experiment with some of the styling capabilities described in Dave Raggett’s “Adding a Touch of Style” page (<http://www.w3.org/MarkUp/Guide/Style.html>) on `index_styled.html` page you created above. Make at least three stylistic changes to the `index_styled.html` page.

Week 3 - Creation of a Web Page with an Embedded Google Map

In preparation for creating a web page with an embedded Google Map you should first answer the following questions about what and how you want to map. As you define the type of map you want to build, think about a specific problem or topic that you would like to address with your map.

In this exercise you will be generating the configuration for the base map (i.e. The Google Maps background layers). In future assignments you will add your own custom content to free-standing web pages that include a mapper based upon the base map you define here.

Create a web page (based upon the assignment [template](#)) that contains your milestone writeup (including the embedded Google Map required by question 5), and link it to the home page (`index.html`) file you created last week.

Respond to Question 1-4 with an understanding that you are generating a web page that is publicly accessible, and should be both clear and complete.

Question 1 What area do you want to depict in your map? Why?

Question 2 What is the center point (latitude and longitude) of your area of interest?

Question 3 What style of map (roads, satellite, hybrid, terrain) is appropriate for your map? Why?

Question 4 What is the scale of your map (local, regional, continental, global)? How will this translate into your selection of an appropriate default zoom level for your map?

Now that you have answered these questions about the map that you want to create, refer to the examples in the lecture notes, the Google Maps Tutorial (<http://code.google.com/apis/maps/documentation/javascript/tutorial.html>), and this week's reading assignment to create a custom Google map.

Question 5 Embed a Google Map in your writeup that is based upon your responses to questions 1-4 above.

Week 4 - Styling of an Embedded Google Map

Make a free-standing web page based upon the Google Map that you created as part of last week's lab assignment. Use the Google [styled maps wizard](#) to define *at least* three modified base map styles and integrate the JSON generated by the wizard into your new Google Map page.

Week 5 - Proj4, GDAL, and OGR

This week's milestone concentrates on some command line tools that are useful in working with raster and vector data sets. These tools should be available on your personal computers (through the installation of the FW-Tools package for Windows (use the [mirror site](#) from the FW-Tools website to download the "FWTools247.exe" package to install on your system), or the GDAL, OGR, and Proj4 frameworks on the Mac)

Here are some useful links to documentation and information about the tools that you will be working with.

- [FWTools](#)
- [Proj4](#) in particular, the following items (from the linked page):
 - The original documentation upon which subsequent documentation is built
 - * [OF90-284.pdf](#) (2.7MB): The main users manual for PROJ; however, this dates from PROJ.3
 - The various addenda that contain some updated command syntax and definitions of additional map projections
 - * [proj.4.3.pdf](#) (1MB)
 - * [proj.4.3.I2.pdf](#) (2MB)
 - * [swiss.pdf](#) (78KB)
 - The key utility programs that you will use
 - * [proj](#)
 - * [cs2cs](#)
- [OGR](#) in particular the [OGR Utility Programs Documentation](#)
- [GDAL](#) in particular the [GDAL Utility Programs Documentation](#)

Download three data products from one or more of the following online data repositories.

- [New Mexico Resource Geographic Information System](#)
- [The US National Atlas Data Download Site](#)
- [NOAA's National Climate Data Center](#) *Climate data online: Data discovery site*

Make sure to download *at least one vector and one raster* data product as part of the collection you download. If you need to go to different site(s) to download the data, feel free to do so.

Question 1 Briefly describe each dataset based upon the information from the web site.

Question 2 Examine each file using either gdalinfo or ogrinfo (depending upon whether it is a raster or vector data product), and answer the following questions about each data set:

- What is the projection/coordinate system for the data product? If it is undefined, note it.
- What is the spatial extent (i.e. bounding box) of the data product?
- If it is a vector dataset, how many features does it have?
- If it is a raster dataset, what is the pixel resolution (include units) of the dataset?

Question 3 Use proj or cs2cs (I suggest you use cs2cs) to calculate the coordinates of the spatial extent of the datasets that you downloaded in UTM Zone 13N, NAD27. Paste the input and output of the command(s) into your writeup.

Week 6 - WMS & KML

As with the previous milestones, please link your web page with your writeup from your homepage in GitHub.

There are a large number of WMS services available on the web. One way to find interesting services is to search for them using standard search engines such as Google. Try searching for the following search phrase:

"REQUEST=GetCapabilities" and "SERVICE=WMS"

as a single search phrase

Question 1 What search engine did you use?

Question 2 How many ‘hits’ did you get?

Question 3 How useful (generally in terms of getting pointers to live WMS services [defined as a functioning GetCapabilities request]) were the ‘hits’?

Pick two of the services that included live “GetCapabilities” requests that you found above, and answer the following questions about each.

Question 4 (service #1) What is the URL for the full GetCapabilities request to the service?

What is the Name of the service?

What Format(s) are available for GetMap requests from the service?

How many layers are included in the service (including nesting layers)?

Question 4 (service #2) What is the URL for the full GetCapabilities request to the service?

What is the Name of the service?

What Format(s) are available for GetMap requests from the service?

How many layers are included in the service (including nesting layers)?

Question 5: For one of the layers in the first service, What is the name of the layer?

What is the SRS of the layer?

What is the name of the projection that matches the SRS EPSG code?

What is the LatLonBoundingBox of the layer?

Open the following GetCapabilities request in your browser. Select “View Source” from the browser menu to see the delivered XML document (it may appear as an unformatted string of text by default in your browser - if that is the case, save the file to your hard drive and view it in a text editor). Use the information in the XML capabilities document to formulate **GetMap** requests for the following map images. Include the requests and resulting images in your write-up. Comment on anything unusual that you notice in the images that are returned.

<http://gstore.unm.edu/apps/rgis/datasets/92403ebf-aec5-404b-ae8a-6db41f388737/services/ogc/wms?SERVICE=wms&REQUEST=GetCapabilities&VERSION=1.1.1>

Question 6 for the area surrounding Bernalillo County (-107.2,34.7,-106,35.25) as a 200x200 pixel JPEG for the same area as a 500x500 pixel PNG

Open the following (linked) KML file in Google Earth, uncompress it, and save the contained KML file on your computer. Open the KML file in a text editor (e.g. Text Wrangler [Mac], Notepad/Notepad++ [Windows]).

http://rgis.unm.edu/gstore/datasets/3f0a85aa-b7f8-47bd-8db6-1c0e66becf72/nm_state_bdy_00.derived.kml


Question 7 : Add a second *Placemark* element to the KML file that represents a *square* region that is completely contained within the state boundary. Save the KML file and open it in Google Earth (download from <http://www.google.com/earth/index.html>) or view it in Google Maps (by adding it to your GitHub **gh-pages** branch) as demonstrated in the lecture to verify that you have successfully created the file. Submit the KML file (as a link in your writeup) as part of your writeup for the milestone.

Week 7 - WMS GetMap Requests, Map Scale and Aspect Ratio Calculations


You might have noticed in the WMS requests that you generated in the previous lab returned images that didn't look “quite right” relative to what you may know of the shape of familiar features.

For example, a WMS request for a 200x200 pixel PNG file for an area surrounding Bernalillo County (-107.2,34.7,-106,35.25) from the previous lab would be ([link](#)):

http://gstore.unm.edu/apps/rgis/datasets/92403ebf-aec5-404b-ae8a-6db41f388737/services/ogc/wms?VERSION=1.1.1&SERVICE=WMS&REQUEST=GetMap&BBOX=-107.2,34.7,-106,35.25&LAYERS=2007fe_35_county00&FORMAT=image/png&TRANSPARENT=TRUE&STYLES=&SRS=EPSG:4326&WIDTH=200&HEIGHT=200



this request results in a map image that does not agree with the standard shape of Bernalillo county (depicted in the Google Map below) that we are accustomed to, regardless of the specific map projection being used.



This discrepancy is the result of a difference in the aspect ratio of the requested BBOX (-107.2,34.7,-106,35.25) and the requested image dimensions (200x200 pixels). *When you compose a WMS GetMap request, you need to make sure that the aspect ratio of both the image size and BBOX match.*

For example, if we calculate the aspect ratio of the BBOX we obtain the following values (remember that the BBOX is specified as a comma separated list of x,y coordinates: minx,miny,maxx,maxy):


```
BBOX width = (maxx) - (minx) = (-106) - (-107.2) = 1.2 degrees
BBOX height = (maxy) - (miny) = (35.25) - (34.7) = 0.55 degrees
BBOX aspect ratio = (BBOX width) / (BBOX height) = (1.2) / (0.55) = 2.1818
```

If we want to retrieve a map image that is 200 pixels wide, we need to calculate an image height that yields an aspect ratio that matches the BBOX aspect ratio. Harking back to basic algebra:

```
width = 200
aspect ratio = width / height = 200 / height = 2.1818
height = (width) / (aspect ratio) = 200 / 2.1818 = 91.667
```

So, if we request an image that is 200x92 (we have to request pixel dimensions in integers, so rounding to the nearest integer) we should get a representation that closely approximates the proper shape of features. The modified WMS request with the new images size is the following ([link](#)):

```
http://gstore.unm.edu/apps/rgis/datasets/92403ebf-aec5-404b-ae8a-6db41f388737/
services/ogc/wms?VERSION=1.1.1&SERVICE=WMS&REQUEST=GetMap&BBOX=-107.2,34.7,-106,35.25&
LAYERS=2007fe_35_county00&FORMAT=image/png&TRANSPARENT=TRUE&STYLES=&
SRS=EPSG:4326&WIDTH=200&HEIGHT=92
```

Given that McKinley County NM is contained within the following BBOX: -109.5, 34.5, -106.5, 36.5

Question 1 What is the aspect ratio of this geographic region?

Question 2 What would be the height (in whole pixels) for a map image for this region that is 600 pixels wide?

Question 3 Formulate a WMS request that reflects the values determined in 1.1 and 1.2 above for the WMS service used above in the examples. Include in your answer both the actual WMS request and the returned map image.

Question 4 Formulate a WMS request for a 900x600 pixel map image that represents the full 3-degree width of the geographic region, and is based upon the minimum Y value of 34.5 degrees North Latitude. Include in your answer both the WMS request and the returned map image.

Question 5 Given a WMS that is represented by the following GetCapabilities request, formulate *individual* GetMap requests using the following parameters:

BBOX=-106.639,35.074,-106.609,35.094 WIDTH=600 HEIGHT=400

for each of the following layers: 0 (TNM_Large_Scale_Imagery) and 1 (1_foot_imagery) - *yes - USGS just gave numbers as the layer names*

[Link](#)

`http://raster.nationalmap.gov/ArcGIS/services/TNM_Large_Scale_Imagery/MapServer/WMSServer?request=GetCapabilities&service=WMS`

Question 6 Which layers return map images that display image content (i.e. return a non-blank image)?

Sometimes when WMS layers are accessed, there is a limit on the map scales for which the map image will be returned. If a request is submitted for a map scale that is outside the range specified for a given layer, typically, a blank map image will be returned.

Questions 7 From examining the information for these layers in the GetCapabilities XML document - which element in each layer's service metadata do you think provides information about the scales for which the layer will return map images containing data?

You can effectively change the scale of a map image by changing the pixel dimensions of the requested image.

Question 8 Which map images contain data for each of the following map image widths (remember to adjust the image height to match the BBOX of the request)
30 pixels
1200 pixels

Week 10 - OpenLayers Mapping

Following the model used in Milestone 3 for your first Google Map web page, you should first answer the following questions about what and how you want to map - *relating to a different focus than you have used in your previous assignments*. As you define the type of map you want to build, think about a specific problem or topic that you would like to address with your map.

In this exercise you will be generating the configuration for the base map (i.e. including one or more OpenLayer enabled background layers), adding controls, and defining an appropriate map center and zoom level for the map. You will add your own custom content (i.e. the answers to the following questions) to a free-standing web page that include an interactive mapper and the reasoning behind the design of the map.

Create a web page that contains your milestone assignment writeup (*including* the embedded OpenLayers map required by question 5), and link it to your home page (index.html).

Respond to Question 1-4 with an understanding that you are generating a web page that is publicly accessible, and should be, clear, complete, well-formatted, and reasonably styled.

Peer Review: This week's assignment will include a peer review component. Specifically, 1/3 of your 20-point peer-review score will be based upon *your* peer-review of *two* other web pages generated by the students in the class. The required peer-review will consist of two steps:

1. Create a new Discussion Item in Learn entitled: "Page for Peer-Review <Your Name>" at the same time you link your milestone to your homepage. Include in the post the web address of your web page that you created for this assignment.
2. Provide a *substantive, constructive, and civil* comment to *two* of the posted discussion items posted for peer-review. Please complete the peer-review as soon as possible so that your colleagues can benefit most from your input. Complete the peer-review no later than the required end-of-term portfolio review deadline. Think about the following ideas for your review: *what did I learn from this page, what was done well, what could be improved*

Question 1 What area do you want to depict in your map? Why?

Question 2 What is the center point (latitude and longitude) of your area of interest?

Question 3 What base map(s) did you select for use in your map? Why?

Question 4 What is the scale of your map (local, regional, continental, global)? How will this translate into your selection of an appropriate default zoom level for your map?

Now that you have answered these questions about the map that you want to create, refer to the examples in the lecture notes, the OpenLayers Examples (<http://openlayers.org/dev/examples/>), and this week's reading assignment to create a custom OpenLayers map.

Question 5 Embed the OpenLayers Map in your writeup (included with the answers to questions 1-4 above) that is based upon your responses to questions 1-4 above.

Week 11 - A Customized OpenLayers Mapping Client

Please create a new OpenLayers mapping page that is based upon the initial map (and thematic focus) that you created for last week's milestone, and add the following to your map:

1. Five Vector Features (based upon Point, LineString, or LinearRing Geometries), each assigned its own style.
2. One KML Layer, also styled.
3. One WMS Layer.

Peer Review: This week's assignment will include a peer review component. Specifically, 1/3 of your 20-point peer-review score will be based upon *your* peer-review of *two* other web pages generated by the students in the class. The required peer-review will consist of two steps:

1. Create a new Discussion Item in Learn entitled: "Page for Peer-Review <Your Name>" at the same time you link your milestone to your homepage. Include in the post the web address of your web page that you created for this assignment.
2. Provide a *substantive*, *constructive*, and *civil* comment to *two* of the posted discussion items posted for peer-review. Please complete the peer-review as soon as possible so that your colleagues can benefit most from your input. Complete the peer-review no later than the required end-of-term portfolio review deadline. Think about the following ideas for your review: *what did I learn from this page*, *what was done well*, *what could be improved*

Week 12: WMS and WFS Access in Quantum GIS (QGIS)

Add three WMS layers to a new map project in QGIS, with one coming from each of the following collections of WMS services.

Some things to keep an eye out for:

- Any scale limits described for the various layers
- Layer names can sometimes be a bit confusing
- You can double-check the base URL advertised for the service by reviewing the content of the **GetCapabilities** area of the **service** metadata provided as part of the **GetCapabilities** request.

USGS's National Maps Service Endpoints Page: <http://viewer.nationalmap.gov/example/services/serviceList.html>

NRCS Soil Data Mart WMS Service: <http://SDMDataAccess.nrcs.usda.gov/Spatial/SDM.wms?SERVICE=WMS&REQUEST=GetCapabilities>


In your write-up include the names of the layers you added, which service they came from, and screen shots (one for each of the added layers) showing each of them in the QGIS client interface.

Add three WFS layers to the same QGIS project, two based upon data available from the RGIS data browser (<http://rgis.unm.edu/browsedata>), and one based on the USGS GeoNames WFS service (<http://services.nationalmap.gov/arcgis/services/WFS/geonames/MapServer/WFSServer?request=GetCapabilities&service=WFS>). In RGIS you can see the available services for a specific data layer by

1. Selecting the collection you want to view by selecting from the directory tree on the left side of the page;
2. Identifying the data sets that have available OGC WMS and/or WFS services as indicated by the “Services” entry for each dataset, where the provided links are for the GetCapabilities requests for the provided services:



Important: Before adding the GeoNames layer, you may need to go into the preferences for QGIS and under the “Network” options increase the “Timeout for Network Requests(ms)” value to a larger number than the default 60000 (1 minute) (300000 worked for me for accessing the Historic and Administrative feature types). If you don’t do this, QGIS might give up on the request before it has been fulfilled by the server.



In your write-up include the names of the layers you added, and the GetCapabilities requests related to those layers. Also include screen shots (again, one for each added layer) showing each layer in your QGIS project.

Week 13: Linux Basics and GeoServer Data Import

Working on the Class Server

For the GeoServer portion of our work, you will be working on a Linux server that has been created for the class. While we won't be doing a lot of Linux work, some basic familiarity with moving around, copying files, and working with files is needed. The class server is running Ubuntu Linux which is a broadly deployed, well supported operating system and computing platform that has excellent support for many Open Source geospatial applications, including those that we will be using in this class.

The first set of exercises relate to learning some basics about working with the Linux Operating system, applicable just about any Linux server including the class server.

Review (but don't worry about memorizing) the following materials:

[Webmonkey "Learn Just Enough Unix for Your Resume"](#)

[Webmonkey "Unix Guide"](#)

[Linux Command Line Cheatsheet](#)

QUESTION 1 What command would you use to list the contents of a directory on a linux system?

QUESTION 2 What command would you use to read the "manual page" for a specific command?

Log into the class Linux server - `geog485.unm.edu`. *This is different from the address referenced in the below linked videos* The rest of the process is the same as demonstrated in the videos.

Windows: Open PuTTY on your computer and connect using the SSH protocol (see video demonstration)

[Link to the YouTube video demonstration for Windows](#)

Mac: Open the Terminal Application and connect using SSH (see video)

[Link to the YouTube video demonstration for Mac OS X](#)

Start a session on the class Linux server, which is located at the hostname `geog485.unm.edu` (you will use your class server username and password to open the connection)

Task Use the `mkdir data` command to create a directory called `data` in your home directory (the directory that you are in when you login, and where you go when you type the `cd` command with no options).

Adding data to GeoServer

To add data to GeoServer you must have a file location on the server where data files must be stored and accessible by the GeoServer.

Task Change into the `data` directory that you created above using the `cd data` command.

Task Copy all of the data files located in the `data` directory in my `Week13Data` folder by executing the following command from *inside your data directory*.

```
cp -r /home/kbene/Week13Data/* .
```

This will place a copy of these data files in your `data` directory

Task Log into the Geoserver on the class server (<http://geog485.unm.edu:8080/geoserver/web/>) using the username and password provided for the class server via email.

Create a new *store* for each of the datasets added to your **data** directory above. Assign the new store to the workspace that is named based on your username (e.g. `s_<your user name>`). When specifying the the **Connection Parameters** for pointing to the file, the format is: `file:/home/<your username>/data/<filename including any additional directories>` for example

`file:/home/kbene/data/kb_world_8km.jpg`

You can also browse to the by clicking on the “Browse ...” link next to the location field, for example for a shapefile:

Edit Vector Data Source

Edit an existing vector data source

Shapefile

ESRI(tm) Shapefiles (*.shp)

Basic Store Info

Workspace *

kb_test

Data Source Name *

testBoundary

Description

NM State Boundary from RGIS

☒ Enabled

Connection Parameters

Shapefile location *

file:///home/kbene/tl_2010_35_state10.shp

[Browse...](#)

DBF charset

ISO-8859-1

☒ Create spatial index if missing/outdated


☐ Use memory mapped buffers (Disable on Windows)

☒ Cache and reuse memory maps (Requires Use Memory mapped buffers to be enabled)

Save

Cancel

and navigating to your home directory (/home//data) to see the data to select from.



Create a new *layer* for each of the *stores* added above. Here are some things to keep in mind:

You may need to designate the SRS for a layer if it can't be read directly from the dataset. You specify the *designated* SRS using the standard EPSG:XXXX format.

The EPSG code for *GCS_North_American_1983* is EPSG:4269

Question 3 Preview each of your added layers, using the *Layer Preview* tool and the *Open Layers* option to display the data. Include screen grabs of the previews in your write-up.

Week 14: Styling of Layers in GeoServer

This week's milestone provides an opportunity to experiment with vector layer styling. Please define two custom styles for each of the vector datasets that you added to GeoServer during last week's lab assignment. Take a screenshot of the layer preview for each of your styles - including the options tools above the OpenLayers preview displaying the name of the custom style that is being used for the current map display.

Include in your writeup the layer name, the name of the two custom styles and the associated screenshots for each of the vector datasets.

This work by Karl Benedict is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

List of Figures

1	The GitHub home page from which you can start the sign-up process	18
2	The GitHub welcome page showing that you’ve successfully signed up and providing you the “Finish sign up” button to move to the next step in setting up your new account.	19
3	Your GitHub “dashboard” - showing some orientation materials the first time you sign in and the “New repository” button you will use in Step 3 below.	20
4	The “create repository” form for entering information about the new repository that you are creating.	21
5	The setup page for the newly created repository - with the “Quick Setup” options and “README” file creation link.	22
6	Repository home page with “Create a new file here button” highlighted.	23
7	New File creation page with information to be entered highlighted.	24
8	Process for creating a new “gh-pages” branch from the default “master” branch.	25
9	Sample “helloworld.html” web page display.	26







Figure 1: The GitHub home page from which you can start the sign-up process

Welcome to GitHub

You've taken your first step into a larger world, **@geog12345**.

 **Completed**
Set up a personal account

 **Step 2:**
Choose your plan

 **Step 3:**
Go to your dashboard

Choose your personal plan

Plan	Cost	Private repos	
Large	\$50/month	50	<button>Choose</button>
Medium	\$22/month	20	<button>Choose</button>
Small	\$12/month	10	<button>Choose</button>
Micro	\$7/month	5	<button>Choose</button>
Free	\$0/month	0	<button>Chosen</button>

Each plan includes:

Unlimited collaborators
Unlimited public repositories

- ✓ Free setup
- ✓ SSL Protection
- ✓ Email support
- ✓ Wikis, Issues, Pages, & more

Don't worry, you can cancel or upgrade at any time.

- ☐ **Help me set up an organization next**
Organizations are separate from personal accounts and are best suited for businesses who need to manage permissions for many employees.
[Learn more about organizations.](#)

Finish sign up

Figure 2: The GitHub welcome page showing that you've successfully signed up and providing you the "Finish sign up" button to move to the next step in setting up your new account.




Figure 3: Your GitHub “dashboard” - showing some orientation materials the first time you sign in and the “New repository” button you will use in Step 3 below.

The screenshot shows the GitHub 'create repository' form. At the top, there is a navigation bar with the GitHub logo, a search bar, and links for 'Explore', 'Gist', 'Blog', and 'Help'. The user's profile 'geog12345' is visible in the top right. The form itself is divided into several sections. The first section is for the repository name, with 'geog12345' as the owner and 'geog485' as the repository name, which is marked with a green checkmark. A red arrow points to this field. Below this is a hint about repository names. The next section is for the description, with 'Geography 485L Portfolio' entered. A red arrow points to this text box. The third section is for visibility, with 'Public' selected. The fourth section is for initialization, with 'Initialize this repository with a README' checked. At the bottom, there are dropdowns for '.gitignore' and 'license', both set to 'None'. A green 'Create repository' button is at the bottom, with a red arrow pointing to it. The footer contains copyright information and links to 'Terms', 'Privacy', 'Security', 'Contact', 'Status', 'API', 'Training', 'Shop', 'Blog', and 'About'.

Owner: geog12345 / Repository name: geog485 ✓

DESCRIPTION (optional): Geography 485L Portfolio

☒ **Public**
Anyone can see this repository. You choose who can commit.

☐ **Private**
You choose who can see and commit to this repository.

☒ **Initialize this repository with a README**
This will allow you to `git clone` the repository immediately. Skip this step if you have already run `git init` locally.

Add .gitignore: **None** | Add a license: **None** ⓘ

Create repository


© 2014 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Contact](#)  [Status](#) [API](#) [Training](#) [Shop](#) [Blog](#) [About](#)

Figure 4: The “create repository” form for entering information about the new repository that you are creating.

geog12345 / **geog485** Unwatch 1 Star 0

Quick setup — if you've done this kind of thing before

[Set up in Desktop](#) or [HTTP](#) [SSH](#) <https://github.com/geog12345/geog485.git>

We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

Create a new repository on the command line

```
touch README.md
git init
git add README.md
git commit -m "first commit"
git remote add origin https://github.com/geog12345/geog485.git
git push -u origin master
```

Push an existing repository from the command line

```
git remote add origin https://github.com/geog12345/geog485.git
git push -u origin master
```


© 2014 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Contact](#)  [Status](#) [API](#) [Training](#) [Shop](#) [Blog](#) [About](#)

Figure 5: The setup page for the newly created repository - with the “Quick Setup” options and “README” file creation link.




Figure 6: Repository home page with “Create a new file here button” highlighted.




Figure 7: New File creation page with information to be entered highlighted.

The screenshot shows the GitHub interface for a repository named 'geog12345 / geog485'. The repository has 2 commits, 1 branch, 0 releases, and 1 contributor. The current branch is 'master'. A modal window titled 'Switch branches/tags' is open, showing a search bar with 'gh-pages' entered. Below the search bar, there are tabs for 'Branches' and 'Tags'. Under the 'Branches' tab, a button labeled 'Create branch: gh-pages from 'master'' is visible. Red arrows and text annotations provide instructions: '1) click here' points to the repository name; '2) enter the name of the new branch' points to the search bar; and '3) click this to create the new branch and make it active' points to the 'Create branch' button. The repository's README.md is visible in the background, showing the title 'geog485' and the subtitle 'Geography 485L Portfolio'. The right sidebar contains links for 'Code', 'Issues', 'Pull Requests', 'Wiki', 'Pulse', 'Graphs', 'Network', and 'Settings'. The bottom of the page shows the GitHub footer with copyright information and links to 'Status', 'API', 'Training', 'Shop', 'Blog', and 'About'.

geog12345 / geog485

Geography 485L Portfolio — Edit **1) click here**

2 commits 1 branch 0 releases 1 contributor

branch: master geog485 / +

Switch branches/tags

gh-pages

2) enter the name of the new branch

Create branch: gh-pages from 'master'

3) click this to create the new branch and make it active

README.md

geog485

Geography 485L Portfolio

© 2014 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Contact](#) [Status](#) [API](#) [Training](#) [Shop](#) [Blog](#) [About](#)

Figure 8: Process for creating a new “gh-pages” branch from the default “master” branch.




Figure 9: Sample “helloworld.html” web page display.