

# Documentation about CALS simulator

Team	Barracuda
Members	Jérémy GROS Pierre ENJALBERT Saqib Ahmed Thomas Loeb
Date	27/01/2016
Version	1.0

# Summary

[General architecture](#)

[Diagram representation](#)

[Description](#)


[Technologies](#)

[Network environment](#)

[System requirements](#)

# I. General architecture

## A. Diagram representation



## B. Description

CALS SIM is divided in three parts : a desktop application, an API and a database.

By using the desktop application (see the mockup below), controllers can log into their workstations. Then the desktop application sends a request to the CALS SIM API with the data enter by the controller. Finally, the CALS SIM API records the event and key data about the controller in the CALS SIM database in the facility and it sends the data to NARMS Prototype through the NARMS CALS SIM API provide by NARMS Prototype.

The UI of the desktop application :

1. Home page

The controller could perform three types of events : log in, log out and role change.


For the simulation, "Operation Status", "Weather" and "Traffic" will have a default value (or can be modified in the UI) since we cannot access an API in SAMO facility to get the current weather...

The screenshot displays the home page of the CALS SIM desktop application. At the top, a dark header bar contains the text "CALS SIM" on the left and a "Settings" link on the right. Below the header, the main content area is white. It features a user identification section with a person icon and a text field labeled "ID controller". This is followed by four dropdown menus arranged in a 2x2 grid: "Responsability", "Operational Status", "Weather", and "Traffic". Below these are two buttons: a green "Log In" button and a red "Log Out" button. Further down is a "Role" dropdown menu and a blue "Role Change" button.

2. Home page detailed (dropdown menu view)

CALS SIM

Settings



ID controller

Tactical

▼

Planning

Tactical ✓

Weather

Operational Status

▼

Traffic

▼

Log In

Log Out

Radar Terminal

▼

Procedural Enroute

Radar Terminal ✓

Radar Arrivals

Radar Departures


Ground Procedural


Local Procedural


### 3. Settings page

This page will define the name of the facility, the airspace segment and the workstation. This page must be filled in order to send logs events (log in, log out and role change).

**CALS SIM****Settings**

Facility

Airspace Segment

Workstation

## C. Technologies

Part	Technology	Version
Desktop app (UI)	Python	3.4.4
API		

## II. Network environment

The CALS SIM API has not been programmed yet.

We use MySql technology to push the log event data from the desktop application to the CALS database.

The desktop application have a Network module in python which contain a method sendData.

This module is using the library PyMySQL (<https://github.com/PyMySQL/PyMySQL>). It is a python MySQL driver. We have chosen this library because it does not require a compiled C component or MySQL libraries and header files to be installed on client machines. And it has python 3 support (we are currently using Python 3.4).

## III. System requirements

System requirements for using the Network module :

- SDK Python 3.4
- Pip 8.0.2
- Setuptools 19.6
- PyMySQL 0.7.1