



Runtime randomization and perturbation for virtual machines.

JAVIER CABRERA ARTEAGA

Licentiate Thesis in [Research Subject - as it is in your ISP]
School of Information and Communication Technology
KTH Royal Institute of Technology
Stockholm, Sweden [2022]

TRITA-ICT XXXX:XX
ISBN XXX-XX-XXXX-XXX-X

KTH School of Information and
Communication Technology
SE-164 40 Kista
SWEDEN

Akademisk avhandling som med tillstånd av Kungl Tekniska högskolan framlägges till offentlig granskning för avläggande av licentiatexamen i [ämne/subject] [veckodag/weekday] den [dag/day] [månad/month] [år/2022] klockan [tid/time] i [sal/hall], Electrum, Kungl Tekniska högskolan, Kistagången 16, Kista.

© Javier Cabrera Arteaga, [month] [2022]

Tryck: Universitetsservice US AB

Abstract

Write your abstract here...

Keywords: Keyword1, keyword2, ...

Sammanfattning

Write your Swedish summary (popular description) here...

Keywords: Keyword1, keyword2, ...

Acknowledgements

Write your professional acknowledgements here...

Acknowledgements are used to thank all persons who have helped in carrying out the research and to the research organizations/institutions and/or companies for funding the research.

Name Surname,
Place, Date

[Personalizado iconos creados por monkik - Flaticon](https://www.flaticon.es/iconos-gratis/personalizado "personalizado iconos")

[Computadora iconos creados por Freepik - Flaticon](https://www.flaticon.es/iconos-gratis/computadora "computadora iconos")

Contents

Contents	vi
1 Introduction	1
1.1 Thesis Statement	1
1.2 Research questions	1
1.3 Contributions	2
1.4 Publications	2
2 Background & State of the art	3
2.1 WebAssembly overview	3
2.2 Software Diversification	8
2.3 Statement of Novelty	13
3 Technical contributions	17
3.1 Artificial Software Diversity for WebAssembly	17
3.2 CROW: Code Randomization Of WebAssembly	19
3.2.1 CROW instantiation	22
3.3 MEWE: Multi-variant Execution for WEbAssembly	24
4 Methodology	29
4.1 RQ1. To what extent can we artificially generate program variants for WebAssembly ?	31
4.2 RQ2. To what extent are the generated variants dynamically different?	34
4.3 RQ3. To what extent do the artificial variants exhibit different execution times on Edge-Cloud platforms?	36
5 Results	39
5.1 RQ1. To what extent can we artificially generate program variants for WebAssembly ?	39
5.2 RQ2. To what extent are the generated variants dynamically different?	42
5.3 RQ3. To what extent do the artificial variants exhibit different execution times on Edge-Cloud platforms?	45

6 Conclusion and Future Work	49
6.1 Summary of the results	49
6.2 Future work	49
6.2.1 wasm-mutate future work	49
Bibliography	51
Index	57

