

# Software Diversification for WebAssembly

JAVIER CABRERA-ARTEAGA

Doctoral Thesis in Computer Science Supervised by Benoit Baudry and Martin Monperrus

Stockholm, Sweden, March 2024

KTH Royal Institute of Technology
School of Electrical Engineering and Computer Science
Division of Software and Computer Systems
TRITA-EECS-AVL-2020:4
SE-10044 Stockholm
ISBN 100-Sweden

Akademisk avhandling som med tillstånd av Kungl Tekniska högskolan framlägges till offentlig granskning för avläggande av Teknologie doktorexamen i elektroteknik i .

© Javier Cabrera-Arteaga , March 7th 2024

Tryck: Universitetsservice US AB

#### Abstract

WebAssembly, now the fourth officially recognized web language, enables web browsers to port native applications for the Web. Importantly, WebAssembly has evolved into an essential element for backend scenarios such as cloud computing and edge computing. Therefore, WebAssembly finds use in a plethora of applications, including but not limited to, web browsers, blockchain, and cloud computing. Despite the emphasis on security since its design and specification, WebAssembly remains susceptible to various forms of attacks, including memory corruption and side-channels. Furthermore, WebAssembly has been manipulated to disseminate malware, particularly in cases of browser cryptojacking. Interestingly, the predictability of the WebAssembly ecosystem, encompassing its consumers and hosted programs, is remarkably high. Such predictability can amplify the effects of vulnerabilities within these ecosystems. For instance, a defect in a web browser, triggered by a faulty WebAssembly program, could potentially impact millions of users.

This thesis aims to bolster the security within the WebAssembly ecosystem through the introduction of Software Diversification methods and tools. Software Diversification is a strategy designed to augment the costs of exploiting vulnerabilities by making software unpredictable. The unpredictability within ecosystems can be diminished by automatically generating various program variants. These variants strengthen observable properties that are typically used to launch attacks, and in many instances, can completely eliminate such vulnerabilities.

This work introduces three tools: CROW, MEWE, and WASM-MUTATE. Each tool has been specifically designed to tackle a unique facet of Software Diversification. Furthermore, these tools complement each other. We present empirical evidence demonstrating the potential application of Software Diversification to WebAssembly programs in two distinct ways: Offensive and Defensive Software Diversification. Our research into Offensive Software Diversification in WebAssembly unveils potential paths for enhancing the detection of WebAssembly malware. On the contrary, our experiments in Defensive Software Diversification show that WebAssembly programs can be fortified against side-channel attacks, specifically the Spectre attack.

**Keywords:** WebAssembly, Software Diversification, Side-Channels

#### Sammanfattning

#### LIST OF PAPERS

WebAssembly Diversification for Malware Evasion
 Javier Cabrera-Arteaga, Tim Toady, Martin Monperrus, Benoit Baudry
 Computers & Security, Volume 131, 2023, 17 pages
 https://www.sciencedirect.com/science/article/pii/S01674048230
 02067

2. Wasm-mutate: Fast and Effective Binary Diversification for WebAssembly

**Javier Cabrera-Arteaga**, Nicholas Fitzgerald, Martin Monperrus, Benoit Baudry

Submitted to Computers & Security, under revision, 17 pages https://arxiv.org/pdf/2309.07638.pdf

3. Multi-Variant Execution at the Edge

**Javier Cabrera-Arteaga**, Pierre Laperdrix, Martin Monperrus, Benoit Baudry

Moving Target Defense (MTD 2022), 12 pages https://dl.acm.org/doi/abs/10.1145/3560828.3564007

4. CROW: Code Diversification for WebAssembly

**Javier Cabrera-Arteaga**, Orestis Floros, Oscar Vera-Pérez, Benoit Baudry, Martin Monperrus

Measurements, Attacks, and Defenses for the Web (MADWeb 2021), 12 pages https://doi.org/10.14722/madweb.2021.23004

5. Superoptimization of WebAssembly Bytecode

**Javier Cabrera-Arteaga**, Shrinish Donde, Jian Gu, Orestis Floros, Lucas Satabin, Benoit Baudry, Martin Monperrus

Conference Companion of the 4th International Conference on Art, Science, and Engineering of Programming (Programming 2021), MoreVMs, 4 pages https://doi.org/10.1145/3397537.3397567

Scalable Comparison of JavaScript V8 Bytecode Traces
 Javier Cabrera-Arteaga, Martin Monperrus, Benoit Baudry
 11th ACM SIGPLAN International Workshop on Virtual Machines and
 Intermediate Languages (SPLASH 2019), 10 pages
 https://doi.org/10.1145/3358504.3361228

#### ACKNOWLEDGEMENT



## Contents

Li	st of	Papers	S	ii						
A	Acknowledgement									
C	onten	nts		1						
Ι	$\operatorname{Th}\epsilon$	esis		4						
1	Introduction									
	1.1	Predic	tability in WebAssembly ecosystems	. 8						
	1.2	Proble	ms statements	. (						
	1.3	Softwa	re Diversification	. (						
	1.4	Summa	ary of research papers	. 10						
<b>2</b>	Background and state of the art									
	2.1	WebAs	ssembly	. 13						
		2.1.1	From source code to WebAssembly $\ldots \ldots \ldots$	. 14						
		2.1.2	WebAssembly's binary format	. 17						
		2.1.3	WebAssembly's runtime	. 18						
		2.1.4	WebAssembly's control-flow	. 20						
		2.1.5	Security and Reliability for WebAssembly	. 21						
		2.1.6	Open challenges	. 22						
	2.2	Softwa	re diversification	. 25						
		2.2.1	Automatic generation of software variants	. 24						
		2.2.2	Equivalence Checking	. 26						
		2.2.3	Variants deployment	. 27						
		2.2.4	Measuring Software Diversification	. 28						
		2.2.5	Offensive or Defensive assessment of diversification	. 30						

2 CONTENTS

3.1.1 Enumerative synthesis . 3.1.2 Constant inferring . 3.1.3 Exemplifying CROW . 3.2 MEWE: Multi-variant Execution for WebAssembly . 3.2.1 Multivariant call graph . 3.2.2 Exemplifying a Multivariant binary . 3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly . 3.3.1 WebAssembly Rewriting Rules . 3.3.2 E-Graphs traversals . 3.3.3 Exemplifying WASM-MUTATE . 3.4 Comparing CROW, MEWE, and WASM-MUTATE . 3.4.1 Security applications .  4 Assessing Software Diversification for WebAssembly . 4.1 Offensive Diversification: Malware evasion . 4.1.1 Cryptojacking defense evasion . 4.1.2 Methodology . 4.1.3 Results . 4.2 Defensive Diversification: Speculative Side-channel protection . 4.2.1 Threat model: speculative side-channel attacks . 4.2.2 Methodology . 4.2.3 Results . 5 Conclusions and Future Work . 5.1 Summary of technical contributions . 5.2 Summary of empirical findings . 5.3 Future Work . 5.3.1 Data augmentation for Machine Learning on WebAssembly programs . 5.3.2 Improving WebAssembly malware detection vicanonicalization .		2.3	Open o	challenges for Software Diversification					
3.1.1 Enumerative synthesis 3.1.2 Constant inferring 3.1.3 Exemplifying CROW 3.2 MEWE: Multi-variant Execution for WebAssembly 3.2.1 Multivariant call graph. 3.2.2 Exemplifying a Multivariant binary 3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly 3.3.1 WebAssembly Rewriting Rules 3.3.2 E-Graphs traversals 3.3.3 Exemplifying WASM-MUTATE 3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion 4.1.1 Cryptojacking defense evasion 4.1.2 Methodology 4.1.3 Results 4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results 5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization	3	Aut	omatic	Software Diversification for WebAssembly					
3.1.2 Constant inferring 3.1.3 Exemplifying CROW 3.2 MEWE: Multi-variant Execution for WebAssembly 3.2.1 Multivariant call graph. 3.2.2 Exemplifying a Multivariant binary 3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly 3.3.1 WebAssembly Rewriting Rules 3.3.2 E-Graphs traversals 3.3.3 Exemplifying WASM-MUTATE 3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications 4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion 4.1.1 Cryptojacking defense evasion 4.1.2 Methodology 4.1.3 Results 4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results 5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization		3.1	CROW	V: Code Randomization of WebAssembly					
3.1.3 Exemplifying CROW 3.2 MEWE: Multi-variant Execution for WebAssembly 3.2.1 Multivariant call graph. 3.2.2 Exemplifying a Multivariant binary 3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly 3.3.1 WebAssembly Rewriting Rules 3.3.2 E-Graphs traversals 3.3.3 Exemplifying WASM-MUTATE 3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion 4.1.1 Cryptojacking defense evasion 4.1.2 Methodology 4.1.3 Results 4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results  5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization			3.1.1	Enumerative synthesis					
3.2 MEWE: Multi-variant Execution for WebAssembly 3.2.1 Multivariant call graph. 3.2.2 Exemplifying a Multivariant binary 3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly 3.3.1 WebAssembly Rewriting Rules 3.3.2 E-Graphs traversals 3.3.3 Exemplifying WASM-MUTATE 3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion 4.1.1 Cryptojacking defense evasion 4.1.2 Methodology 4.1.3 Results 4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results 5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization			3.1.2	Constant inferring					
3.2.1 Multivariant call graph. 3.2.2 Exemplifying a Multivariant binary  3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly 3.3.1 WebAssembly Rewriting Rules 3.3.2 E-Graphs traversals 3.3.3 Exemplifying WASM-MUTATE 3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion 4.1.1 Cryptojacking defense evasion 4.1.2 Methodology 4.1.3 Results  4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results  5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization			3.1.3	Exemplifying CROW					
3.2.2 Exemplifying a Multivariant binary  3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly  3.3.1 WebAssembly Rewriting Rules  3.3.2 E-Graphs traversals  3.3.3 Exemplifying WASM-MUTATE  3.4 Comparing CROW, MEWE, and WASM-MUTATE  3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly  4.1 Offensive Diversification: Malware evasion  4.1.1 Cryptojacking defense evasion  4.1.2 Methodology  4.1.3 Results  4.2 Defensive Diversification: Speculative Side-channel protection  4.2.1 Threat model: speculative side-channel attacks  4.2.2 Methodology  4.2.3 Results  5 Conclusions and Future Work  5.1 Summary of technical contributions  5.2 Summary of empirical findings  5.3 Future Work  5.3.1 Data augmentation for Machine Learning on WebAssembly programs  5.3.2 Improving WebAssembly malware detection vicanonicalization		3.2	MEWI	$\Xi$ : Multi-variant Execution for WebAssembly					
3.3 WASM-MUTATE: Fast and Effective Binary Diversification for WebAssembly			3.2.1	Multivariant call graph					
WebAssembly 3.3.1 WebAssembly Rewriting Rules 3.3.2 E-Graphs traversals 3.3.3 Exemplifying WASM-MUTATE 3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion. 4.1.1 Cryptojacking defense evasion 4.1.2 Methodology 4.1.3 Results 4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results  5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization			3.2.2	Exemplifying a Multivariant binary					
3.3.1 WebAssembly Rewriting Rules		3.3	WASM	· · · · · · · · · · · · · · · · · · ·					
3.3.2 E-Graphs traversals .  3.3.3 Exemplifying WASM-MUTATE .  3.4 Comparing CROW, MEWE, and WASM-MUTATE .  3.4.1 Security applications									
3.3.3 Exemplifying WASM-MUTATE 3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion. 4.1.1 Cryptojacking defense evasion. 4.1.2 Methodology. 4.1.3 Results 4.2 Defensive Diversification: Speculative Side-channel protection. 4.2.1 Threat model: speculative side-channel attacks. 4.2.2 Methodology. 4.2.3 Results 5 Conclusions and Future Work 5.1 Summary of technical contributions. 5.2 Summary of empirical findings. 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs. 5.3.2 Improving WebAssembly malware detection vicanonicalization.			3.3.1	· · ·					
3.4 Comparing CROW, MEWE, and WASM-MUTATE 3.4.1 Security applications  4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion. 4.1.1 Cryptojacking defense evasion. 4.1.2 Methodology 4.1.3 Results 4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results  5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3 Future Work 5.3 Data augmentation for Machine Learning on WebAssemble programs 5.3.2 Improving WebAssembly malware detection vicanonicalization  5 Interpretation of the contribution of the			3.3.2						
3.4.1 Security applications			3.3.3	Exemplifying WASM-MUTATE					
4 Assessing Software Diversification for WebAssembly 4.1 Offensive Diversification: Malware evasion		3.4	Compa	aring CROW, MEWE, and WASM-MUTATE					
4.1 Offensive Diversification: Malware evasion.  4.1.1 Cryptojacking defense evasion			3.4.1	Security applications					
4.1 Offensive Diversification: Malware evasion.  4.1.1 Cryptojacking defense evasion	1	Assessing Software Diversification for Web Assembly							
4.1.1 Cryptojacking defense evasion	-		0	v					
4.1.2 Methodology 4.1.3 Results  4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks 4.2.2 Methodology 4.2.3 Results  5 Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.4 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization  4.5.3 Results  5.6 Conclusions and Future Work 5.7 Summary of empirical findings 5.8 Future Work 5.9 Summary of empirical findings 5.9 Summary of		1.1							
4.1.3 Results				v - v					
4.2 Defensive Diversification: Speculative Side-channel protection 4.2.1 Threat model: speculative side-channel attacks				3.					
4.2.1 Threat model: speculative side-channel attacks		12							
4.2.2 Methodology 4.2.3 Results  Conclusions and Future Work 5.1 Summary of technical contributions 5.2 Summary of empirical findings 5.3 Future Work 5.3.1 Data augmentation for Machine Learning on WebAssembly programs 5.3.2 Improving WebAssembly malware detection vicanonicalization		4.2							
4.2.3 Results									
5 Conclusions and Future Work  5.1 Summary of technical contributions									
5.1 Summary of technical contributions			4.2.0	Tusuits					
5.2 Summary of empirical findings	5	Con	clusion	s and Future Work					
5.3 Future Work		5.1	Summa	ary of technical contributions					
<ul> <li>5.3.1 Data augmentation for Machine Learning on WebAssembly programs.</li> <li>5.3.2 Improving WebAssembly malware detection vi canonicalization.</li> </ul>		5.2	Summa	ary of empirical findings					
<ul> <li>5.3.1 Data augmentation for Machine Learning on WebAssembly programs.</li> <li>5.3.2 Improving WebAssembly malware detection vi canonicalization.</li> </ul>		5.3	Future	. Work					
5.3.2 Improving WebAssembly malware detection vi canonicalization			5.3.1	Data augmentation for Machine Learning on WebAssembly					
canonicalization				programs					
			5.3.2	ı ç					
a a a - Cinesnoi Enversincación			5.3.3	Oneshot Diversification					

ONTENTS	3
01/121/10	9

References	74
II Included papers	89
WebAssembly Diversification for Malware Evasion	91
Wasm-mutate: Fast and Effective Binary Diversification for WebAssembly	92
CROW: Code Diversification for WebAssembly	93
Multi-Variant Execution at the Edge	94
Superoptimization of WebAssembly Bytecode	95
Scalable Comparison of JavaScript V8 Bytecode Traces	96

### Part I

## Thesis