

# Assessment Report

Jack Westmoreland

2024-11-01

idea: - check how each archetype interacts with videos, questions, steps etc. - Are question results a good indicator of the students overall performance? - compare video watch time to question response accuracy  
\*\*\* - which archetypes were best at quizzes?

## Introduction

Newcastle University have completed seven runs of Cyber Security: Safety At Home, Online, and in Life, A MOOC (massive open online course) teaching cyber security concepts to the public. This report aims to explore the data collected from these runs to be able to provide important analytics and valuable insights into online learning environments and further optimise online teaching. To achieve this, two cycles of CRISP-DM will be completed hopefully providing valuable insight into the provided data set.

## CRISP-DM Cycle 1

### Business Understanding

This section of CRISP-DM entails defining a problem we would like to solve for our data set, then setting the tasks and success criteria, which must be completed for the problem to be solved.

### Objective

With the prevalence of online learning increasing in recent years (Cambridge Home School Online 2024), being able to predict learning outcomes of students from the data we can collect could prove very useful for online educators. Being able to predict learner outcome from their interactions with online courses could allow for educators to “check up” on students who have poor predicted performance; providing further guidance and support, increasing learner outcomes. Therefore being able to find some predictors of learner outcomes would be beneficial for Newcastle University’s online education programs.

### Success Criteria

For this EDA to succeed a strong predictor of learning outcomes should be identified from the provided data set. This predictor must be measurable for students before the completion of the course to allow for intervention. Furthermore, ideally the data should be measurable for each student individually so that each student’s predicted performance can be personalized to them. In a simple sentence the goal of this CRISP-DM cycle can be:

**“Can we predict individual student performance from their data?”**

### Data Understanding

In this phase of CRISP-DM I will evaluate the data we have been given, considering its usefulness in completing the task set about from the Business Understanding step. The data will have its reliability considered from

what we know about how it was collected. A close analysis will also be conducted to check what data is available, considering how it could be used to perform a successful CRISP-DM cycle.

## Data Collection

The FutureLearn MOOC data set has been provided by Newcastle University. It consists of several CSV files containing data on student performance and interaction with the online material for each of the seven runs. Each run consists of 5+ CSVs each containing data on ways students have interacted with the program.

Each run has near identical data being recorded such as `x_enrollments`, where `x` is the run of the program. These data sets exist separately for each 7 runs and contain specific student enrollment data such as their gender and the date they enrolled on the course. However, earlier runs do not have some of the data that was collected later on. All this data has some relevance to my goal of predicting student performance from data collected about their interactions. Therefore, each of these data sets will be considered for exploratory analysis later in this report.

## Data Exploration

Using R we can see some simple information about each of our CSV files (which have been loaded as data frames using `ProjectTemplate`) Below is a table containing each type of data recorded for the seven runs, alongside a short description and what runs the data was recorded for.

Data set	Short Description	Recorded for Runs
<code>archetype.survey.responses</code>	Survey results which place each student into one of 8 categories of learning “archetypes”.	3,4,5,6,7
<code>enrolments</code>	Enrollment data for each student on the course.	1,2,3,4,5,6,7
<code>leaving.survey.responses</code>	Survey responses kept from a questionnaire given to students who decided to leave the course.	4,5,6,7
<code>question.response</code>	Saved responses for each student for any quizzes they have completed throughout the course.	1,2,3,4,5,6,7
<code>step.activity</code>	The start and completion date and time for each student for each step in the program.	1,2,3,4,5,6,7
<code>weekly.sentiment.survey.responses</code>	Responses to a weekly survey containing a quantitative 1-3 rating and qualitative general feedback.	5,6,7
<code>team.members</code>	little information can be extracted from this, likely has something to do with team building exercises.	2,3,4,5,6,7
<code>video.stats</code>	Data on how students as a whole interacted with videos. Such as how long each video was watched, what devices on, etc.	3,4,5,6,7

From further examination, although some csv files exist they actually don’t contain any data. A check has been created to look for this and any empty data frames are not present in the above table’s runs, although they technically exist. Furthermore although many data sets from different runs follow the same name conventions I have checked whether they actually contain the same types of data. This was done by ensuring that all data frame variables shared the same column names. This check is important as later I will likely

be merging table rows from different runs to expand on the data I can use to see what are good markers of student performance.

```
## [1] "All data frames ( video ) have the same columns."
## [1] "All data frames ( team ) have the same columns."
## [1] "All data frames ( sentiment ) have the same columns."
## [1] "All data frames ( activity ) have the same columns."
## [1] "The data frames ( question ) do not all have the same columns."
## [1] "All data frames ( leaving ) have the same columns."
## [1] "All data frames ( enrolments ) have the same columns."
## [1] "The data frames ( archetype ) do not all have the same columns."
```

From this check we can see that all the 8 collections of data from each runs share the same column names. This gives confidence in the health of the data set and that they can be merged later on. Furthermore, from manual inspection, using R's `view()` function, it is clear that some of the rows for these data frames contain missing values. This is especially true for survey response data where not all students have taken the time to respond.

Unfortunately, the provided data set does not appear to contain any grades for each of the students. Therefore to actually gauge student performance another measure must be used. For this quiz data will be used from the `x_question.response` data frames. This data frame contains the following attributes:

- **learner\_id:** id of the student partaking in the quiz.
- **quiz\_question:** id of the question being answered.
- **question\_type:** categorical data on the type of question being asked.
- **week number:** the week of the program the quiz is from.
- **step\_number:** the step of the program the quiz is from.
- **question\_number:** the location of the question in the quiz.
- **reponse:** the student's response to the question.
- **cloze\_response:** N/A columns, no data.
- **submitted\_at:** data the answer was submitted.
- **correct:** whether the response was correct.

One possible predictor of student performance could be the “learning archetype” that student falls under. It would be a safe bet to guess that certain archetypes of students would perform differently on the program compared to others. For example, “Advancers” who are highly self-motivated and ambitious may perform better more hands off online learning than other archetypes; therefore needing less support to perform well on the course. The data recording each students archetype is as follows:

- **id:** id of the survey response.
- **learner\_id:** id of the student partaking in the quiz.
- **responded\_at:** date the student responded to the survey.
- **archetype:** categorical data of the archetype that student falls under.

## Data Preparation

Onto the next step in this CRISP-DM cycle I began work on data preparation. This step involves transforming the raw data set into something more useful. This involves shaping the data, renaming variables, and merging tables to get access to the important data I have identified during data understanding. This is vital as data preparation will allow for the later modelling step of this cycle to be done far more easier.

## Data Transformations

Before ensuring high data quality I first transformed the data so that all runs of the program will have their data frames combined. This was done to ensure that there is a large enough data set to analyse so that I can ensure that outliers in the data set do not “throw off” my results when modelling. For archetype prediction testing only rune 3 - 7 will be combined as there is no data for this in the first 2 runs of the program. This decision was also applied to the question.response data so that we can later match students IDs in this set to their archetype. The scripts to achieve this **01-Combine-questions** and **02-Combine archetypes** can both be found in this projects munge file. These merges result in two data frames being created:

- `merged_question.response`
- `merged_archetype_survey.response`

Using R I checked for duplicate archetype survey responses which are present from students filling out the survey multiple times. These duplicated have been removed in the R script **03-Remove-duplicate-archetypes**. I have only kept the most recent survey responses in the case of duplicates, this was decided as it would keep the most recent data on the type of learner that student is.

```
## [1] "Duplicate archetype survey submissions"

## # A tibble: 0 x 2
## # i 2 variables: learner_id <chr>, count <int>
```

To associate each student with an their learner archetype we can then merge these two data frames. This column merge, done in **04-Merge-question-archetype**, adds each students respective archetype to the question data frame, using their **learner\_id** as the key for the transformation. This was done with an inner join so that only students with documented archetypes were present in the resulting table. The resulting data frame can then be used for modelling to check for any relationships between student performance and their learning archetype.

After creating the **question\_archetype\_df** data frame some datatype conversion was needed for later pre-processing steps to work. Students had weather they answered each question correctly or not saved along the ‘correct’ column of the **question.responses** data frames. This was originally recorded as a character type, being either “true” or “false”, and needed to be converted to boolean value for a grading value to be derived from. This was completed in the **05-Correct-boolean-conversion** R script.

Next, to obtain some sort of grade for each student from the combined **question\_archetype\_df** I have created a new data frame **student\_grades** in **06-Student-grades**. This data frame, which is derived from **question\_archetype\_df**, contains each student and their archetype alongside a new **correct\_percent** column which is the % of questions that student answered correctly across the course.

## Modeling

Now that the data has been suitably prepared it can be modeled. This step of the CRISP-DM process involves interacting with the prepared data set to extract information that we can use to answer the research question outlined in business understanding. During this cycle this will involve summarizing and plotting interesting relationships present in the **student\_grades** data frame, this will be done using both **dplyr** and **ggplot2** libraries.

## Exploring the Data

Since the archetypes variable in **student\_grades** is categorical it would follow that counting the amount of instances of each archetype is present for further analysis. Having a larger amount of each student archetype in my data set would allow for stronger claims to be made from my modelling, as the chance of outliers significantly effecting analysis would diminish greatly as the number of observations in the sample data increases. To count how many of each archetype group is present, **dplyr**’s **group\_by()** and **n()** functions can be utalized. This data can then be plotted as a column chart for easy comparison amongst each archetype.




Figure 1: Columns Count Chart for Student Archetypes

test to see if the bar chart gets put to the top of the page

## References

Cambridge Home School Online. 2024. "The Rise of UK Online Learning: Trends and Statistics." <https://www.chsonline.org.uk/blog/the-rise-of-uk-online-learning-trends-and-statistics>.