# ECE 313 Final Project Report

### Jacob Hutter, Junhao Pan

## April 25, 2017

#### Task 0:

```
clear all;
      clc;
      load 1_a41178.mat;
      patient1_data = floor(all_data);
       patient1_labels = all_labels;
      training1 = patient1_data(:,1:(2*length(patient1_data)/3));
      testing1 = patient1_data(:,(2*length(patient1_data)/3):length(
      patient1_data));
      label_training1 = patient1_labels(1:(2*length(patient1_labels)
      label\_testing1 = patient1\_labels((2*length(patient1\_labels)/3):
      length(patient1_labels));
      load 2_a42126.mat;
      patient2_data = floor(all_data);
13
       patient2_labels = all_labels;
      training2 = patient2_data(:,1:floor(2*length(patient2_data)/3))
      testing2 = patient2_data(:, floor(2*length(patient2_data)/3):
      length(patient2_data));
      label_training2 = patient2_labels(1:floor(2*length(
      patient2_labels)/3));
      label\_testing 2\ =\ patient 2\_labels \, (\,floor\, (2*length\, (\,patient 2\_labels\,
      )/3): length (patient 2_labels));
19
      load 3_a40076.mat;
      patient3_data = floor(all_data);
21
      patient3_labels = all_labels;
      training 3 = patient 3\_data (:, 1: (2*length (patient 3\_data)/3));
23
      testing3 = patient3_data(:,(2*length(patient3_data)/3):length(
      patient3_data));
      label_training3 = patient3_labels(1:(2*length(patient3_labels)
25
       /3));
      label_testing3 = patient3_labels((2*length(patient3_labels)/3):
      length(patient3_labels));
27
      load 4_a40050.mat;
      patient4_data = floor(all_data);
29
      patient4_labels = all_labels;
      training4 = patient4_data(:,1:floor(2*length(patient4_data)/3))
```

```
testing4 = patient4_data(:, floor(2*length(patient4_data)/3):
      length(patient4_data));
      label_training4 = patient4_labels(1:floor(2*length(
33
      patient4_labels)/3));
      label_testing4 = patient4_labels(floor(2*length(patient4_labels
      )/3):length(patient4_labels));
      load 5_a41287.mat;
      patient5_data = floor(all_data);
      patient5_labels = all_labels;
      training5 = patient5_data(:,1:(2*length(patient5_data)/3));
39
      testing5 = patient5_data(:,(2*length(patient5_data)/3):length(
      patient5_data));
      label_training5 = patient5_labels(1:(2*length(patient5_labels)
41
      /3));
      label\_testing5 = patient5\_labels((2*length(patient5\_labels)/3):
      length(patient5_labels));
43
      load 6_a41846.mat;
      patient6_data = floor(all_data);
45
      patient6_labels = all_labels;
      training6 = patient6_data(:,1:floor(2*length(patient6_data)/3))
47
      testing6 = patient6_data(:, floor(2*length(patient6_data)/3):
      length(patient6_data));
      label_training6 = patient6_labels(1:floor(2*length()))
      patient6_labels)/3));
      label_testing6 = patient6_labels(floor(2*length(patient6_labels
      )/3):length(patient6_labels));
      load 7_a41846.mat;
      patient7_data = floor(all_data);
53
      patient7_labels = all_labels;
      training7 = patient7_data(:,1:floor(2*length(patient7_data)/3))
      testing7 = patient7_data(:, floor(2*length(patient7_data)/3):
      length(patient7_data));
      label_training7 = patient7_labels(1:floor(2*length(
      patient7_labels)/3));
      label_testing7 = patient7_labels(floor(2*length(patient7_labels
      )/3):length(patient7_labels));
59
      load 8_a42008.mat;
      patient8_data = floor(all_data);
61
      patient8_labels = all_labels;
      training8 = patient8_data(:,1:(2*length(patient8_data)/3));
      testing8 = patient8_data(:,(2*length(patient8_data)/3):length(
      patient8_data));
      label_training8 = patient8_labels(1:(2*length(patient8_labels)
65
      /3));
      label\_testing8 = patient8\_labels((2*length(patient8\_labels)/3):
      length(patient8_labels));
67
      load 9_a41846.mat;
      patient9_data = floor(all_data);
      patient9_labels = all_labels;
      training9 = patient9_data(:,1:floor(2*length(patient9_data)/3))
```

```
;
testing9 = patient9_data(:,floor(2*length(patient9_data)/3):
length(patient9_data));
label_training9 = patient9_labels(1:floor(2*length(
patient9_labels)/3));
label_testing9 = patient9_labels(floor(2*length(patient9_labels
)/3):length(patient9_labels));
```

For task 0 we took the raw patient and gold data and partitioned it into testing and training segments.


#### Task 1.1:

```
HT_table_array_pat_1 = Get_HT_table(1, training1, label_training1);
HT_table_array_pat_2 = Get_HT_table(2, training2, label_training2);
HT_table_array_pat_3 = Get_HT_table(3, training3, label_training3);
HT_table_array_pat_4 = Get_HT_table(4, training4, label_training4);
HT_table_array_pat_5 = Get_HT_table(5, training5, label_training5);
HT_table_array_pat_6 = Get_HT_table(6, training6, label_training6);
HT_table_array_pat_7 = Get_HT_table(7, training7, label_training7);
HT_table_array_pat_8 = Get_HT_table(8, training8, label_training8);
HT_table_array_pat_9 = Get_HT_table(9, training9, label_training9);

HT_table_array_pat_3, HT_table_array_pat_4,
HT_table_array_pat_5, HT_table_array_pat_6,
HT_table_array_pat_7, HT_table_array_pat_8,
HT_table_array_pat_9);
```

```
function HT_table_array_pat = Get_HT_table(patient_index,
      patient_data, patient_labels)
3 % Prior probablities, alarms/total
  P_H1 = sum(patient_labels)/length(patient_labels);
_{5}|P_{H0} = 1 - P_{H1};
7 HT_table_array_pat = cell(1, 7);
9 | % name = strcat('Patient_', int2str(patient_index), '_Features');
  % figure ('name', name, 'unit', 'normalized', 'outerposition', [.1
      .1 .8 .8]);
  for i = 1:7
    [feature_mat, x_mat] = Get_Feat_Mat(patient_data(i:i, :),
13
      patient_labels);
    ML\_vector = zeros(1, length(feature\_mat(1:1, :)));
    MAP\_vector = zeros(1, length(feature\_mat(1:1, :)));
17
    for k = 1: length (feature_mat(1:1, :))
      P_H1_i = feature_mat(1, k);
19
      P_H0_i = feature_mat(2, k);
       if (P_H1_i) >= P_H0_i
21
        \% if H1_pmf >= H0_pmf
```

```
ML_{vector}(k) = 1;
23
        if (P_H1*P_H1_i >= P_H0*P_H0_i)
25
          \% \text{ if } H1_pmf*P(H1) >= H0_pmf*P(H0)
          MAP_vector(k) = 1;
27
       end
     end
29
     HT_{table} = cat(1, x_{mat}, feature_{mat}(1:1, :), feature_{mat}(2:2, :)
31
     , ML_vector, MAP_vector);
HT_table = rot90(HT_table, -1);
HT_table = fliplr(HT_table);
     % Have to flip the table so that it matches with the given format
     HT_table_array_pat {1, i} = num2cell(HT_table);
     subplot (7, 1, i);
37
     hold on;
     plot(x_mat, feature_mat(1:1, :));
     plot(x_mat, feature_mat(2:2, :));
legend('H0 pmf', 'H1 pmf');
39
     hold off;
41
   end
```



<u>Task 1.2:</u>