



1. Table of Contents (This Page)


Created on Wed May 28 04:43:06 2014


- 2. component
- 3. solder
- 4. GND
- 5. power
- 6. plated-drill
- 7. componentmask
- 8. soldermask
- 9. topsilk
- 10. bottomsilk
- 11. toppaste
- 12. bottompaste
- 13. topassembly
- 14. bottomassembly
- 15. fab








bottom (mirrored), scale = 1:1.000
board.pcb
















bottommask (mirrored), scale = 1:1.000
board.pcb












There are 10 different drill sizes used in this layout, 939 holes total

Symbol	Diam. (Inch)	Count	Plated?
Y	0.015	880	YES
+	0.035	24	YES
x	0.040	4	YES
o	0.042	18	YES
□	0.062	3	YES
Ψ	0.096	4	YES
#	0.100	1	YES
⊗	0.110	2	YES
⊙	0.125	1	YES
⊠	0.128	2	YES

Title: (unknown) - Fabrication Drawing
Author: Peter Montla
Date: Wed 28 May 2014 11:43:06 AM GMT UTC
Maximum Dimensions: 4200.000000 mils wide, 3400.000000 mils high



Board outline is the center-line of this 8.000000 mil rectangle - 0.0 to 4200.000000, 3400.000000 mils