




1. Table of Contents (This Page)
Created on Mon May 11 23:45:54 2015


2. component
3. solder
4. GND
5. power
6. plated-drill
7. componentmask
8. soldermask
9. topsilk
10. bottomsilk
11. toppaste
12. bottompaste
13. topassembly
14. bottomassembly
15. fab








GNSS Firehose, bottom (mirrored), scale = 1:1.000
board.pcb















GNSS Firehose, bottommask (mirrored), scale = 1:1.000
board.pcb







GNSS Firehose, bottomsilk (mirrored), scale = 1:1.000
board.pcb










GNSS Firehose, bottomassembly (mirrored), scale = 1:1.000
board.pcb

There are 12 different drill sizes used in this layout, 947 holes total

Symbol	Diam. (Inch)	Count	Plated?
γ	0.010	122	YES
+	0.012	765	YES
x	0.035	26	YES
•	0.042	16	YES
□	0.050	5	YES
▽	0.062	2	YES
⊕	0.063	1	YES
⊗	0.090	1	YES
⊙	0.095	4	YES
⊞	0.100	2	YES
⊚	0.110	1	YES
⊛	0.128	2	YES

Title: GNSS Firehose - Fabrication Drawing
Author: Peter Monta
Date: Tue 12 May 2015 06:45:54 AM GMT UTC
Maximum Dimensions: 4640.000000 mils wide, 3900.000000 mils high



Board outline is the center-line of this 8.000000 mil rectangle - 0,0 to 4640.000000,3900.000000 mils