



1. Table of Contents (This Page)


Created on Sat May 9 22:15:33 2015


- 2. component
- 3. solder
- 4. GND
- 5. power
- 6. plated-drill
- 7. componentmask
- 8. soldermask
- 9. topsilk
- 10. bottomsilk
- 11. toppaste
- 12. bottompaste
- 13. topassembly
- 14. bottomassembly
- 15. fab








GNSS Firehose, bottom (mirrored), scale = 1:1.000
board.pcb




















GNSS Firehose, bottomsilk (mirrored), scale = 1:1.000
board.pcb





GNSS Firehose, bottompaste (mirrored), scale = 1:1.000
board.pcb




GNSS Firehose, topassembly, scale = 1:1.000
 board.pcb

There are 11 different drill sizes used in this layout, 947 holes total

Symbol	Diam. (Inch)	Count	Plated?
y	0.012	887	YES
+	0.035	26	YES
x	0.042	16	YES
o	0.050	5	YES
□	0.062	2	YES
▽	0.063	1	YES
⊕	0.090	1	YES
⊗	0.096	4	YES
⊙	0.100	2	YES
⊠	0.110	1	YES
⊡	0.128	2	YES

Title: GNSS Firehose - Fabrication Drawing
Author: Peter Monta
Date: Sun 10 May 2015 05:15:33 AM GMT UTC
Maximum Dimensions: 4640.000000 mils wide, 3900.000000 mils high



Board outline is the centerline of this 8.000000 mil rectangle - 0.0 to 4640.000000, 3900.000000 mils