

# Wednesday January 20

<b>Proposition</b>	Declarative sentence that is true or false (not both).
<b>Propositional variable</b>	Variable that represents a proposition.
<b>Compound proposition</b>	New propositions formed from existing propositions (potentially) using logical operators.
<b>Truth table</b>	Table with 1 row for each of the possible combinations of truth values of the input and an additional column that shows the truth value of the result of the operation corresponding to a particular row.

*Note:* A propositional variable is one example of a compound proposition.

**Logical operators** aka propositional connectives

<b>Conjunction</b>	AND	$\wedge$	<code>\land</code>	2 inputs	Evaluates to $T$ when <b>both</b> inputs are $T$
<b>Exclusive or</b>	XOR	$\oplus$	<code>\oplus</code>	2 inputs	Evaluates to $T$ when <b>exactly one</b> of inputs is $T$
<b>Disjunction</b>	OR	$\vee$	<code>\lor</code>	2 inputs	Evaluates to $T$ when <b>at least one</b> of inputs is $T$
<b>Negation</b>	NOT	$\neg$	<code>\lnot</code>	1 input	Evaluates to $T$ when its input is $F$

Input		Output		
		<b>Conjunction</b>	<b>Exclusive or</b>	<b>Disjunction</b>
$p$	$q$	$p \wedge q$	$p \oplus q$	$p \vee q$
$T$	$T$	$T$	$F$	$T$
$T$	$F$	$F$	$T$	$T$
$F$	$T$	$F$	$T$	$T$
$F$	$F$	$F$	$F$	$F$

Input	Output
	<b>Negation</b>
$p$	$\neg p$
$T$	$F$
$F$	$T$

Input			Output	
$p$	$q$	$r$	$(p \wedge q) \oplus ((p \oplus q) \wedge r)$	$(p \wedge q) \vee ((p \oplus q) \wedge r)$
$T$	$T$	$T$		
$T$	$T$	$F$		
$T$	$F$	$T$		
$T$	$F$	$F$		
$F$	$T$	$T$		
$F$	$T$	$F$		
$F$	$F$	$T$		
$F$	$F$	$F$		

<b>Logical equivalence</b>	Two compound propositions are <b>logically equivalent</b> means that they have the same truth values for all settings of truth values to their propositional variables.
<b>Tautology</b>	A compound proposition that evaluates to true for all settings of truth values to its propositional variables; it is abbreviated $T$ .
<b>Contradiction</b>	A compound proposition that evaluates to false for all settings of truth values to its propositional variables; it is abbreviated $F$ .
<b>Contingency</b>	A compound proposition that is neither a tautology nor a contradiction.

*Extra Example:* Which of the compound propositions in the table below are logically equivalent?

Input		Output				
$p$	$q$	$\neg(p \wedge \neg q)$	$\neg(\neg p \vee \neg q)$	$(\neg p \vee q)$	$(\neg q \vee \neg p)$	$(p \wedge q)$
$T$	$T$					
$T$	$F$					
$F$	$T$					
$F$	$F$					

(Some) logical equivalences) cf. Rosen pp. 26-28

$p \vee q \equiv q \vee p$	$p \wedge q \equiv q \wedge p$	<b>Commutativity</b> Ordering of terms
$(p \vee q) \vee r \equiv p \vee (q \vee r)$	$(p \wedge q) \wedge r \equiv p \wedge (q \wedge r)$	<b>Associativity</b> Grouping of terms
$p \wedge F \equiv F$	$p \vee T \equiv T$	<b>Absorption</b> aka short circuit evaluation
$p \wedge T \equiv p$	$p \vee F \equiv p$	<b>DeMorgan's Laws</b>
$\neg(p \wedge q) \equiv \neg p \vee \neg q$	$\neg(p \vee q) \equiv \neg p \wedge \neg q$	

Can replace  $p$  and  $q$  with any compound proposition

*Application:* design a circuit given a desired input-output relationship.

Input		Output	
$p$	$q$	$mystery_1$	$mystery_2$
$T$	$T$	$T$	$F$
$T$	$F$	$T$	$F$
$F$	$T$	$F$	$F$
$F$	$F$	$T$	$T$

Input			Output
$p$	$q$	$r$	$?$
$T$	$T$	$T$	$T$
$T$	$T$	$F$	$T$
$T$	$F$	$T$	$F$
$T$	$F$	$F$	$T$
$F$	$T$	$T$	$F$
$F$	$T$	$F$	$F$
$F$	$F$	$T$	$T$
$F$	$F$	$F$	$F$

A compound proposition that gives output  $mystery_1$  is: \_\_\_\_\_

A compound proposition that gives output  $mystery_2$  is: \_\_\_\_\_

**Definition** A compound proposition is in **disjunctive normal form** (DNF) means that it is an OR of ANDs of variables and their negations.

**Definition** A compound proposition is in **conjunctive normal form** (CNF) means that it is an AND of ORs of variables and their negations.

*Extra example:* A compound proposition that gives output ? is:

## Review

1. (a) Consider the logic circuit



For which of the following settings(s) of input values is the output  $y_1 = 0$ ? (Select all and only those that apply.)

- i.  $x_1 = 0, x_2 = 0, x_3 = 0$ , and  $x_4 = 0$
- ii.  $x_1 = 1, x_2 = 1, x_3 = 1$ , and  $x_4 = 1$
- iii.  $x_1 = 1, x_2 = 0, x_3 = 0$ , and  $x_4 = 1$
- iv.  $x_1 = 0, x_2 = 0, x_3 = 1$ , and  $x_4 = 1$

- (b) Consider the logic circuits



For which of the following settings(s) of input values do the outputs of these circuits have the same value, i.e.  $y_1 = z_1$ ? (Select all and only those that apply.)

- i.  $x_1 = 1, x_2 = 1$
- ii.  $x_1 = 1, x_2 = 0$
- iii.  $x_1 = 0, x_2 = 1$
- iv.  $x_1 = 0, x_2 = 0$

2. For each of the following propositions, indicate exactly one of:

- There is no assignment of truth values to its variables that makes it true,
- There is exactly one assignment of truth values to its variables that makes it true, or
- There are exactly two assignments of truth values to its variables that make it true, or
- There are exactly three assignments of truth values to its variables that make it true, or
- *All* assignments of truth values to its variables make it true.

- (a)  $x \wedge y \wedge (x \vee y)$
- (b)  $\neg x \wedge y \wedge (x \vee y)$
- (c)  $x \wedge \neg y \wedge (x \wedge y)$
- (d)  $\neg x \wedge (y \vee \neg y)$
- (e)  $x \wedge (y \vee \neg x)$

# Friday January 22

The only way to make the conditional statement  $p \rightarrow q$  false is to \_\_\_\_\_

The **hypothesis** of  $p \rightarrow q$  is \_\_\_\_\_ The **antecedent** of  $p \rightarrow q$  is \_\_\_\_\_

The **conclusion** of  $p \rightarrow q$  is \_\_\_\_\_ The **consequent** of  $p \rightarrow q$  is \_\_\_\_\_

Input		Output				
		Conjunction	Exclusive or	Disjunction	Conditional	Biconditional
$p$	$q$	$p \wedge q$	$p \oplus q$	$p \vee q$	$p \rightarrow q$	$p \leftrightarrow q$
$T$	$T$	$T$	$F$	$T$	$T$	$T$
$T$	$F$	$F$	$T$	$T$	$F$	$F$
$F$	$T$	$F$	$T$	$T$	$T$	$F$
$F$	$F$	$F$	$F$	$F$	$T$	$T$

## Examples

$p \rightarrow q \equiv \neg p \vee q$  because \_\_\_\_\_

$p \leftrightarrow q$  is not logically equivalent to  $p \wedge q$  because \_\_\_\_\_

$\neg(p \leftrightarrow q) \equiv p \oplus q$  because \_\_\_\_\_

$p \rightarrow q$  is not logically equivalent to  $q \rightarrow p$  because \_\_\_\_\_

$p \leftrightarrow q \equiv q \leftrightarrow p$  because \_\_\_\_\_

The **converse** of  $p \rightarrow q$  is \_\_\_\_\_

The **inverse** of  $p \rightarrow q$  is \_\_\_\_\_ Which of these is logically equivalent to  $p \rightarrow q$ ?

The **contrapositive** of  $p \rightarrow q$  is \_\_\_\_\_

**Translation:** Express each of the following sentences as compound propositions, using the given propositions.

“A sufficient condition for the warranty to be good is	$w$ is “the warranty is good”
that you bought the computer less than a year ago”	$b$ is “you bought the computer less than a year ago”

“Whenever the message was sent from an unknown system, it is scanned for viruses.”	$s$ is “The message is scanned for viruses”
	$u$ is “The message was sent from an unknown system”

<p>“I will complete my to-do list only if I put a reminder in my calendar”</p>	<p><math>r</math> is “I will complete my to-do list”  <math>c</math> is “I put a reminder in my calendar”</p>
--	---

## Review

1. For each of the following propositions, indicate exactly one of:

- There is no assignment of truth values to its variables that makes it true,
- There is exactly one assignment of truth values to its variables that makes it true, or
- There are exactly two assignments of truth values to its variables that make it true, or
- There are exactly three assignments of truth values to its variables that make it true, or
- *All* assignments of truth values to its variables make it true.

(a)  $(p \leftrightarrow q) \oplus (p \wedge q)$

(b)  $(p \rightarrow q) \vee (q \rightarrow p)$

(c)  $(p \rightarrow q) \wedge (q \rightarrow p)$

(d)  $\neg(p \rightarrow q)$

**Definition:** A collection of compound propositions is called **consistent** if there is an assignment of truth values to the propositional variables that makes each of the compound propositions true.

For each of the following system specifications, identify the compound propositions that give their translations to logic and then determine if the translated collection of compound propositions is consistent.

2. (a) Specification: If the computer is out of memory, then network connectivity is unreliable. No disk errors can occur when the computer is out of memory. Disk errors only occur when network connectivity is unreliable.

Translation:  $M$  = “the computer is out of memory”;  $N$  = “network connectivity is unreliable”;  $D$  = “disk errors can occur”.

i.

$$\neg M \rightarrow N$$

$$\neg D \rightarrow M$$

$$D \rightarrow N$$

ii.

$$M \rightarrow \neg N$$

$$\neg D \wedge M$$

$$N \rightarrow D$$

iii.

$$M \rightarrow N$$

$$M \rightarrow \neg D$$

$$\neg N \rightarrow \neg D$$

(b) Specification: Whether you think you can, or you think you can't - you're right. <sup>1</sup>

Translation:  $T$  = "you think you can";  $C$  = "you can".

i.

$$\begin{aligned}T &\rightarrow C \\ \neg T &\rightarrow \neg C\end{aligned}$$

ii.

$$\begin{aligned}T &\wedge C \\ \neg T &\wedge \neg C\end{aligned}$$

iii.

$$\begin{aligned}T &\rightarrow \neg T \\ C &\rightarrow \neg C\end{aligned}$$

(c) Specification: A secure password must be private and complicated. If a password is complicated then it will be hard to remember. People write down hard-to-remember passwords. If a password is written down, it's not private. The password is secure.

Translation:  $S$  = "the password is secure";  $P$  = "the password is private";  $C$  = "the password is complicated";  $H$  = "the password is hard to remember";  $W$  = "the password is written down".

i.

$$\begin{aligned}\neg(P \wedge C) &\rightarrow \neg S \\ C &\rightarrow H \\ W &\wedge H \\ W &\rightarrow \neg P \\ S\end{aligned}$$

ii.

$$\begin{aligned}(P \wedge C) &\rightarrow S \\ C &\rightarrow H \\ W &\rightarrow H \\ W &\rightarrow P \\ S\end{aligned}$$

iii.

$$\begin{aligned}S &\rightarrow (P \wedge C) \\ C &\rightarrow H \\ H &\rightarrow W \\ W &\rightarrow \neg P \\ S\end{aligned}$$

---

<sup>1</sup>Henry Ford