

SCHOLASTIC APTITUDE TEST (SAT)

CC BY-NC-SA 4.0 license

Drill Problems: Week 03-1

Author: Jaehoon Song (Lecturer) Release: 2025-06-19 21:06:33-04:00

Purpose and Usage:

This material has been developed for internal training and educational purposes at Hans edu LLC. It is intended for use within our organization and should not be distributed, sold, or used for commercial purposes outside of our educational programs.

For Our Community:

Students and staff are welcome to use this material in their studies and teaching at Hans edu LLC. While we encourage active engagement with the content, please respect that this is proprietary material. Any reproduction or distribution outside of our organization's educational activities is not permitted.

Content and Attribution:

This material represents our adaptation of various established mathematics textbooks, reorganized and enhanced for our teaching context. While we've added our own pedagogical improvements, we maintain proper attribution to original sources. This work is shared under the Creative Commons Attribution-NonCommercial-ShareAlike (CC BY-NC-SA) license, allowing internal use and adaptation while respecting the original creators' rights.

Quality Assurance:

We have carefully reviewed this material for accuracy and clarity. However, as with any educational resource, we encourage critical engagement and verification of concepts. If you notice any issues or have suggestions for improvement, please bring them to our attention.



COLUMBIA ACADEMY

enrichment beyond the classroom

 $\ensuremath{\mathbb{C}}$ 2025 Hans edu LLC. All rights reserved.

Written by Jaehoon Song (Lecturer)

1. Function Evaluation (10 points)

The function g is defined by g(x) = 6x. For what value of x is g(x) = 54?

Answer:

2. Linear Function Definition (10 points)

In the xy-plane, the graph of the linear function f contains the points (0,3) and (7,31). Which equation defines f, where y = f(x)?

- (A) f(x) = 28x + 34
- (B) f(x) = 3x + 38
- (C) f(x) = 4x + 3
- (D) f(x) = 7x + 3

Answer:

3. Number Relationship (10 points)

The number y is 84 less than the number x. Which equation represents the relationship between x and y?

- (A) y = x + 84
- (B) $y = \frac{1}{84}x$
- (C) y = 84x
- (D) y = x 84

Answer:

4. Function Value (10 points)

The function f is defined by the equation f(x) = 7x + 2. What is the value of f(x) when x = 4?



5. Animal Weight Model (10 points)

A model predicts that a certain animal weighed 241 pounds when it was born and that the animal gained 3 pounds per day in its first year of life. This model is defined by an equation in the form f(x) = a + bx, where f(x) is the predicted weight, in pounds, of the animal x days after it was born, and a and b are constants. What is the value of a?

Answer:

6. Function Evaluation (10 points)

The function g is defined by g(x) = -x + 8. What is the value of g(0)?

- (A) -8
- (B) 0
- (C) 4
- (D) 8

Answer:

7. Function Value (10 points)

The function f is defined by f(x) = 4x. For what value of x does f(x) = 8?

Answer:



8. Cab Ride Cost (10 points)

The line graphed in the xy-plane below models the total cost, in dollars, for a cab ride, y, in a certain city during nonpeak hours based on the number of miles traveled, x.




Figure 1: reference attached

According to the graph, what is the cost for each additional mile traveled, in dollars, of a cab ride?

- (A) \$2.00
- (B) \$2.60
- (C) \$3.00
- (D) \$5.00

Answer:



9. Cargo Movement (10 points)

A team of workers has been moving cargo off of a ship. The equation below models the approximate number of tons of cargo, y, that remains to be moved x hours after the team started working.

$$y = 120 - 25x$$

The graph of this equation in the xy-plane is a line. What is the best interpretation of the x-intercept in this context?

- (A) The team will have moved all the cargo in about 4.8 hours.
- (B) The team has been moving about 4.8 tons of cargo per hour.
- (C) The team has been moving about 25 tons of cargo per hour.
- (D) The team started with 120 tons of cargo to move.

Answer:

10. Temperature Conversion (10 points)

$$F(x) = \frac{9}{5}(x - 273.15) + 32$$

The function F gives the temperature, in degrees Fahrenheit, that corresponds to a temperature of x kelvins. If a temperature increased by 9.10 kelvins, by how much did the temperature increase, in degrees Fahrenheit?

- (A) 16.38
- (B) 48.38
- (C) 475.29
- (D) 507.29

Answer:

11. **Triangle Perimeter** (10 points)

The perimeter of an isosceles triangle is 83 inches. Each of the two congruent sides of the triangle has a length of 24 inches. What is the length, in inches, of the third side?

Answer:

12. Equation Solution (10 points)

$$(b-2)x = 8$$

In the given equation, b is a constant. If the equation has no solution, what is the value of b?

- (A) 2
- (B) 4
- (C) 6
- (D) 10

Answer:

13. Equation Solutions (10 points)

How many solutions does the equation 10(15x - 9) = -15(6 - 10x) have?

- (A) Exactly one
- (B) Exactly two
- (C) Infinitely many
- (D) Zero

14. Equation Value (10 points)

$$\frac{4x}{5} = 20$$

In the equation above, what is the value of x?

- (A) 25
- (B) 24
- (C) 16
- (D) 15

Answer:

15. No Solution Equation (10 points)

$$3(kx+13) = \frac{48}{17}x + 36$$

In the given equation, k is a constant. The equation has no solution. What is the value of k?

Answer:

16. Equivalent Equation (10 points)

Which of the following is equivalent to 4x + 6 = 12?

- (A) 2x + 4 = 6
- (B) x + 3 = 3
- (C) 3x + 2 = 4
- (D) 2x + 3 = 6

Answer:

17. Cost Calculation (10 points)

One pound of grapes costs \$2. At this rate, how many dollars will c pounds of grapes cost?

- (A) 2c
- (B) 2 + c
- (C) $\frac{2}{c}$
- (D) $\frac{c}{2}$



18. Flag Count (10 points)

A principal used a total of 25 flags that were either blue or yellow for field day. The principal used 20 blue flags. How many yellow flags were used?

- (A) 5
- (B) 20
- (C) 25
- (D) 30

Answer:

19. Equation Solution (10 points)

8x = 88

What value of x is the solution to the given equation?

- (A) 11
- (B) 80
- (C) 96
- (D) 704

Answer:

20. **Profit Calculation** (10 points)

A certain product costs a company \$65 to make. The product is sold by a salesperson who earns a commission that is equal to 20% of the sales price of the product. The profit the company makes for each unit is equal to the sales price minus the combined cost of making the product and the commission. If the sales price of the product is \$100, which of the following equations gives the number of units, u, of the product the company sold to make a profit of \$6,840?

- (A) (100(1-0.2)-65)u=6,840
- (B) (100 65)(1 0.8)u = 6,840
- (C) 0.8(100) 65u = 6,840
- (D) (0.2(100) + 65)u = 6,840

21. Shipping Cost (10 points)

3a + 4b = 25

A shipping company charged a customer \$25 to ship some small boxes and some large boxes. The equation above represents the relationship between a, the number of small boxes, and b, the number of large boxes, the customer had shipped. If the customer had 3 small boxes shipped, how many large boxes were shipped?

- (A) 3
- (B) 4
- (C) 5
- (D) 6

Answer:

22. Parallel Line (10 points)

What is the equation of the line that passes through the point (0,5) and is parallel to the graph of y = 7x + 4 in the xy plane?

- (A) y = 5x
- (B) y = 7x + 5
- (C) y = 7x
- (D) y = 5x + 7

Answer:

23. Time Relationship (10 points)

$$x + y = 75$$

The equation above relates the number of minutes, x, Maria spends running each day and the number of minutes, y, she spends biking each day. In the equation, what does the number 75 represent?

- (A) The number of minutes spent running each day
- (B) The number of minutes spent biking each day
- (C) The total number of minutes spent running and biking each day
- (D) The number of minutes spent biking for each minute spent running



24. Line Equation (10 points)

Line t in the xy-plane has a slope of $-\frac{1}{3}$ and passes through the point (9, 10). Which equation defines line t?

- (A) $y = 13x \frac{1}{3}$
- (B) y = 9x + 10
- (C) $y = -\frac{x}{3} + 10$
- (D) $y = -\frac{x}{3} + 13$

Answer:

25. Box Production (10 points)

A machine makes large boxes or small boxes, one at a time, for a total of 700 minutes each day. It takes the machine 10 minutes to make a large box or 5 minutes to make a small box. Which equation represents the possible number of large boxes, x, and small boxes, y, the machine can make each day?

- (A) 5x + 10y = 700
- (B) 10x + 5y = 700
- (C) (x+y)(10+5) = 700
- (D) (10+x)(5+y) = 700

Answer:

26. Polygon Construction (10 points)

A total of 364 paper straws of equal length were used to construct two types of polygons: triangles and rectangles. The triangles and rectangles were constructed so that no two polygons had a common side. The equation 3x + 4y = 364 represents this situation, where x is the number of triangles constructed and y is the number of rectangles constructed. What is the best interpretation of (x, y) = (24, 73) in this context?

- (A) If 24 triangles were constructed, then 73 rectangles were constructed.
- (B) If 24 triangles were constructed, then 73 paper straws were used.
- (C) If 73 triangles were constructed, then 24 rectangles were constructed.
- (D) If 73 triangles were constructed, then 24 paper straws were used.

27. Music Practice (10 points)

The equation y = 0.1x models the relationship between the number of different pieces of music a certain pianist practices, y, during an x-minute practice session. How many pieces did the pianist practice if the session lasted 30 minutes?

- (A) 1
- (B) 3
- (C) 10
- (D) 30

Answer:

28. Line Intersection (10 points)

In the xy-plane, line k intersects the y-axis at the point (0, -6) and passes through the point (2, 2). If the point (20, w) lies on line k, what is the value of w?

Answer:

29. Graph Equation (10 points)




Figure 2: reference attached

Which of the following is an equation of the graph shown in the xy-plane above?

- (A) $y = -\frac{1}{4}x 1$
- (B) y = -x 4
- (C) $y = -x \frac{1}{4}$
- (D) y = -4x 1

30. Food Preparation (10 points)

An employee at a restaurant prepares sandwiches and salads. It takes the employee 1.5 minutes to prepare a sandwich and 1.9 minutes to prepare a salad. The employee spends a total of 46.1 minutes preparing x sandwiches and y salads. Which equation represents this situation?

- (A) 1.9x + 1.5y = 46.1
- (B) 1.5x + 1.9y = 46.1
- (C) x + y = 46.1
- (D) 30.7x + 24.3y = 46.1

Answer:

31. Transit Pass (10 points)

A local transit company sells a monthly pass for \$95 that allows an unlimited number of trips of any length. What is the minimum number of trips per month for which a monthly pass could cost less than purchasing individual tickets for trips? Individual Tickets trips cost \$1.50, \$2.50, or \$3.50, depending on the length of the trip.

Answer:

32. Cookie Count (10 points)

A bakery sells trays of cookies. Each tray contains at least 50 cookies but no more than 60. Which of the following could be the total number of cookies on 4 trays of cookies?

- (A) 165
- (B) 205
- (C) 245
- (D) 285

33. Inequality System (10 points)

$$y \le x + 7$$
$$y \ge -2x - 1$$

Which point (x, y) is a solution to the given system of inequalities in the xy-plane?

- (A) (-14,0)
- (B) (0, -14)
- (C) (0, 14)
- (D) (14,0)

Answer:

34. Sales Commission (10 points)

A salesperson's total earnings consist of a base salary of x dollars per year, plus commission earnings of 11% of the total sales the salesperson makes during the year. This year, the salesperson has a goal for the total earnings to be at least 3 times and at most 4 times the base salary. Which of the following inequalities represents all possible values of total sales s, in dollars, the salesperson can make this year in order to meet that goal?

- (A) $2x \le s \le 3x$
- (B) $\frac{2}{0.11}x \le s \le \frac{3}{0.11}x$
- (C) $3x \le s \le 4x$
- (D) $\frac{3}{0.11}x \le s \le \frac{4}{0.11}x$

Answer:

35. Walking Goal (10 points)

Ty set a goal to walk at least 24 kilometers every day to prepare for a multiday hike. On a certain day, Ty plans to walk at an average speed of 4 kilometers per hour. What is the minimum number of hours Ty must walk on that day to fulfill the daily goal?

- (A) 4
- (B) 6
- (C) 20
- (D) 24

36. Number Relationship (10 points)

A number x is at most 2 less than 3 times the value of y. If the value of y is -4, what is the greatest possible value of x?

Answer:

37. Exam Score (10 points)

Tom scored 85, 78, and 98 on his first three exams in history class. Solving which inequality gives the score, G, on Tom's fourth exam that will result in a mean score on all four exams of at least 90?

(A)
$$90 - (85 + 78 + 98) \le 4G$$

(B)
$$4G + 85 + 78 + 98 \ge 360$$

(C)
$$\frac{(G+85+78+98)}{4} \ge 90$$

(D)
$$\frac{(85+78+98)}{4} \ge 90 - 4G$$

Answer:

38. Inequality Solution (10 points)

$$y < -4x + 4$$

Which point (x, y) is a solution to the given inequality in the xy-plane?

- (A) (-4,0)
- (B) (0,5)
- (C) (2,1)
- (D) (2,-1)

39. Elephant Weight (10 points)

A certain elephant weighs 200 pounds at birth and gains more than 2 but less than 3 pounds per day during its first year. Which of the following inequalities represents all possible weights w, in pounds, for the elephant 365 days after birth?

- (A) 400 < w < 600
- (B) 565 < w < 930
- (C) 730 < w < 1,095
- (D) 930 < w < 1,295

Answer:

40. **Heart Rate** (10 points)

H = 120p + 60

The Karvonen formula above shows the relationship between Alice's target heart rate H, in beats per minute (bpm), and the intensity level p of different activities. When p=0, Alice has a resting heart rate. When p=1, Alice has her maximum heart rate. It is recommended that p be between 0.5 and 0.85 for Alice when she trains. Which of the following inequalities describes Alice's target training heart rate?

- (A) $120 \le H \le 162$
- (B) $102 \le H \le 120$
- (C) $60 \le H \le 162$
- (D) $60 \le H \le 102$

41. Ticket Sales (10 points)

A petting zoo sells two types of tickets. The standard ticket, for admission only, costs \$5. The premium ticket, which includes admission and food to give to the animals, costs \$12. One Saturday, the petting zoo sold a total of 250 tickets and collected a total of \$2,300 from ticket sales. Which of the following systems of equations can be used to find the number of standard tickets, s, and premium tickets, p, sold on that Saturday?

(A)
$$s + p = 250$$

 $5s + 12p = 2{,}300$

(B)
$$s + p = 250$$

$$12s + 5p = 2,300$$

(C)
$$5s + 12p = 250$$
$$s + p = 2{,}300$$

(D)
$$12s + 5p = 250$$
$$s + p = 2{,}300$$

Answer:

42. System Solution (10 points)

$$x + y = 18$$
$$5y = x$$

What is the solution (x, y) to the given system of equations?

- (A) (15,3)
- (B) (16, 2)
- (C) (17,1)
- (D) (18,0)

43. Line Intersection (10 points)

$$y = 2x + 10$$

$$y = 2x - 1$$

At how many points do the graphs of the given equations intersect in the xy-plane?

- (A) Zero
- (B) Exactly one
- (C) Exactly two
- (D) Infinitely many

Answer:

44. No Solution System (10 points)

$$4x - 6y = 10y + 2$$

$$ty = \frac{1}{2} + 2x$$

In the given system of equations, t is a constant. If the system has no solution, what is the value of t?


Answer:


45. System Graph (10 points)

$$x + 5y = 5$$


$$2x - y = -4$$


Which of the following graphs in the xy-plane could be used to solve the system of equations above?





В.





46. **System Value** (10 points)

$$x = 10$$
$$y = x + 21$$

The solution to the given system of equations is (x, y). What is the value of y?

- (A) 2.1
- (B) 10
- (C) 21
- (D) 31

Answer:

47. System Solution (10 points)

$$y = -\frac{1}{9}x$$
$$y = \frac{1}{2}x$$

The solution to the given system of equations is (x, y). What is the value of x?

- (A) -9
- (B) -7
- (C) 0
- (D) 2

48. **Bus Travel** (10 points)

A bus traveled on the highway and on local roads to complete a trip of 160 miles. The trip took 4 hours. The bus traveled at an average speed of 55 miles per hour (mph) on the highway and an average speed of 25 mph on local roads. If x is the time, in hours, the bus traveled on the highway and y is the time, in hours, it traveled on local roads, which system of equations represents this situation?

- (A) 55x + 25y = 4x + y = 160
- (B) 55x + 25y = 160x + y = 4
- (C) 25x + 55y = 4x + y = 160
- (D) 25x + 55y = 160x + y = 4

Answer:

49. System Solution (10 points)

$$y = 2x + 3$$
$$x = 1$$

What is the solution (x, y) to the given system of equations?

- (A) (1,2)
- (B) (1,5)
- (C) (2,3)
- (D) (2,7)

50. **System Graph** (10 points)

A system of two linear equations is graphed in the xy-plane below.




Figure 3: reference attached

Which of the following points is the solution to the system of equations?

- (A) (3,9)
- (B) (6, 15)
- (C) (8, 10)
- (D) (12, 18)