1. Classes exercise.

Implement console program which will meet the following requirements:

- a. Implement class Book that has next properties:
 - i. int id unique identifier
 - ii. String name name of a book
 - iii. Author[] authors array of authors
 - iv. Publisher publisher book publisher
 - v. int publishing Year year of publishing
 - vi. int amountOfPages amount of pages
 - vii. BigDecimal price price of a book
 - viii. CoverType coverType type of book binding, enum (Paperback, Hardcover)
- b. Implement Author class that has next properties:
 - i. int id unique identifier
 - ii. String firstName author's first name
 - iii. String lastName author's last name
- c. Implement Publisher class that has next properties:
 - i. int id unique identifier
 - ii. String publisherName name of a publisher
- d. Implement multiple constructors for Book, Author and Publisher class.
- e. Implement enum type CoverType with two enums Paperback and Hardcover
- f. Override toString methods for Book, Author and Publisher class.
- g. Implement class BookService with the next methods

- h. Implement a Demo class that has the main method. In demo class perform next actions:
 - i. Create an array of books. You can use the next variable for demo purposes.

```
Book[] books = new Book[] {
    new Book(1, "Book_1", new Author[] { new Author(1, "Jon", "Johnson")
    }, new Publisher(1, "Publisher_1"), 1990, 231,
    BigDecimal.valueOf(24.99), CoverType.PAPERBACK),

new Book(2, "Book_2", new Author[] { new Author(1, "Jon",
    "Johnson"), new Author(2, "William", "Wilson") }, new Publisher(2,
    "Publisher_2"), 2000, 120, BigDecimal.valueOf(14.99),
    CoverType.PAPERBACK),

new Book(3, "Book_3", new Author[] { new Author(3, "Walter",
    "Peterson") }, new Publisher(1, "Publisher_1"), 1997, 350,
    BigDecimal.valueOf(34.99), CoverType.HARDCOVER),

new Book(4, "Book_4", new Author[] { new Author(4, "Craig",
    "Gregory") }, new Publisher(3, "Publisher_3"), 1992, 185,
    BigDecimal.valueOf(19.99), CoverType.PAPERBACK) };
```

 ii. Create an instance of the BookService type and demonstrate the work of BookService methods, namely - filterBooksByAuthor, filterBooksByPublisher, filterBooksAfterSpecifiedYear.

2. Inheritance and polymorphism exercise

Implement console program which will meet the following requirements:

- a. Implement a hierarchy of Sweets. All Sweets should have next properties: name, weight and sugarWeight. Weight is a weight of the specific sweet in kilograms. sugarWeight is a weight of sugar in this sweet in kilograms.
 - I don't want to give you specific directions here to give you an opportunity to decide what will work the best here to start describing the Sweet hierarchy: an interface or an abstract class?
- b. Candy, Lollipop and Cookie three other types from Sweet hierarchy.
- c. Create class Present. Present has next behavior:

```
// the method filters sweets by sugar weight inclusively
public Sweet[] filterSweetsBySugarRange(double minSugarWeight,
double maxSugarWeight) {
       <write your code here>
}
// the method calculates total weight of the present
public double calculateTotalWeight() {
       <write your code here>
}
// the method that adds sweet to the present
public void addSweet(Sweet sweet) {
       <write your code here>
}
// the method returns copy of the Sweet[] array so that nobody could
// modify state of the present without addSweet() method.
// Also array shouldn't contain null values.
public Sweet[] getSweets() {
      <write your code here>
}
```

3. Inner and Nested Classes exercise

Implement console program which will meet the following requirements:

- a. Implement class Account. Class Account has next fields:
 - i. int id
 - ii. Transaction[] transactions
- b. Implement enum StandardAccountOperations that contains next enums:
 - MONEY_TRANSFER_SEND
 - ii. MONEY TRANSFER RECEIVE
 - iii. WITHDRAW
- c. Implement nested class Transaction that has next fields:
 - i. Account account From
 - ii. Account accountTo
 - iii. double moneyAmount
 - iv. StandardAccountOperations operation
- d. In Account class implement next methods:

public void sendMoneyToAccount(Account accountTo, double

e. Pay attention that when money is sent from one account to another - one transaction MONEY_TRANSFER_SEND created in one account, and the second transaction MONEY_TRANSFER_RECEIVE is created in other account.

4. EXAM! Implement console program which will meet the following requirements:

You have to implement a backend for an online shop. The system should support such basic operations as:

- User registration
- User sign in and sign out
- Product catalog navigation
- Adding product to cart
- Submitting an order
- Checkout
- Users management
- And others

This code will be used in further education and next topics and will end up with creating your web e-commerce application.

*** MENU NAVIGATION ***

Scenario - main menu

GIVEN I'm an app user
WHEN I run the program
THEN I see the main menu

Tech notes:

Main menu consists of the next items:

- 1. Sign Up
- 2. Sign In / Sign Out
- 3. Product Catalog
- 4. My Orders
- 5. Settings
- 6. Customer List

When User is logged in, then paragraph 2 label is changed to "Sign Out" instead of Sign In.

Scenario - stop the program

GIVEN I'm an app user
AND I'm in main menu
WHEN I enter 'exit' in console
THEN program execution is stopped

Scenario - incorrect input handling

GIVEN I'm an app user

WHEN I entered any digit except 1, or 2, or 3, or 4, or 5

THEN I see the error message "Only 1, 2, 3, 4, 5 is allowed. Try one more time."

AND I navigated back to the main menu

*** SIGN UP ***

Scenario - new user sign up

GIVEN I'm an app user

AND I see main menu in console

WHEN I entered 1

AND I selected 'Sign Up' in main menu

THEN registration process is started

AND I asked to enter my first name

AND I asked to enter my last name

AND I asked to enter my password

AND I asked to enter my email

AND application successfully registered me

AND I see notification that 'New user is created'

AND I navigated back to main menu

AND instead of 'Sign In' I see 'Sign Out' label

Technical note:

- Each new user should have an ID.
- The ID number should be automatically incremented for each new user (static counter field should be a part of DefaultUser class)

Scenario - new user sign up - unique email successful validation

GIVEN I'm an app user

AND I see main menu in console

WHEN I entered 1

AND I selected 'Sign Up' in main menu

THEN registration process is started

AND I asked to enter my first name

AND I asked to enter my last name

AND I asked to enter my password

AND I asked to enter my email

AND I enter unique email

AND application successfully registered me

AND I see notification that 'new user is created'

AND I navigated back to main menu

AND instead of 'Sign In' I see 'Sign Out' label

Scenario - new user sign up - unique email unsuccessful validation

GIVEN I'm an app user

AND I see main menu in console

WHEN I entered 1

AND I selected 'Sign Up' in main menu

THEN registration process is started

AND I asked to enter my first name

AND I asked to enter my last name

AND I asked to enter my password

AND I asked to enter my email

AND I enter NOT unique email

AND application doesn't register me

AND I see notification that 'This email is already used by another user. Please, use another email'

AND I navigated back to main menu

Scenario - new user sign up - empty email unsuccessful validation

GIVEN I'm an app user

AND I see main menu in console

WHEN I entered 1

AND I selected 'Sign Up' in main menu

THEN registration process is started

AND I asked to enter my first name

AND I asked to enter my last name

AND I asked to enter my password

AND I asked to enter my email

AND I enter empty email

AND application doesn't register me

AND I see notification that 'You have to input email to register. Please, try one more time'

AND I navigated back to main menu

*** SIGN IN ***

Scenario - successful sign in

GIVEN I'm an app user

AND I have registered account

WHEN I entered 2

AND I selected 'Sign In' in main menu

THEN Login process is started

AND I asked to enter my email

AND I asked to enter my password

AND credentials are valid

AND I see welcome message 'Glad to see you back <First Name> <Last Name>'

AND I see main menu

AND instead of 'Sign In' I see 'Sign Out' label

Scenario - unsuccessful sign in

GIVEN I'm an app user

AND I have registered account

WHEN I entered 2

AND I selected 'Sign In' in main menu

THEN Login process is started

AND I asked to enter my email

AND I asked to enter my password

AND credentials are not valid

AND I see error message 'Unfortunately, such login and password doesn't exist'

AND I see main menu

Technical notes:

- 'not valid' credentials mean that user either not exist or password is wrong

*** SIGN OUT ***

Scenario - successful sign out

GIVEN I'm an app user

AND I'm logged in

AND I navigated to the main menu

WHEN I entered 2

AND I selected 'Sign Out' in main menu

THEN I see sign out message 'Have a nice day! Look forward to welcoming back!'

AND I see main menu

AND instead of 'Sign Out' I see 'Sign In' label

*** PRODUCT CATALOG ***

Scenario - list products

GIVEN I'm an app user WHEN I entered 3 AND I selected 'Product Catalog' in main menu THEN I see list of products printed to console

Technical notes:

- Product has next fields:
 - int id
 - String productName
 - String categoryName
 - double price

Scenario - navigate back to menu

GIVEN I'm an app user
AND I navigated to Product Catalog menu
WHEN I enter 'menu' in console
THEN I navigated back to the main menu

Scenario - add product to cart

GIVEN I'm an app user

AND I entered 3

AND I selected 'Product Catalog' in main menu

AND I see product list

AND I see message 'Enter product id to add it to the cart or 'menu' if you want to navigate back to the main menu'

WHEN I entered any product id

THEN I see the message 'Product < PRODUCT_NAME > has been added to your cart. If you want to add a new product - enter the product id. If you want to proceed with checkout - enter word 'checkout' to console'

AND I see product list again

Scenario - add product to cart - error handling

GIVEN I'm an app user

AND I entered 3

AND I selected 'Product Catalog' in main menu

AND I see product list

AND I see message 'Enter product id to add it to the cart or 'menu' if you want to navigate back to the main menu'

WHEN I entered any random number that doesn't match with product id

THEN I see the message 'Please, enter product ID if you want to add product to cart. Or enter 'checkout' if you want to proceed with checkout. Or enter 'menu' if you want to navigate back to the main menu.'

AND I see product list again

*** CHECKOUT ***

Scenario - successful checkout

GIVEN I'm an app user

AND I'm logged in

AND I entered 3

AND I selected 'Product Catalog' in main menu

AND I see product list

AND I see message 'Enter product id to add it to the cart or 'menu' if you want to navigate back to the main menu'

AND I added products to the cart

WHEN I entered 'checkout'

THEN I see the message 'Enter your credit card number without spaces and press enter if you confirm purchase'

AND I entered credit card number

AND I pressed enter

AND I see the message 'Thanks a lot for your purchase. Details about order delivery are sent to your email.'

AND I navigated back to main menu

Technical notes:

- Cart should be cleared after order is created

Scenario - checkout - error handling - empty cart

GIVEN I'm an app user

AND I entered 3

AND I selected 'Product Catalog' in main menu

AND I see product list

AND I see message 'Enter product id to add it to the cart or 'menu' if you want to navigate back to the main menu'

AND I have empty cart because I didn't add products yet

WHEN I entered 'checkout'

THEN I see the message 'Your cart is empty. Please, add product to cart first and then proceed with checkout'

AND I see product list again

Scenario - checkout - error handling - not logged in user

GIVEN I'm an app user

AND I entered 3

AND I selected 'Product Catalog' in main menu

AND I see product list

AND I see message 'Enter product id to add it to the cart or 'menu' if you want to navigate back to the main menu'

AND I added products to the cart

AND I'm not logged in

WHEN I added products to the cart

THEN I see the message 'You are not logged in. Please, sign in or create new account'

AND I navigated back to the main menu

Scenario - checkout - error handling - invalid credit card number

GIVEN I'm an app user

AND I'm logged in

AND I entered 3

AND I selected 'Product Catalog' in main menu

AND I see product list

AND I see message 'Enter product ID to add it to the cart'

AND I added products to the cart

WHEN I entered 'checkout'

THEN I see the message 'Enter your credit card number without spaces and press enter if you confirm purchase'

AND I entered invalid credit card number

AND I pressed enter

AND I see the message 'You entered invalid credit card number. Valid credit card should contain 16 digits. Please, try one more time.'

AND I'm asked to enter credit card number one more time

Technical note:

- Implement credit card validation: any 16 digits

*** MY ORDERS ***

Scenario - list my orders

GIVEN I'm an app user

AND I'm logged in

WHEN I entered 4

AND I selected 'My Orders' in main menu

THEN I navigated to 'My Orders'

AND I see list of all my purchases

AND I navigated back to the main menu

Scenario - list my orders - error handling - not logged in

GIVEN I'm an app user

WHEN I entered 4

AND I selected 'My Orders' in main menu

THEN I see message 'Please, log in or create new account to see list of your orders'

AND I navigated back to the main menu

Scenario - list my orders - error handling - no orders

GIVEN I'm an app user

AND I'm logged in

AND I don't have any purchases yet

WHEN I entered 4

AND I selected 'My Orders' in main menu

THEN I navigated to 'My Orders'

AND I see the message 'Unfortunately, you don't have any orders yet. Navigate back to main menu to place a new order'

*** **SETTINGS** ***

Scenario - change password

GIVEN I'm an app user

AND I'm logged in

AND I entered 5

AND I selected 'Settings' in main menu

AND I see list of options to change settings

AND I select option number 1 'Change Password'

AND I enter 1 in console

AND I am asked to enter new password

WHEN I entered new password

THEN I see message 'Your password has been successfully changed'

AND I navigated to main menu

Scenario - change email

GIVEN I'm an app user

AND I'm logged in

AND I entered 5

AND I selected 'Settings' in main menu

AND I see list of options to change settings

AND I select option number 2 'Change Email'

AND I enter 2 in console

AND I am asked to enter new email

WHEN I entered new email

THEN I see message 'Your email has been successfully changed'

AND I navigated to main menu

Scenario - setting - error handling - not valid option

GIVEN I'm an app user

AND I'm logged in

AND I entered 5

AND I selected 'Settings' in main menu

AND I see list of options to change settings

WHEN I enter any number beside 1 and 2

THEN I see the message 'Only 1, 2 is allowed. Try one more time'

AND I see settings menu again

Scenario - setting - navigate back to the main menu

GIVEN I'm an app user

AND I'm logged in

AND I entered 5

AND I selected 'Settings' in main menu

AND I see list of options to change settings

WHEN I enter 'menu'

THEN I navigated back to the main menu

Scenario - setting - error handling - not logged in

GIVEN I'm an app user

WHEN I entered 5

AND I selected 'Settings' in main menu

THEN I see message 'Please, log in or create new account to change your account settings'

*** CUSTOMER LIST ***

Scenario - print list of customers to console

GIVEN I'm an app user
WHEN I entered 6
AND I selected 'Customer List' in main menu
THEN I see list of customers
AND I navigated back to the main menu

Technical note:

- We shouldn't print Customer password

=== Technical details ===

General technical requirements:

- 1) instance of each service (UserManagementService, OrderManagementService, ProductManagementService, ApplicationContext) exist in a single copy during the program execution. Access to the single copy is possible via static getInstance() method of each specific type. And I can't create objects of these types via constructor.
- 2) Each implementation of service should have this method

void clearServiceState()

for the sake of testing. This method should reset state of service to default. Taking into account the instance of each service will be in single copy, our tests have to have method that will clear the state of the service to reproduce different test cases.

To reset user counter - implement clearState() method in the DefaultUser class.

```
3) During implementation of this task you have to implement next interfaces:
public interface Cart {
       boolean isEmpty();
       void addProduct(Product productByld);
       Product[] getProducts();
       void clear();
}
public interface Order {
       boolean isCreditCardNumberValid(String userInput);
       void setCreditCardNumber(String userInput);
       void setProducts(Product[] products);
       void setCustomerId(int customerId);
       int getCustomerId();
}
public interface Product {
       int getId();
       String getProductName();
}
public interface User {
       String getFirstName();
       String getLastName();
       String getPassword();
       String getEmail();
       int getId();
```

```
void setPassword(String newPassword);
       void setEmail(String newEmail);
}
public interface Menu {
       void start();
       void printMenuHeader();
}
public interface OrderManagementService {
       void addOrder(Order order);
       Order[] getOrdersByUserId(int userId);
       Order[] getOrders();
}
public interface ProductManagementService {
       Product[] getProducts();
       Product getProductById(int productIdToAddToCart);
}
public interface UserManagementService {
       String registerUser(User user);
       User[] getUsers();
       User getUserByEmail(String userEmail);
}
```

And here is the class of ApplicationContext which will help you during implementation of this program:

```
public class ApplicationContext {
       private static ApplicationContext instance;
       private User loggedInUser;
       private Menu mainMenu;
       private Cart sessionCart;
       private ApplicationContext() {
       public void setLoggedInUser(User user) {
              if (this.sessionCart != null) {
                      this.sessionCart.clear(); // we have to clear session cart when new
user is logged in
              this.loggedInUser = user;
       }
       public User getLoggedInUser() {
              return this.loggedInUser;
       }
       public void setMainMenu(Menu menu) {
              this.mainMenu = menu;
       }
       public Menu getMainMenu() {
              return this.mainMenu;
       }
       public static ApplicationContext getInstance() {
              if (instance == null) {
                      instance = new ApplicationContext();
              }
              return instance;
       }
       public Cart getSessionCart() {
              if (this.sessionCart == null) {
                      this.sessionCart = new DefaultCart();
              }
              return this.sessionCart;
```

}

To create this program - feel free to use special template of the program which you can find here

https://github.com/AndriiPiatakha/learnit_java_core/tree/master/src/com/itbulls/learnit/javacore/oop/exam/templates/onlineshop

Solution of the exam task can be found here

https://github.com/AndriiPiatakha/learnit_java_core/tree/master/src/com/itbulls/learnit/javacore/cop/exam/onlineshop