

# Script\_03.R

jairo

2025-09-17

```
# JAIRO ALBERTO LEAL GOMEZ  
# 04/09/2025  
# SEMANA 5
```

```
# Media movil  
data(iris)  
head(iris)
```

```
## Sepal.Length Sepal.Width Petal.Length Petal.Width Species  
## 1 5.1 3.5 1.4 0.2 setosa  
## 2 4.9 3.0 1.4 0.2 setosa  
## 3 4.7 3.2 1.3 0.2 setosa  
## 4 4.6 3.1 1.5 0.2 setosa  
## 5 5.0 3.6 1.4 0.2 setosa  
## 6 5.4 3.9 1.7 0.4 setosa
```

```
setosa <- subset(iris, Species == "setosa")  
setosa
```

```
## Sepal.Length Sepal.Width Petal.Length Petal.Width Species  
## 1 5.1 3.5 1.4 0.2 setosa  
## 2 4.9 3.0 1.4 0.2 setosa  
## 3 4.7 3.2 1.3 0.2 setosa  
## 4 4.6 3.1 1.5 0.2 setosa  
## 5 5.0 3.6 1.4 0.2 setosa  
## 6 5.4 3.9 1.7 0.4 setosa  
## 7 4.6 3.4 1.4 0.3 setosa  
## 8 5.0 3.4 1.5 0.2 setosa  
## 9 4.4 2.9 1.4 0.2 setosa  
## 10 4.9 3.1 1.5 0.1 setosa  
## 11 5.4 3.7 1.5 0.2 setosa  
## 12 4.8 3.4 1.6 0.2 setosa  
## 13 4.8 3.0 1.4 0.1 setosa  
## 14 4.3 3.0 1.1 0.1 setosa  
## 15 5.8 4.0 1.2 0.2 setosa  
## 16 5.7 4.4 1.5 0.4 setosa  
## 17 5.4 3.9 1.3 0.4 setosa  
## 18 5.1 3.5 1.4 0.3 setosa  
## 19 5.7 3.8 1.7 0.3 setosa  
## 20 5.1 3.8 1.5 0.3 setosa  
## 21 5.4 3.4 1.7 0.2 setosa  
## 22 5.1 3.7 1.5 0.4 setosa  
## 23 4.6 3.6 1.0 0.2 setosa  
## 24 5.1 3.3 1.7 0.5 setosa
```

```
## 25      4.8      3.4      1.9      0.2 setosa
## 26      5.0      3.0      1.6      0.2 setosa
## 27      5.0      3.4      1.6      0.4 setosa
## 28      5.2      3.5      1.5      0.2 setosa
## 29      5.2      3.4      1.4      0.2 setosa
## 30      4.7      3.2      1.6      0.2 setosa
## 31      4.8      3.1      1.6      0.2 setosa
## 32      5.4      3.4      1.5      0.4 setosa
## 33      5.2      4.1      1.5      0.1 setosa
## 34      5.5      4.2      1.4      0.2 setosa
## 35      4.9      3.1      1.5      0.2 setosa
## 36      5.0      3.2      1.2      0.2 setosa
## 37      5.5      3.5      1.3      0.2 setosa
## 38      4.9      3.6      1.4      0.1 setosa
## 39      4.4      3.0      1.3      0.2 setosa
## 40      5.1      3.4      1.5      0.2 setosa
## 41      5.0      3.5      1.3      0.3 setosa
## 42      4.5      2.3      1.3      0.3 setosa
## 43      4.4      3.2      1.3      0.2 setosa
## 44      5.0      3.5      1.6      0.6 setosa
## 45      5.1      3.8      1.9      0.4 setosa
## 46      4.8      3.0      1.4      0.3 setosa
## 47      5.1      3.8      1.6      0.2 setosa
## 48      4.6      3.2      1.4      0.2 setosa
## 49      5.3      3.7      1.5      0.2 setosa
## 50      5.0      3.3      1.4      0.2 setosa
```

```
# Sumatoria acumulativa de la variable longitud
```

```
acum <- cumsum(setosa$Sepal.Length)
acum
```

```
## [1]  5.1 10.0 14.7 19.3 24.3 29.7 34.3 39.3 43.7 48.6 54.0 58.8
## [13] 63.6 67.9 73.7 79.4 84.8 89.9 95.6 100.7 106.1 111.2 115.8 120.9
## [25] 125.7 130.7 135.7 140.9 146.1 150.8 155.6 161.0 166.2 171.7 176.6 181.6
## [37] 187.1 192.0 196.4 201.5 206.5 211.0 215.4 220.4 225.5 230.3 235.4 240.0
## [49] 245.3 250.3
```

```
continuo <- seq(1:length(setosa$Sepal.Length))
continuo
```

```
## [1]  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
## [26] 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50
```

```
# Crear un data frame con los datos creados
```

```
setosa_movil <- data.frame(continuo, acum)
setosa_movil
```

```
##      continuo  acum
## 1           1    5.1
## 2           2   10.0
## 3           3   14.7
## 4           4   19.3
## 5           5   24.3
## 6           6   29.7
## 7           7   34.3
## 8           8   39.3
## 9           9   43.7
```


```
## 10      10  48.6
## 11      11  54.0
## 12      12  58.8
## 13      13  63.6
## 14      14  67.9
## 15      15  73.7
## 16      16  79.4
## 17      17  84.8
## 18      18  89.9
## 19      19  95.6
## 20      20 100.7
## 21      21 106.1
## 22      22 111.2
## 23      23 115.8
## 24      24 120.9
## 25      25 125.7
## 26      26 130.7
## 27      27 135.7
## 28      28 140.9
## 29      29 146.1
## 30      30 150.8
## 31      31 155.6
## 32      32 161.0
## 33      33 166.2
## 34      34 171.7
## 35      35 176.6
## 36      36 181.6
## 37      37 187.1
## 38      38 192.0
## 39      39 196.4
## 40      40 201.5
## 41      41 206.5
## 42      42 211.0
## 43      43 215.4
## 44      44 220.4
## 45      45 225.5
## 46      46 230.3
## 47      47 235.4
## 48      48 240.0
## 49      49 245.3
## 50      50 250.3
```

```
# Nueva columna
setosa_movil$movil <- round(acum/continuo, 2)
setosa_movil
```


```
##      continuo  acum movil
## 1           1   5.1  5.10
## 2           2  10.0  5.00
## 3           3  14.7  4.90
## 4           4  19.3  4.82
## 5           5  24.3  4.86
## 6           6  29.7  4.95
## 7           7  34.3  4.90
## 8           8  39.3  4.91
```

```
## 9      9  43.7  4.86
## 10     10  48.6  4.86
## 11     11  54.0  4.91
## 12     12  58.8  4.90
## 13     13  63.6  4.89
## 14     14  67.9  4.85
## 15     15  73.7  4.91
## 16     16  79.4  4.96
## 17     17  84.8  4.99
## 18     18  89.9  4.99
## 19     19  95.6  5.03
## 20     20 100.7  5.04
## 21     21 106.1  5.05
## 22     22 111.2  5.05
## 23     23 115.8  5.03
## 24     24 120.9  5.04
## 25     25 125.7  5.03
## 26     26 130.7  5.03
## 27     27 135.7  5.03
## 28     28 140.9  5.03
## 29     29 146.1  5.04
## 30     30 150.8  5.03
## 31     31 155.6  5.02
## 32     32 161.0  5.03
## 33     33 166.2  5.04
## 34     34 171.7  5.05
## 35     35 176.6  5.05
## 36     36 181.6  5.04
## 37     37 187.1  5.06
## 38     38 192.0  5.05
## 39     39 196.4  5.04
## 40     40 201.5  5.04
## 41     41 206.5  5.04
## 42     42 211.0  5.02
## 43     43 215.4  5.01
## 44     44 220.4  5.01
## 45     45 225.5  5.01
## 46     46 230.3  5.01
## 47     47 235.4  5.01
## 48     48 240.0  5.00
## 49     49 245.3  5.01
## 50     50 250.3  5.01
```


```
plot(setosa_movil$continuo, setosa_movil$movil, type= "l",
     main= "Media movil",
     xlab= "Numero de observaciones",
     ylab= "Media movil",
     col = "blue2")
abline(h=mean(setosa$Sepal.Length), col= "red")
```



```
# Analisis iris  
boxplot(iris$Sepal.Length ~ iris$Species)
```



```
data_sub <- subset(iris, Species %in% c("versicolor", "virginica"))  
  
# Eliminar un factor que se desecho de la base de datos original  
data_sub$Species <- droplevels(data_sub$Species)  
  
boxplot(data_sub$Sepal.Length ~ data_sub$Species)
```



```
# H0 = La media de SL de virginica es mayor que la media de versicolor
t.test(data_sub$Sepal.Length ~ data_sub$Species,
       alternative = "two.sided", var.equal = T)
```

```
##
## Two Sample t-test
##
## data: data_sub$Sepal.Length by data_sub$Species
## t = -5.6292, df = 98, p-value = 1.725e-07
## alternative hypothesis: true difference in means between group versicolor and group virginica is not
## 95 percent confidence interval:
## -0.8818516 -0.4221484
## sample estimates:
## mean in group versicolor mean in group virginica
## 5.936 6.588
```

```
# p value es = 1, la diferencia es significativa
```

```
5.936-6.588
```

```
## [1] -0.652
```

```
tapply(data_sub$Sepal.Length, data_sub$Species, mean)
```

```
## versicolor virginica
## 5.936 6.588
```

```
tapply(data_sub$Sepal.Length, data_sub$Species, t.test)
```

```
## $versicolor
##
## One Sample t-test
##
## data: X[[i]]
## t = 81.318, df = 49, p-value < 2.2e-16
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
## 5.789306 6.082694
## sample estimates:
## mean of x
## 5.936
##
##
## $virginica
##
## One Sample t-test
##
## data: X[[i]]
## t = 73.259, df = 49, p-value < 2.2e-16
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
## 6.407285 6.768715
## sample estimates:
## mean of x
## 6.588
```

```
# Base de datos PRODUCCION DE SEMILLA
```

```
prod <- read.csv("C:/Users/jairo/Downloads/mainproduccion.csv")
head(prod)
```


```
##   Tiempo Kgsem BioRama Germ   H6
## 1 T2012 10.01   47.72 29.16 13.86
## 2 T2012 11.02   52.30 35.59 18.82
## 3 T2012 15.23   50.42 39.79 15.54
## 4 T2012  8.66   52.95 29.61 13.92
## 5 T2012  9.83   52.19 29.77  8.92
## 6 T2012 16.54   49.87 16.49  7.36
```

```
prod$Tiempo <- as.factor(prod$Tiempo)
head(prod)
```

```
##   Tiempo Kgsem BioRama Germ   H6
## 1 T2012 10.01   47.72 29.16 13.86
## 2 T2012 11.02   52.30 35.59 18.82
## 3 T2012 15.23   50.42 39.79 15.54
## 4 T2012  8.66   52.95 29.61 13.92
## 5 T2012  9.83   52.19 29.77  8.92
## 6 T2012 16.54   49.87 16.49  7.36
```

```
boxplot(prod$Kgsem ~ prod$Tiempo)
```





```
tapply(prod$Kgsem, prod$Tiempo, mean)
```

```
##      T2012      T2013
## 10.1066 10.8954
```

```
10.1066-10.8954
```

```
## [1] -0.7888
```

```
# Hipotesis nula = no hay diferencias significativas entre las medias de la produccion
# de semilla de cada año
```

```
# Hipotesis alternativa = hay diferencias significativas entre las medias
```

```
t2012 <- subset(prod$Kgsem, prod$Tiempo == "T2012")
```

```
t2013 <- subset(prod$Kgsem, prod$Tiempo == "T2013")
```

```
t.test(t2012, t2013,
       alterantive = "two.sided",
       var.equal = T,
       paired = T)
```

```
##
```

```
## Paired t-test
```

```
##
```

```
## data:  t2012 and t2013
```


```
## t = -1.2538, df = 49, p-value = 0.2159
```

```
## alternative hypothesis: true mean difference is not equal to 0
```

```
## 95 percent confidence interval:
## -2.0530953 0.4754953
## sample estimates:
## mean difference
## -0.7888
```

*# El valor de p es mayor a 0.05, por lo que no se rechaza la hipótesis nula.  
# Esto indica que no existen diferencias significativas entre las medias de  
# producción de semilla entre los años 2012 y 2013.*

```
boxplot(prod$Kgsem ~ prod$Tiempo,
  main = "Producción de semilla 2012 y 2013",
  xlab= "Año de produccion",
  ylab= "Kilogramos",
  col = c("red2", "cyan2"))
```



```
t.test(t2012, t2013,
  alternative = "less",
  var.equal = T,
  paired = T)
```

```
##
## Paired t-test
##
## data: t2012 and t2013
## t = -1.2538, df = 49, p-value = 0.2159
## alternative hypothesis: true mean difference is not equal to 0
```

```
## 95 percent confidence interval:
## -2.0530953 0.4754953
## sample estimates:
## mean difference
## -0.7888
```

```
# OTRA VEZ SETOSA
```

```
mean(setosa$Sepal.Width)
```

```
## [1] 3.428
```

```
# mu = 3.9 media teoretica
```

```
# Ho = la diferencia entre las medias es igual a cero o = a 3.9
```

```
# H1 = la diferencia entre media teoretica y experimental es diferente a cero
```

```
# o difernete a 3.9
```

```
t.test(setosa$Sepal.Width, mu = 3.9)
```

```
##
```

```
## One Sample t-test
```

```
##
```

```
## data: setosa$Sepal.Width
```

```
## t = -8.8047, df = 49, p-value = 1.155e-11
```

```
## alternative hypothesis: true mean is not equal to 3.9
```

```
## 95 percent confidence interval:
```

```
## 3.320271 3.535729
```

```
## sample estimates:
```

```
## mean of x
```

```
## 3.428
```