RIBBiTR Database

Updated: 2022-11-08

Data Acquisition Protocol

- Select variables of interest from the data tables within schemas
- Contact data owners within RIBBiTR for approved use of data; CC data manager
 - Per RIBBiTR data sharing agreement
 - Data owners
 - * Panama Survey Data: Jamie Voyles
 - * SERDP Survey Data: Cori Richards-Zawacki
 - * Pennsylvania Survey Data: Cori Richards-Zawacki
 - * Sierra Nevada Survey Data: Roland Knapp
 - * Brazil Legacy Survey Data: Gui Becker
 - * AMP: Louise Rollins-Smith
 - * Microbiome: Doug Woodhams
 - * Genetic: Bree Rosenblum
 - * Antibody: Louise Rollins-Smith
 - * Bacterial: Doug Woodhams
 - * Mucosome: Doug Woodhams
- Contact data manager to develop query for variables of interest
- *Note*: If you are requesting data from a processed swab table, then you must also contact the team that collected the swab and the team that processed the swab.




Schema: "survey data"

The data found within the "survey_data" schema is comprised of RIBBiTR researcher legacy data and new NSF funded RIBBiTR data from Brazil, Panama, Sierra Nevada's (CA), Pennsylvania, Tennessee, Vermont, New Mexico, and Louisiana. Data for select sites in The Sierra Nevada's begins in 1995 with the majority of the data ranging between 2012-present. The most course resolution of data begins in the "location" table; Panama, Brazil, or USA, with the finest resolution of data to the individual level in the "capture" table. Each RIBBiTR site, Pennsylvania, Panama, Brazil, and Sierra Nevada's, has their own unique survey table (IE "penn_survey") to distinguish between region specific metadata. Within the "capture" table, there is individual level characteristics as well as columns indicating the various swabs and samples collected from the organism (IE "bd_swab_id"). Tables displayed to the right of the "capture" table contain processed swab data for various swabs and samples (IE "sierra_nevada_bd").


Swab Data Nomenclature

- bd swab id: dry swab used for Bd detection
- genetic_id: sample used for genetic processing (buccal, toe clip, tissue)
- bacterial_swab_id: swab used for culturing bacteria
- $\bullet\,$ mucosome_id: sample used for identifying all micro organisms
- microbiome_swab_id: swab used for sequencing bacteria
- crispr_swab_id: swab used for crispr Bd detection
- amp_id: sample used for anti-microbial peptide processing
- antibody_id:

${\bf ``survey_data''}$



Schema: "hobo"



Schema: "antifungal_isolate"

```
antifungal_isolate_ref
RBC sample_id
RBC fasta_id
RBC isolate_id
RBC country
RBC location_name
RBC wild_captive
RBC latitude
RBC longitude
RBC host_individual_id
RBC host_species
RBC life_stage
123 year_sampled
assay_method
assay_temperature
method_notes
BBC bd_genotype
RBC fungi_tested
RBC tested_against_bd
RBC tested_against_bsal
RBC tested_against_other_fungi
proportional_growth_bd
123 proportional_growth_bsal
pec bd_inhibition
psc bsal_inhibition
anti_fungal_function
RBC sequencing_p_rime_rs
RBC reference
RBC researchers
RBC study_tab
RBC current_update
ABC id
ABC seq
gen_bank_accession

√ x34
```