

# Performance Report for 01-09-2025-12-40-51-cbt-run

# Table of contents

- Summary of results for 01-09-2025-12-40-51-cbt-run
- Response Curves
  - Sequential Write
- Configuration yaml


# Summary of results for 01-09-2025-12-40-51-cbt-run

Workload Name	Maximum Throughput	Latency (ms)
32768_write	12675 IOps	60.5

# Response Curves

## Sequential Write

---



# Configuration yaml

```

librbd fio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 20
  rbdname: cbt-librbd fio
  time: 20
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
    - 8
  workloads:
    precondition:
      jobname: precondition
      mode: randwrite
      monitor: false
      numjobs:
        - 1
      op_size: 65536
      total_iodepth:
        - 16
    seq32kwrite:
      jobname: seqwrite
      mode: write
      numjobs:
        - 1
      op_size: 32768
      total_iodepth:
        - 2
        - 4
        - 8
        - 16
        - 32
        - 64
        - 128
        - 256
        - 512
        - 768

```

```

cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}

```