

UNIVERSITY OF BATH

LITERATURE REVIEW

# Development of a Serious Game to teach Aristotle's Syllogisms

*James Treasure*

supervised by  
Dr. Willem HEIJLTJES

November 25, 2016

# Contents

<b>1</b>	<b>Syllogisms</b>	<b>2</b>
1.1	History . . . . .	2
1.2	What are syllogisms . . . . .	2
1.2.1	Existential Fallacy . . . . .	3
1.3	Current teaching . . . . .	4
1.3.1	Venn Diagrams . . . . .	5
1.3.2	Euler Circles . . . . .	6
1.3.3	Linear Diagrams . . . . .	7
1.3.4	Categorical Pattern Diagrams . . . . .	8
1.4	Additional Logic Systems . . . . .	9
1.4.1	Polysyllogisms . . . . .	9
1.4.2	Modal Logic . . . . .	10
1.4.3	Temporal Logic . . . . .	10
1.4.4	Set Theory . . . . .	11
<b>2</b>	<b>Serious Games</b>	<b>12</b>
2.1	Introduction . . . . .	12
2.2	Why They Are Good For Education . . . . .	12
2.2.1	Accessibility . . . . .	12
2.2.2	Motivation . . . . .	13
2.2.3	Feedback . . . . .	14
2.3	Existing Serious Games . . . . .	15
2.3.1	MyMaths . . . . .	15

# 1. Syllogisms

## 1.1 History

Aristotle's work on formal logic was the earliest known study of the topic, which remained at the forefront of academia until the 19th century following Gottlob Frege's work on first order logic. As syllogisms were so prominent for such a long period of time they have had huge cultural significance on logic in the Western world [Smith, 2016]. Up until the 12th century medieval logicians only had access to a small portion of Aristotle's work with the notable exclusion being Prior Analytics, which contained his work on syllogisms. This period of time is known as *logica vetus*, or old logic, and it wasn't until the 12th century when Prior Analytics resurfaced in the west that the *logica nova*, or new logic, began. Immanuel Kant, a prominent 18th century philosopher, went as far as to describe Prior Analytics as "a closed and completed body of doctrine" demonstrating just how highly Aristotle's work on syllogisms was thought of.

## 1.2 What are syllogisms

Aristotle defined his syllogisms as *a discourse in which, certain things having been supposed, something different from the things supposed results of necessity because these things are so*. Put more simply syllogisms are a type of deductive reasoning that, when used on a logical argument, allows a conclusion to be drawn. Aristotle's focus was on categorical syllogisms, essentially a logical argument that contains three categorical propositions. These three categorical propositions in turn are made up of two premises and a conclusion. Each categorical premise is made up of categorical terms, of which each is used twice in the syllogism as a whole. Each categorical premise can be described as a sentence that connects a predicate and a subject by a verb.

$$\begin{aligned} All\ M\ are\ P &\rightarrow \text{major premise} \\ All\ S\ are\ M &\rightarrow \text{minor premise} \\ All\ S\ are\ P &\rightarrow \text{conclusion premise} \end{aligned}$$

Syllogisms are capable of being applied to any logical argument but to allow them to be compared to each other, they must be represented in a

standard form. A categorical syllogism that follows standard form is always structured in the same way, first the major premise, then the minor premise followed by the conclusion.

As created by medieval logicians studying Aristotle's work, the mood and figure of a syllogism provides a notation to represent all the logically unique variations that can occur. The mood refers to the order in which the categorical propositions appear in the syllogism and is represented by four different classes.

- **A** - All A is B  $\rightarrow$  universal affirmative proposition
- **I** - Some A is B  $\rightarrow$  particular affirmative proposition
- **E** - No A is B  $\rightarrow$  universal negative proposition
- **O** - Some A is not B  $\rightarrow$  particular negative proposition

Syllogisms also have a figure that describes the placement of the two middle terms.

	Figure 1	Figure 2	Figure 3	Figure 4
Major	M-P	P-M	M-P	P-M
Minor	S-M	S-M	M-S	M-S

By combining all the different possibilities of mood and figure there are 256 logically unique syllogisms, eg., AOO-2.

*All P is M*  
*Some S is not M*  
*Some S is not P*

Only 24 syllogisms out of the possible 256 are logically valid, and of these the existential fallacy is broken by 15 of them.

### 1.2.1 Existential Fallacy

The existential fallacy occurs whenever an argument is invalid because the premises lack existential import. Existential import is an attribute of a categorical proposition that implies the existence of the subject [Hurley, 2005]. There are two schools of thought on the existential fallacy with regards to syllogism, Aristotelian and Boolean.

Traditionally, as laid out by Aristotle, the existence of a subject is assumed when making universal statements. I and O propositions are said

to have existential import and in Aristotelian logic I and O propositions must follow from A and E propositions due to sub alternation. This leads to A and E propositions also having existential import as a proposition with existential import cannot be derived from a proposition without existential import. By considering the syllogism in figure 1.1 we can say that it does not commit the existential fallacy as dogs do exist whereas in figure 1.2 the existential fallacy is committed as dragons do not exist.

However, as modern day logicians and mathematicians often reason about empty sets or imaginary objects the Aristotelian approach to the existential fallacy was problematic. George Boole, a 19th century philosopher, built upon Aristotle's work to create his own Boolean syllogisms to address this issue by stating that universal propositions do not have existential import, thus allowing empty sets [Hill, 2016]. In Boolean syllogisms both figure 1.1 and 1.2 commit the existential fallacy.

*All dogs are mammals*  
*All mammals are animals*  
*Some dogs are animals*

Figure 1.1

*All gorillas are lizards*  
*All dragons are lizards*  
*Some dragons are not gorillas*

Figure 1.2

The general rule to reason if a syllogism the commits existential fallacy is that if both premises are universal then the conclusion cannot be particular. In Boolean logic if this rule is broken, then it is a fallacy but in Aristotelian logic the rule must be broken and the critical term must also not exist.

## 1.3 Current teaching

Syllogisms currently feature almost exclusively on philosophy courses around the world, typically as part of units on formal logic. There are a few different ways that are currently used to represent syllogisms when teaching, with most courses using a mixture of sentential, set theory notation and diagrams. It is common to initially introduce syllogisms in sentential form, using real world examples as opposed to letters. The advantage of this is it becomes far easier for the learner to visualise the propositions. For example, visualising the statement "all dogs are animals" is simpler than "all A are B" despite being representing the same idea.

However representing syllogisms this way is not the most effective as they can be logically quite complex. As [Larkin and Simon, 1987] explains, sentential form requires inferences to be made, and then those inferences to be held in memory. Working through the syllogism, for example to decide

if it is valid, means that these inferences must be continually remembered. As shown by Johnson-Laird [1980], sentential forms of syllogism are more difficult to understand and may be mentally translated into diagrammatic representations internally anyway.

### 1.3.1 Venn Diagrams

Venn diagrams are the most commonly used diagrammatic representation of syllogisms. The advantage over other diagrammatic forms is that most people have been taught them at a young age and are therefore very familiar with them.

In this representation each circle is a term, which is then filled in to represent the empty set or marked with a X to show atleast one member. To achieve the final diagram the two previous diagrams are combined which can then be used to check the validity of the syllogism. It can be seen from table 1.3 that even complex syllogisms are able to be represented with relatively little complexity using Venn diagrams which contributes to their pop.




Table 1.1: Premises represented by Venn Diagrams




All Men Are Mortal	All Greeks Are Men	All Greeks Are Mortal
<div style="display: flex; justify-content: space-around; font-size: small;"> <span>Men</span> <span>Mortal</span> </div> 	<div style="display: flex; justify-content: space-around; font-size: small;"> <span>Greeks</span> <span>Men</span> </div> 	<div style="display: flex; justify-content: space-around; font-size: small;"> <span>Mortal</span> <span>Greeks</span> <span>Men</span> </div> 

Table 1.2: AAA-1 Syllogism




No lizards are mammals	All lizards are reptiles	Some reptiles are not mammals
		

Table 1.3: EAO-3 Syllogism

### 1.3.2 Euler Circles

Euler circles are another popular way in which syllogisms can be represented. These are a very natural way of representing sets, with Erickson [1978] putting forward the theory that when people are thinking about syllogisms that they are in fact being mentally thought of as Euler circles. As table 1.4 shows, when used to represent the individual premises Euler circles can be very intuitive.




Table 1.4: Premises represented by Euler Circles




Table 1.5: Premises represented by Euler Circles

Euler circles also concisely represents simpler syllogisms as table 1.5 shows. However, the problem with this representation arises when more complex syllogisms are constructed. When there are multiple ways to

represent the conclusion the result needs more than one diagram to depict all of the possibilities as seen in table 1.6 . It is at this point that the intuitive benefits are quickly outweighed by the added overhead of managing multiple conclusive diagrams.

No homework is fun    Some reading is homework    Some reading is not fun




Table 1.6: EIO Syllogism

### 1.3.3 Linear Diagrams

Linear diagrams are an alternative system that was devised by Englebreetsen [1991]. As the name suggests they are linear instead planar like Venn and Euler diagrams. The reasoning behind this was that Englebreetsen said it allowed linear diagrams to represent 4 terms, unlike their planar counterparts. Elements are represented by points which are then connected by lines to show sets.






Table 1.7: Premises represented by Linear Diagrams

However, as shown by Lemon et al. [1998], linear diagrams do not successfully manage to circumvent the same limitations that planar figures are susceptible to. Lemon et al. [1998] go as far to say that linear diagrams should only be used for trivial objects and relations and that they are unsuitable for more complex sets.

### 1.3.4 Categorical Pattern Diagrams

As introduced by Cheng [2012], Categorical Pattern Diagrams offer a relatively new approach with regards to representing syllogisms. The aim behind them is to simplify the process of checking validity, better represent syllogisms with more than 2 premises and generally make the diagrams easier to infer from.

The issue with this form of representation is the notation used is not intuitive. Categorical Pattern Diagrams require the person to learn a whole new notation before they can begin to reason about the syllogism that it is representing.




Table 1.8: Premises represented by Categorical Pattern Diagrams

## 1.4 Additional Logic Systems

### 1.4.1 Polysyllogisms

Polysyllogisms, unlike standard syllogisms, can contain more than 3 propositions. This poses a problem for many graphical representations, with traditional circular Venn diagrams being limited to 3 sets. As figure 1.3 and 1.3 show it is possible to represent more than 3 sets using different shapes but as the diagrams become exponentially more complex as sets are added it is quickly becomes impractical to use them.

As reasoned by Cheng [2014], linear and Euler diagrams also struggle with this problem. As both use spatial-overlap it means the diagrams can only represent a series of universal affirmative propositions as further propositions are nested in. As can be seen in table 1.7 and 1.6 there are already multiple ways to represent syllogisms with 3 terms so it is easy to see how it would quickly become unmanageable as the number of propositions increases.




Figure 1.3: 4 Set Venn Diagram




Figure 1.4: 5 Set Venn Diagram

### 1.4.2 Modal Logic

Modal logic is an extension of classical proposition logic that uses the modal operators *it is possible that* and *it is necessary that* to describe a way in which the rest of the proposition can be true[Zalta, 1988]. Modal logic allows statements to be expressed that would otherwise not be possible in classic logic as it is not possible to convey the prospect of events happening. The following are examples of modal propositions:

It is possible that it will snow tomorrow  
It is necessary that it is either snowing here now or it is not snowing here  
now.

The necessity operator is denoted by  $\Box$ , whilst the possibility operator is represented by  $\Diamond$ .

### 1.4.3 Temporal Logic

Temporal logic is a formal system for specifying and reasoning about propositions with regards to time. It is often used in the formal verification of software systems to interpret concurrent events [Lamport, 1983]. Temporal logic can be split into two subsections, linear and branching. Linear temporal logic represents time as a set of paths with each part being a sequence of moments. From any given moment there is only one possible future moment, a unique successor. Branching linear logic represents time as a tree with the root as the present and the branches being the future.




Figure 1.5: Linear Temporal Logic




Figure 1.6: Branching Temporal Logic

#### 1.4.4 Set Theory

Set theory is the mathematical theory of well-defined collections known as sets. These sets are made up of objects called elements. Given a set  $S$  and an element  $x$  it is said  $x \in S$  if  $x$  is an element of  $S$  and conversely  $x \notin S$  if  $x$  is not an element of  $S$  [Bagaria, 2016].

Diagrammatically they appear very similar to syllogisms as both utilise Venn diagrams so it would be a naturally follow on well to expand syllogisms to encompass set theory. This is especially true when it is considered how syllogisms can be represented using set theory notation as in table 1.9.

Syllogism	Set Notation	Sentential Representation
AaB	$B \subseteq A$	All B is A
AiB	$\neg(B \cap A = \emptyset)$	Some B is A
AeB	$B \cap A = \emptyset$	No B is A
AoB	$\neg(B \cap A = B)$	Some B is not A

Table 1.9: Set Theory Notation for Syllogisms

## 2. Serious Games

### 2.1 Introduction

Serious Games are a movement within the game industry comprised of software developers and researchers who are using games to educate. Whilst there is some debate around what exactly construes a serious game, Michael and Chen [2005] define one as any game where entertainment is not the primary purpose, but where instead the focus is on education. They aim to tackle a growing problem whereby educational techniques have not adapted to the needs of the current generation. As Lim [2008] discusses, learning in the classroom has been driven by the national curriculum, with a massive focus on standard and grades. This goes against the belief that to attract the attention of students the focus should in fact be on creating an engaging learning environment. In contrast with previous generations, the younger generation of today have grown up in a world consumed in technology. Oblinger et al. [2005] described them as the *Net Generation*, the generation who always need to be connected, require immediate feedback and crave social interaction. The research of Prensky [2001] explains how this vast amount of technology now experienced in everyday life has led to these newer generations having their minds rewired. These cognitive changes have caused a different set of educational preferences when compared to previous generations, with teaching methods not evolving in order to take this into account.

### 2.2 Why They Are Good For Education

#### 2.2.1 Accessibility

One of the benefits of using games to teach is their accessibility in comparison to other methods. In the United Kingdom access to the internet has doubled over the past 10 years, with 82% of adults now using the internet on a daily basis [Office For National Statistics, 2016]. With such a huge number of people using the internet it means that games hosted on the web have an extremely large potential audience. This broad audience coupled with the widespread appeal of video games allows the crossing of demographic boundaries such as age, gender and educational

status [Griffiths, 2002]. Serious Games also have a lower barrier to entry than other educational techniques by allowing a much more "pick up and play" approach to learning with less reliance on prerequisite background knowledge. In the case of syllogisms this would be achieved by using graphical representations to replace the set theory notations. By teaching the concepts first, set theory notation could then be introduced at a more appropriate time in the learning process when the player had a greater understanding of the topic.

### 2.2.2 Motivation

As discussed by Malone [1981] games can be intrinsically motivating, such that there are no external factors as to why a person is playing other than for their own enjoyment. This is in contrast to typical classroom learning that is usually more extrinsically motivated through grades, exam results and certificates. As Csikszentmihalyi et al. [1997] says, the school attendance would see a sharp drop if extrinsic rewards were removed. Of the two, intrinsic motivation is more resilient than extrinsic motivation and learning that takes place as a result of intrinsic motivation is of higher quality and longer lasting [Kawachi, 2003].

However, it is important to remember that not all games are by definition intrinsically motivating, but need to be structured correctly to achieve this. Malone included challenge, fantasy and curiosity as the three cornerstones of intrinsically motivating serious games. In order to create a challenging game, it should include uncertain goals that are not too easy for the players to complete. Ensuring a game is challenging is crucial as demonstrated by Malone's work surveying children's opinion on 25 different computer games. The results conclusively showed that the most popular games all shared one thing in common; they all contained a defined goal. Similarly in a study carried out by [Abuhamdeh and Csikszentmihalyi, 2012] on chess players, it was found that the more challenging the game the greater the player's enjoyment. This is important to bear in mind with syllogisms as it demonstrates the need to add the correct amount of difficulty for the game to be successful.

A fantasy environment in a game is said to "evoke mental images of physical or social situations not actually present". Malone divides these fantasies into intrinsic and extrinsic, with intrinsic being more interesting and instructional resulting in a greater cognitive effect on learning. Lepper [1988] explains how if learning takes place away from the functionality of the knowledge then this decontextualisation results in the learner becoming demotivated. This can be tackled by teaching topics by using real world

examples demonstrating how the concepts are applied. For syllogisms this can just be as simple as using actual examples that exist as opposed to using letters to represent sets. However, as this is not always feasible, Lepper proposed inserting the content of the topic into a fantasy context. Curiosity, like challenge, is stimulated from an optimal level of complexity. Also similarly like fantasy, curiosity is broken down into two categories; sensory and cognitive. Sensory curiosity, as the name suggests, uses lights, sounds and graphics to gain that attention of the participant. Cognitive curiosity is achieved by making the participant doubt their existing knowledge, as people desire to have "good form" in their cognitive structure. By using this taxonomy when developing a serious game, it is clear that this could be used to engage people who otherwise might not have been interested in learning.

### 2.2.3 Feedback

Feedback is information regarding a person's understanding of a concept provided with the intention of improving the person's ability. Feedback is a crucial part of the education process and significantly influences the effectiveness of learning.

As stated by Hattie and Timperley [2007], "feedback is one of the most powerful influences on learning and achievement". A further study carried out by explored the most effective medium to provide feedback. Computer-assisted, audio and video feedback were found to be most effective forms with the more traditional approach of praise, punishment and providing extrinsic rewards being the worst [Hattie and Timperley, 2007].

One of the main advantages of using games for education is the speed at which feedback can be delivered to the learner making this especially important to the *Net Generation*. The term *Fast feedback* was coined by Lumsden and Scott [1988] which demonstrated how this timely feedback removed any uncertainty about progress and allowed any corrective action to be taken during the learning process. However, fast feedback is not a silver bullet and as such the speed at which feedback is delivered should depend on the difficulty of the task. The more complex the task, the greater the benefit of delaying the feedback to allow the information to be processed Clariana et al. [2000].

Feedback during the learning process is known as formative assessments, with summative assessments usually being carried out at the end. As explained by Irons [2007], formative assessments can be beneficial as they enhance the learning process by creating a positive environment which results in greater motivation for learner.

Serious Games lend themselves extremely well to delivering formative feedback to players through in-game features such as progress bars, score count and countdown timers. Feedback can also be provided to the player as they make mistakes allowing the player to engage with the game and keep on track to completing their goals. This can also help the player from becoming frustrated and unable to progress.

## 2.3 Existing Serious Games

Serious Games can be split into two main categories, mini-games and complex games. Mini Games tend to be far shorter, often only taking less than an hour to complete. The focus is aimed at a very specific topic within a subject and is usually browser based. Progression tends to be added through multiple levels, all with similar design but with increasing difficulty. This is the far more common type of Serious Game as they are far cheaper to develop.

In contrast, complex games can take potentially hundreds of hours to complete and cover a very broad topic. The game may contain multiple skills, paths to follow and complex goals.

Serious games do not just apply to education, but are used by a wide variety of different industries. The United States military created America's Army to aid in their recruitment and Microsoft's Flight Simulator is used by pilots in training [Homan and Williams, 1998].

MyMaths is a web based service that is used by schools in over 70 countries, with over 4.5 million users. It is marketed as an online learning platform that provides lessons and homework to school children. It allows them to complete all of this work online and is then automatically marked. As Figure 2.1 shows, MyMaths makes use of fast feedback to provide the player with the results as soon as they have completed the task. However, MyMaths does not provide an immersive or particularly enjoyable experience for players. Lee and Johnston-Wilder [2013] found that while students said they enjoyed using computers to learn, they did not want to use MyMaths. This could be due to that fact that MyMaths is very one dimensional, merely presenting questions in a quiz like format. This does not engage with the player, incite any emotive feelings or provide any fantasy environment. It would more enjoyable if the technologies available were used to make it more interactive.

### 2.3.1 MyMaths



Online Homework

The Checkout - Here is a round up of all of your scores on this worksheet

Checkout

Score Sheet

Homework: Linear Inequalities

Question 1:  $\frac{0}{12} = 0\%$   
Linear inequalities

Question 2:  $\frac{2}{8} = 25\%$   
Building a paddock

Overall:  $\frac{2}{20} = 10\%$

Want to try again?

Next

Your 'Best Scores' Sheet

No of Attempts: 2

Question 1:  $\frac{12}{12} = 100\%$  😊

Question 2:  $\frac{2}{8} = 25\%$  😞

Overall:  $\frac{14}{20} = 70\%$  😊

View Homework Record

We only ever record your best scores for each question on the Online Homeworks.

Figure 2.1: A homework exercise in MyMaths

# Bibliography

- Sami Abuhamdeh and Mihaly Csikszentmihalyi. The importance of challenge for the enjoyment of intrinsically motivated, goal-directed activities. *Personality and Social Psychology Bulletin*, 38(3):317–330, 2012.
- Joan Bagaria. Set theory. In Edward N. Zalta, editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, fall 2016 edition, 2016.
- Peter C-H Cheng. Graphical notations for syllogisms: how alternative representations impact the accessibility of concepts. *Journal of Visual Languages & Computing*, 25(3):170–185, 2014.
- Peter CH Cheng. Visualizing syllogisms: category pattern diagrams versus venn diagrams. 2012.
- Roy B Clariana, Daren Wagner, and Lucia C Roher Murphy. Applying a connectionist description of feedback timing. *Educational Technology Research and Development*, 48(3):5–22, 2000.
- Mihaly Csikszentmihalyi, Kevin Rathunde, and Samuel Whalen. *Talented teenagers: The roots of success and failure*. Cambridge University Press, 1997.
- George Englebrechtsen. Linear diagrams for syllogisms (with relationals). *Notre Dame J. Formal Logic*, 33(1):37–69, 12 1991. doi: 10.1305/ndjfl/1093636009. URL <http://dx.doi.org/10.1305/ndjfl/1093636009>.
- J. R. Erickson. Research on syllogistic reasoning. In Russell Revlin and Richard E. Mayer, editors, *Human Reasoning*, pages 39–50. Distributed Solely by Halsted Press, 1978.
- Mark Griffiths. The educational benefits of videogames. *Education and Health*, 20(3):47–51, 2002.
- John Hattie and Helen Timperley. The power of feedback. *Review of educational research*, 77(1):81–112, 2007.
- Hammer Hill. Existential import. <http://cstl-cla.semo.edu/hhill/pl120/notes/existential2016>.

- Willem Homan and Kathleen Williams. Pc-based flight simulators: No more games. *Tech Directions*, 58(2):33, 1998. ISSN 10629351. URL <http://search.ebscohost.com.ezproxy1.bath.ac.uk/login.aspx?direct=true&db=bth&AN=1117015&site=ehost-live>.
- Patrick Hurley. *A concise introduction to logic*. Cengage Learning, 2005.
- Alastair Irons. *Enhancing learning through formative assessment and feedback*. Routledge, 2007.
- Philip N Johnson-Laird. Mental models in cognitive science. *Cognitive science*, 4(1):71–115, 1980.
- Paul Kawachi. Initiating intrinsic motivation in online education: Review of the current state of the art. *Interactive Learning Environments*, 11(1): 59–81, 2003.
- Leslie Lamport. What good is temporal logic? In *IFIP congress*, volume 83, pages 657–668, 1983.
- Jill H Larkin and Herbert A Simon. Why a diagram is (sometimes) worth ten thousand words. *Cognitive science*, 11(1):65–100, 1987.
- Clare Lee and Sue Johnston-Wilder. Learning mathematics—letting the pupils have their say. *Educational Studies in Mathematics*, 83(2):163–180, 2013.
- Oliver Lemon, Ian Pratt, et al. On the insufficiency of linear diagrams for syllogisms. *Notre Dame Journal of Formal Logic*, 39(4):573–580, 1998.
- Mark R Lepper. Motivational considerations in the study of instruction. *Cognition and instruction*, 5(4):289–309, 1988.
- Cher Ping Lim. Spirit of the game: Empowering students as designers in schools? *British Journal of Educational Technology*, 39(6):996–1003, 2008.
- Keith Lumsden and Alex Scott. A characteristics approach to the evaluation of economics software packages. *The Journal of Economic Education*, 19(4):353–362, 1988.
- Thomas W Malone. Toward a theory of intrinsically motivating instruction. *Cognitive science*, 5(4):333–369, 1981.
- David R Michael and Sandra L Chen. *Serious games: Games that educate, train, and inform*. Muska & Lipman/Premier-Trade, 2005.

Diana Oblinger, James L Oblinger, and Joan K Lippincott. *Educating the net generation*. Boulder, Colo.: EDUCAUSE, c2005. 1 v.(various pagings): illustrations., 2005.

Office For National Statistics. Internet access â€” households and individuals. Technical report, 2016. URL <http://www.ons.gov.uk/peoplepopulationandcommunity/householdcharacteristics/homeinternetandsocialmediausage/bulletins/internetaccesshouseholdsandindividuals/2016>.

Marc Prensky. The games generations: How learners have changed. *Digital game-based learning*, 1, 2001.

Robin Smith. Aristotle's logic. In Edward N. Zalta, editor, *The Stanford Encyclopedia of Philosophy*. Winter 2016 edition, 2016.

Edward N Zalta. Basic concepts in modal logic. *Center for the Study of Language and Information Publications*, page 2, 1988.