**REC-CIS** 

♣ JANANY M 2023-CSCS-A J2 •

# **CS23333-Object Oriented Programming Using Java-2023**

Dashboard / My courses / CS23333-OOPUJ-2023 / Lab-07-Interfaces / Lab-07-Logic Building





Show one page at a time

Finish review

```
Status Finished
   Started Sunday, 6 October 2024, 11:56 AM
Completed Sunday, 6 October 2024, 12:21 PM
 Duration 24 mins 48 secs
```

create a class College that implements the Football interface and provides the necessary functionality to the abstract methods.

Question 1 Correct Marked out of Flag question

```
Create interfaces shown below.
public void setHomeTeam(String name);
public void setVisitingTeam(String name);
interface Football extends Sports {
```

sample Input: Rajalakshmi

Saveetha 22 21

Output:

Raialakshmi 22 scored Saveetha 21 scored Rajalakshmi is the Winner!

public void homeTeamScored(int points); public void visitingTeamScored(int points);}

### For example:

Т	Test Input		Result		
1		Rajalakshmi Saveetha 22 21	Rajalakshmi 22 scored Saveetha 21 scored Rajalakshmi is the winner!		

Answer: (penalty regime: 0 %)

```
1 import java.util.Scanner;
      interface Sports {
           void setHomeTeam(String name);
void setVisitingTeam(String name);
      interface Football extends Sports {
   void homeTeamScored(int points);
10
           void visitingTeamScored(int points);
11
12
      class College implements Football {
           private String homeTeam;
private String visitingTeam;
14
           private int homeTeamPoints = 0;
private int visitingTeamPoints = 0;
16
17
18
           public void setHomeTeam(String name) {
20
                this.homeTeam = name;
22
23
24
           public void setVisitingTeam(String name) {
                this.visitingTeam = name;
26
27
           public void homeTeamScored(int points) {
28
                 homeTeamPoints += points;
                 System.out.println(homeTeam + " " + points + " scored");
29
30
31
32
           public void visitingTeamScored(int points) {
33
34
                 visitingTeamPoints += points;
System.out.println(visitingTeam + " " + points + " scored");
35
36
           public void winningTeam() {
   if (homeTeamPoints > visitingTeamPoints) {
       System.out.println(homeTeam + " is the winner!");
   } else if (homeTeamPoints < visitingTeamPoints) {</pre>
37
38
39
41
                System.out.println(visitingTeam + " is the winner!");
} else {
                      System.out.println("It's a tie match.");
43
44
45
47
           public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
49
50
51
                 // Get home team name
                                                                                                                                                                     ▼
```

	Test	Input	Expected	Got	
	1	Rajalakshmi Saveetha 22	Rajalakshmi 22 scored Saveetha 21 scored Rajalakshmi is the winner!	Rajalakshmi 22 scored Saveetha 21 scored Rajalakshmi is the winner!	

Test	Input	Expected	Got	
	21			
2	Anna Balaji 21	Anna 21 scored Balaji 21 scored It's a tie match.	Anna 21 scored Balaji 21 scored It's a tie match.	
3	SRM VIT 20 21	SRM 20 scored VIT 21 scored VIT is the winner!	SRM 20 scored VIT 21 scored VIT is the winner!	

Passed all tests!

Question **2**Correct

Marked out of 5.00

Flag question

```
RBI issues all national banks to collect interest on all customer loans.
```

Create an RBI interface with a variable String parentBank="RBI" and abstract method rateOfInterest().

RBI interface has two more methods default and static method.

default void policyNote() {

System.out.println("RBI has a new Policy issued in 2023.");

}

static void regulations(){

System.out.println("RBI has updated new regulations on 2024.");

}

Create two subclasses SBI and Karur which implements the RBI interface.

Provide the necessary code for the abstract method in two sub-classes.

#### Sample Input/Output:

RBI has a new Policy issued in 2023

RBI has updated new regulations in 2024.

SBI rate of interest: 7.6 per annum.

Karur rate of interest: 7.4 per annum.

#### For example:

Tes	Result		
1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.		

# Answer: (penalty regime: 0 %)

```
1 // Define the RBI interface
     interface RBI {
    // Variable declaration
         String parentBank = "RBI";
        // Abstract method
double rateOfInterest();
         // Default method
         default void policyNote() {
    System.out.println("RBI has a new Policy issued in 2023");
11
13
14
         // Static method
         static void regulations() {
15
            System.out.println("RBI has updated new regulations in 2024.");
16
17
18
19
20
     // SBI class implementing RBI interface
class SBI implements RBI {
         // Implementing the abstract method
public double rateOfInterest() {
22
23
24
              return 7.6;
25
26
     // Karur class implementing RBI interface
28
     class Karur implements RBI {
29
         // Implementing the abstract method
public double rateOfInterest() {
30
32
33
             return 7.4;
34
     // Main class to test the functionality
36
     public class Main {
    public static void main(String[] args) {
38
             40
41
42
43
              // SBI bank details
45
              SBI sbi = new SBI();
System.out.println("SBI rate of interest: " + sbi.rateOfInterest() + " per annum.");
46
47
48
              // Karur bank details
              Karur karur = new Karur();
System.out.println("Karur rate of interest: " + karur.rateOfInterest() + " per annum.");
49
50
51
52 }
```

Test	Expected	Got	
1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	

Question **3**Correct
Marked out of 5.00
Figure 12 | Flag question

create an interface Playable with a method play() that takes no arguments and returns void. Create three classes Football, Volleyball, and Basketball that implement the Playable interface and override the play() method to play the respective sports.

```
interface Playable {
    void play();
}
class Football implements Playable {
    String name;
    public Football(String name){
        this.name=name;
    }
    public void play() {
        System.out.println(name+" is Playing football");
    }
}
Similarly, create Volleyball and Basketball classes.
```

## Sample output:

Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball

#### For example:

Test	Input	Result
1	Sadhvin Sanjay Sruthi	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball
2	Vijay Arun Balaji	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball

#### Answer: (penalty regime: 0 %)

```
1 import java.util.Scanner;
      // Define the Playable interface
     interface Playable {
         // Abstract method to play the respective sport
          void play();
     // Football class implementing Playable interface
10
     class Football implements Playable {
11
         String name;
12
13
         // Constructor
         public Football(String name) {
    this.name = name;
14
15
16
17
18
19
         // Override the play method
         public void play() {
             System.out.println(name + " is Playing football");
20
21
22
24
25
     // Volleyball class implementing Playable interface
class Volleyball implements Playable {
26
         String name;
28
         // Constructor
         public Volleyball(String name) {
30
             this.name = name;
32
33
         // Override the play method
         public void play() {
34
35
36
              System.out.println(name + " is Playing volleyball");
37
38
39
40
     // Basketball class implementing Playable interface
class Basketball implements Playable {
41
42
         String name;
43
44
         // Constructor
         public Basketball(String name) {
45
46
              this.name = name;
47
48
         // Override the play method
49
         public void play() {
    System.out.println(name + " is Playing basketball");
50
51
52 }
                                                                                                                                            -
```

	Test	Input	Expected	Got	Г
	1	Sadhvin Sanjay Sruthi	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball	
	2	Vijay Arun Balaji	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	

Passed all tests!

■ Lab-07-MCQ
Generate series and find Nth element ►