

VG ENGINE 101

Tutorial



Contents

GameObjects	2
Components	2
Drawable component	2
Text Component	3
Animation Component	3
Physics Component	4
Your Own Components	5
Sound	
Custom Shader	7
Input	8
Camera	8
Screen	9
Windows Version	10

GameObjects

Include

#include "engine/game/gameObject.h"

Creation

Example of creating a GameObject named "Foo":

GameObject *Foo = new GameObject("Foo"); // Creating GameObject

Scene mScene = new Scene(); // Creating Scene (if not already created)
mScene->getObjectPool()->addGameObject(test); // Adding GameObject to the scene

See "Components" section on how to add components for your GameObject.

Components

Drawable component

<u>Include</u>

#include "engine/game/quadrangleComponent.h" // For drawable quadrangles #include "engine/game/triangleComponent.h" // For drawable triangles

Creation

With texture:

// Creating quadrangleComponent with the texture "test.png"
QuadrangleComponent *quadre = Game::getInstance()->getFactory()>createRenderComponent<QuadrangleComponent>("test.png");

// Creating triangleComponent with the texture "test.png"

TriangleComponent *triangle = Game::getInstance()->getFactory()->createRenderComponent<TriangleComponent>("test.png);

Without texture: Coming Soon™

Remember!

If you create drawable component with texture it is loaded from Asset folder set in game project!

Text Component

Include

#include "engine/game/textComponent.h"

Creation

// Creating text component with font & size

TextComponent* Text = game->getFactory()->create("arial.ttf", 16u); Text->setText("test"); // Optional: Modify the text

Text->setColour(0, 0, 255); // Optional: Modify the color (numbers between 0 and 255)

MyTextObject->addComponent(Text); // Add textComponent to your GameObject

Animation Component

Include

#include "engine/game/animationcomponent.h"

Creation

Example of creating an animated GameObject named "animationObject".

// Create a new GameObject

GameObject *animationObject = new GameObject("Animation");

// Create QuadrangleComponent spritesheet for the animated GameObject

QuadrangleComponent *animationComponent = game->getFactory()->createRenderComponent<QuadrangleComponent>("spritesheet.png");

// Add the QuadrangleComponent to the GameObject

animationObject->addComponent(animationComponent);

// Add TransformComponent for the GameObject so it will be placed somewhere later

TransformComponent *animationTransform = new TransformComponent(Vector2<int>(int positionX, int positionY), Vector2<int>(int sizeX, int sizeY), float rotation);

// Add the transformComponent to your GameObject

animationObject->addComponent(animationTransform);

// Create and add the animationComponent for your GameObject so it will be animated

animationObject->addComponent(new AnimationComponent(float animationInterval, int rowCount, int columnCount, int total frameCount));

IMPORTANT!!

// Create and add AnimationSystem for animationComponents to work!

AnimationSystem *animationSystem = new AnimationSystem(); game->addComponentSystem(scene, animationSystem);

// Add the animated GameObject to the scene

scene->addGameObject(animationObject);

Physics Component

Include

#include "engine/game/physicsSystem.h"
#include "engine/game/physicsPolygonComponent.h"

// Create transform component for physics component

TransformComponent *physicsTransform = new TransformComponent(Vector2<float>(80, 64), Vector2<float>(64, 64), 0.0f);

// Create QuadrangleComponent

QuadrangleComponent *physicsQuadrangle = new QuadrangleComponent("sample.png");

// Create new physics polygon component with dynamic body

PhysicsPolygonComponent *physicsComponent = new PhysicsPolygonComponent(physicsTransform, PhysicsComponent::DYNAMIC, 64, 64);

NOTE Last 2 parameters are optional, if you don't pass them, physics objects collision will be the same size as its defined in the transform component (same size as texture)

// Add physics component to physics gameobject physicsTestObject - >addComponent(physicsComponent);

// Add transform to physics gameobject physicsTestObject ->addComponent(physicsTransform);

// Add QuadrangleComponent to physics gameobject physicsTestObject->addComponent(physicsQuadrangle);

Your Own Components

Example of creating a component called "MyComponent"

```
MyComponent.h
#include <engine/game/component.h>
                                                  //Include the base header
class MyComponent :public vg::Component
                                                  //Public to vg::Component
public:
       TestComponent();
       ~TestComponent();
};
Example of creating a System called "MySystem"
MySystem.h
#include "engine/game/system.h"
using namespace vg;
class MySystem: public System
ShipSystem();
~ShipSystem();
void update(
};
```

MySystem.cpp

```
#include "MySystem.h"
#include "engine/game/game.h"

using namespace vg;

MySystem::MySystem() :System()
{
    // Add your own code here
}

void MySystem::update(std::vector<vg::gameObject*> *gameObjects, float deltaTime)
{
    if ((*it)->getName() == "mygameobject")
    {
        // Add your own logic here
    }
}
```

<u>Usage</u>

Example of calling your own component in main.cpp

```
MyComponent *myComponent = new MyComponent();
object->addComponent(myComponent);
```

MySystem *system = new MySystem(); // Remember to include

Sound

<u>Include</u>

#include "engine/sound/AudioManager.h"

Creation

vg::sound::Sound* testSound = new vg::sound::Sound("shoot.mp3"); // Creating a new sound

<u>Usage</u>

Game::getInstance()->getAudioManager()->addSound(*testSound); // Playing the made sound object

Custom Shader

Creation

Place the shader soure files to "ProjectFolder/assets/shaders".

<u>Usage</u>

Game::getInstance()->getGraphics()->switchShader("vertex.glsl", "fragment.glsl");

Input

Include

#include "engine/input/keyboard.h" // For keyboard
#include "engine/input/mouse.h" // For mouse
#include "engine/input/sensor.h" // For android sensors
#include "engine/input/touch.h" // For android touch

<u>Usage</u>

vg::input::Keyboard:: // For keyboard
vg::input::Mouse:: // For mouse

vg::input::Sensor:: // For android sensors vg::input::Touch:: // For android touch

For example:

vg::input::Touch::getIsReleased() // Returns whether touch is being released from the screen

Camera

<u>Include</u>

#include "engine/graphics/camera.h"

<u>Usage</u>

// Move camera focus position

vg::graphics::Camera::move(Vector2<float> value); vg::graphics::Camera::setPosition(Vector2<float> value);

vg::graphics::getPosition();

// Zoom the camera

```
vg::graphics::Camera::zoom(float value);
vg::graphics::Camera::setZoom(float value);
vg::graphics::Camera::getZoom();
```

For example:

```
using namespace vg::graphics;

Camera::zoom(0,5f); // Zoom in 50%

Camera::move(Vector2<float>(100, 0)); // Move camera 100 units right
```

Screen

Screen class has two sizes. Real size is actual screen or window resolution in pixels. Virtual size is the resolution in TransformComponent coordinate units. If you want your game look same on all resolutions use virtual resolution instead of the real one.

Include


#include "engine/graphics/screen.h"

Usage

Windows Version


Usage

Select Win32 as solution platform.



If Win32 doesn't appear, do the following:

Build -> Configuration Manager



Active solution platform -> Choose "Win32" and then Press Close

