

Methods for simulation of weather and climate (mobility).

1st Orfeo Tërkuçi
Faculty of Science
University of Antwerp
Boechout, Belgium
orfeo.terkuci@student.uantwerpen.be

2nd Jason Liu
Faculty of Science
University of Antwerp
Lier, Belgium
jason.liu@student.uantwerpen.be

Abstract—In this paper we discuss about different methods for simulating weather and climate. These methods are STEP, OpenWeatherMap, Meteomatics, ClimaX, and GraphCast. We discuss about their advantages and disadvantages, and their motivation.

I. INTRODUCTION

To simulate both mobility and energy use, realistic modeling of the weather is necessary. In this paper, we will discuss ways in which we can do this. Considering the effect of the position of the virtual city, seasons, and the ability to represent specific phenomena (storms, snow, heat waves).

II. TOPICS

A. Data sources

Before we start talking about the different methods we can use to predict the weather, we first need to know where we can get the data from or where the data is coming from that we use to train our models.

There are a lot of different sources for weather data, some of them are free, some of them are paid, and because the methods we will look at in this paper make use of similar data, we will talk a bit about it here.

Some of the data sources we will look at are:

- ECMWF
-

B. Algorithms

First method we will look at are based on algorithms, more specifically, ensemble forecasting algorithms. An interesting algorithm to look at is the STEPS (short-term ensemble prediction system) computation algorithm. It is widely used in the industry of forecasting weather and climate, and is used by the European Centre for Medium-Range Weather Forecasts (ECMWF) [1], [6].

1) What is ensemble forecasting?:

Ensemble forecasting is a method used in or within numerical weather prediction. Instead of making a single forecast of the most likely weather, a set (or ensemble) of forecasts is produced. This set of forecasts aims to give an indication of the range of possible future states of the atmosphere. Ensemble forecasting is a form of Monte Carlo analysis. The multiple simulations are conducted to account for the two usual sources of uncertainty in forecast models:

- The errors introduced by the use of imperfect initial conditions, amplified by the chaotic nature of the evolution equations of the atmosphere, which is often referred to as sensitive dependence on initial conditions;
- The errors introduced because of imperfections in the model formulation, such as the approximate mathematical methods to solve the equations.

Ideally, the verified future atmospheric state should fall within the predicted ensemble spread, and the amount of spread should be related to the uncertainty (error) of the forecast. In general, this approach can be used to make probabilistic forecasts of any dynamical system, and not just for weather prediction [1].

Today ensemble predictions are commonly made at most of the major operational weather prediction facilities worldwide, including

- National Centers for Environmental Prediction (NCEP of the US)
- European Centre for Medium-Range Weather Forecasts (ECMWF)
- Météo-France

[1]

2) What is STEPS?:

An ensemble-based probabilistic precipitation forecasting scheme has been developed that blends an extrapolation nowcast with a downscaled NWP (Numerical Weather Prediction) forecast, known as STEPS: Short-Term Ensemble Prediction System. The uncertainties in the motion and evolution of radar-inferred precipitation fields are quantified, and the uncertainty in the evolution of the precipitation pattern is shown to be the more important.

The use of ensembles allows the scheme to be used for applications that require forecasts of the probability density function of areal and temporal averages of precipitation, such as fluvial flood forecasting—a capability that has not been provided by previous probabilistic precipitation nowcast schemes.

The output from a NWP forecast model is downscaled so that the small scales not represented accurately by the model are injected into the forecast using stochastic noise. This allows the scheme to better represent the distribution of precipitation rate at spatial scales finer than those adequately resolved by operational NWP.

3) *How does STEPS work?:*

Key Components of Ensemble Prediction Systems:

- **Base Models:** Ensemble systems typically consist of multiple base models, each trained independently on the same or different datasets.
- **Diversity:** The effectiveness of ensemble methods relies on the diversity among the base models. If the models are too similar, the ensemble may not provide significant improvements.
- **Combination Method:** Ensemble methods employ a combination or aggregation method to merge the predictions of individual models into a single, more accurate prediction.
- **Weighting:** In weighted averaging, each base model's prediction is assigned a weight, and the final prediction is a weighted sum of individual predictions.
- **Training and Validation:** Base models are trained on historical data, and the ensemble system is validated and calibrated using separate datasets to ensure its accuracy

4) *How it can be used?:*

In our case, we can use STEPS to train a weather forecasting model. We can use the data from reputable weather forecasting agencies, such as the ECMWF, to train our model.

5) *Advantages of STEPS:*

- **Improved Accuracy:** Ensemble forecasting often provides more accurate predictions than individual models by leveraging the collective knowledge of diverse models.
- **Quantifying Uncertainty:** Ensemble systems offer a way to estimate the uncertainty associated with predictions. The spread or variability among ensemble members provides a measure of prediction confidence.
- **Reduced Overfitting:** By combining multiple models with different training data or parameters, ensemble methods reduce the risk of overfitting to a particular dataset.
- **Enhanced Generalization:** Ensemble methods can generalize well to different scenarios and datasets, making them versatile for various applications.
- **Flexibility:** Ensemble systems can incorporate a variety of models and data sources, making them adaptable to different prediction tasks and domains.

6) *Disadvantages of STEPS:*

- **Difficulty in Model Selection:** Selecting appropriate models for the ensemble requires careful consideration, and

the effectiveness of the ensemble may be sensitive to the choice of models.

- **Potential for Redundancy:** If the base models in the ensemble are too similar, there might be limited diversity, reducing the effectiveness of the ensemble approach.
- **Overemphasis on Certain Models:** In some cases, if a particular model consistently outperforms others, that dominant model might heavily influence the ensemble's performance.
- **Increased Training Time:** Training multiple models requires additional time and computational resources compared to training a single model.

C. APIs

Next are APIs, which stands for Application Programming Interface. APIs are a way for applications to communicate with each other, and there are a lot of APIs that provide weather data. Some we will look at are OpenWeatherMap and Meteomatics.

1) *How does it work?:*

2) *OpenWeatherMap:*

3) *Meteomatics:*

4) *How it can be used?:*

D. Machine learning models (pretrained)

Last but not least, we will look at machine learning models. These are models that are already trained on a lot of data, and can then be used to predict the weather. So the hassle of training is already done for us (also in for the case of APIs).

1) *How does it work?:*

2) *ClimaX:*

3) *GraphCast:*

4) *How it can be used?:*

III. CONCLUSION

We have looked at a variety of different methods for simulating weather and climate. We have looked at STEP, OpenWeatherMap, Meteomatics, ClimaX, and GraphCast.

There are many available methods for simulating weather and climate.

Some of them are more accurate than others, some of them are faster than others, and some of them are easier to use than others.

This includes trained models, APIs, and algorithms.

STEP is an algorithm for computing ensemble forecasts. It is the standard method used in the industry for computing ensemble forecasts by a good deal of different weather forecasting agencies, including the European Centre for Medium-Range Weather Forecasts (ECMWF).

OpenWeatherMap and Meteomatics are APIs for accessing weather data. They are both easy to use, and provide a lot of different current and historical data.

Both having their pros and cons, but overall, they both have a free plan, which makes them both viable options for our application.

ClimaX and GraphCast are both machine learning models for weather and climate forecasting. They are both very accurate, and very fast.

They both provide pretrained models, which makes them easier to implement in our application.

In general, these methods are all viable options for our application and knowing which one to use depends on the specific use case. In case we want to be fully in control of the data, we can use STEP.

In case we want to use machine learning, we can use ClimaX or GraphCast, and make use of the pretrained models.

In case we want to use an API, we can use OpenWeatherMap or Meteomatics.

- [13] Graphcast (2022, 22 December) In GitHub <https://github.com/google-deepmind/graphcast> [Accessed 18 November 2023]
- [14] Google GraphCast uses AI and machine learning to predict weather (2023, 14 November) In BGR <https://bgr.com/tech/google-graphcast-uses-ai-and-machine-learning-to-predict-weather/> [Accessed 18 November 2023]
- [15] AI outperforms conventional weather forecasting for the first time: Google study (2023, 14 November) In Ars Technica <https://arstechnica.com/science/2023/11/ai-outperforms-conventional-weather-forecasting-for-the-first-time-google-study/> [Accessed 18 November 2023]

REFERENCES

- [1] Ensemble forecasting (2023, 17 August) In Wikipedia https://en.wikipedia.org/wiki/Ensemble_forecasting [Accessed 13 November 2023]
- [2] STEPS: A probabilistic precipitation forecasting scheme which merges an extrapolation nowcast with downscaled NWP By NEILL E. BOWLER (Met Office, Exeter, UK), CLIVE E. PIERCE (Met Office, Wallingford, UK) and ALAN W. SEED (BMRC, Bureau of Meteorology, Melbourne, Australia) (Received 1 July 2004; revised 18 April 2006) [Accessed 13 November 2023]
- [3] Openweathermap.org (2012 - 2023). OpenWeatherMap. [Online] Available at: <https://openweathermap.org/api> [Accessed 13 November 2023].
- [4] Openweathermap.org (2012 - 2023). OpenWeatherMap. [Online] Available at: <https://docs.openweather.co.uk/technology> [Accessed 13 November 2023].
- [5] Openweathermap.org (2012 - 2023). OpenWeatherMap. [Online] Available at: <https://openweathermap.org/guide> [Accessed 13 November 2023].
- [6] ECMWF (2023, 9 September) In Wikipedia https://en.wikipedia.org/wiki/European_Centre_for_Medium-Range_Weather_Forecasts [Accessed 18 November 2023]
- [7] ECMWF [Online] <https://stories.ecmwf.int/destination-earth/index.html> [Accessed 18 November 2023]
- [8] National Oceanic and Atmospheric Administration (2023, 15 November) In Wikipedia https://en.wikipedia.org/wiki/National_Oceanic_and_Atmospheric_Administration [Accessed 18 November 2023]
- [9] Meteomatics [Online] <https://www.meteomatics.com> [Accessed 18 November 2023]
- [10] Introduction to ClimaX: The first foundation model for weather and climate [Online] <https://www.microsoft.com/en-us/research/group/autonomous-systems-group-robotics/articles/introducing-climax-the-first-foundation-model-for-weather-and-climate/>
- [11] ECMWF ERA5 Climate reanalysis [Online] <https://climate.copernicus.eu/climate-reanalysis>
- [12] GraphCast: Learning skillful medium-range global weather forecasting (2022, 22 December) In DeepAI <https://deepai.org/publication/graphcast-learning-skillful-medium-range-global-weather-forecasting> [Accessed 18 November 2023]