### **Import Standard Python Modules**

```
In [1]: import datetime
    import numpy as np
    import pandas as pd
    from sklearn.model_selection import train_test_split
    from sklearn.linear_model import LinearRegression
    import joblib
```

### **Import Azure ML SDK modules**

```
In [2]: import azureml.core
from azureml.core import Workspace
from azureml.core.model import Model
from azureml.core import Experiment
from azureml.core.webservice import Webservice
from azureml.core.image import ContainerImage
from azureml.core.webservice import AciWebservice
from azureml.core.conda_dependencies import CondaDependencies
```

## **Create Azure ML Workspace**

Deploying KeyVault with name salarykeyvaultb8d19db9d7.

Deploying StorageAccount with name salarystorage61460099751.

Deploying AppInsights with name salaryinsights189e9a48ba.

Deployed AppInsights with name salaryinsights189e9a48ba. Took 8.52 seconds.

Deployed KeyVault with name salarykeyvaultb8d19db9d7. Took 29.6 seconds.

Deployed StorageAccount with name salarystorage61460099751. Took 37.91 seconds.

Deploying Workspace with name salary.

Deployed Workspace with name salary. Took 99.6 seconds.

#### Write configuration to local file

```
In [5]:
    ws.write_config()
```

# **Create Azure ML Experiment**

```
In [6]: exp = Experiment(workspace=ws, name='salexp')
```

# **Start logging metrics**

```
In [7]: run = exp.start_logging()
run.log("Experiment start time", str(datetime.datetime.now()))
```

### Load salary dataset

```
In [9]: sal = pd.read_csv(r'C:\Users\Jaswanth Reddy\Downloads\Ashish salary(Deployment)\data\sal.csv',header=0, index_cc
X = sal[['x']]
y = sal['y']
```

### Split into train and test data

```
In [10]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.25, random_state=10)
```

#### Train the model

```
In [11]: lm = LinearRegression()
lm.fit(X_train,y_train)
```

Out[11]: LinearRegression()

### Freeze the model

```
In [12]: filename = 'outputs/sal_model.pkl'
joblib.dump(lm, filename)
```

Out[12]: ['outputs/sal\_model.pkl']

### Test the model

```
In [13]: filename = 'outputs/sal_model.pkl'
loaded_model=joblib.load(filename)
y=loaded_model.predict([[21]])[0]
print(y)
```

141760.56910569107

# log metrics to Azure ML Experiment

```
In [14]: run.log('Intercept :', lm.intercept_)
run.log('Slope :', lm.coef_[0])
```

#### **End Azure ML Experiment**

```
In [15]: run.log("Experiment end time", str(datetime.datetime.now()))
    run.complete()
```

#### **Get Portal URL**

```
In [16]: print(run.get_portal_url())
```

https://ml.azure.com/experiments/salexp/runs/54dae4af-0b34-4a4a-bf5f-b20ff912a299?wsid=/subscriptions/54c4256e-bb50-4fbd-895d-da32982a5dad/resourcegroups/ashish/workspaces/salary (https://ml.azure.com/experiments/salexp/runs/54dae4af-0b34-4a4a-bf5f-b20ff912a299?wsid=/subscriptions/54c4256e-bb50-4fbd-895d-da32982a5dad/resourcegroups/ashish/workspaces/salary)

### Register the model

Registering model sal\_model

# **Define Azure ML Deployment configuration**

#### **Create environmental configuration**

```
In [19]: | salenv = CondaDependencies()
         salenv.add conda package("scikit-learn")
         with open("salenv.yml","w") as f:
             f.write(salenv.serialize_to_string())
         with open("salenv.yml","r") as f:
             print(f.read())
         # Conda environment specification. The dependencies defined in this file will
         # be automatically provisioned for runs with userManagedDependencies=False.
         # Details about the Conda environment file format:
         # https://conda.io/docs/user-guide/tasks/manage-environments.html#create-env-file-manually (https://conda.io/d
         ocs/user-guide/tasks/manage-environments.html#create-env-file-manually)
         name: project environment
         dependencies:
           # The python interpreter version.
           # Currently Azure ML only supports 3.5.2 and later.
         - python=3.6.2
         - pip:
             # Required packages for AzureML execution, history, and data preparation.
            - azureml-defaults
         - scikit-learn
         channels:
         - anaconda
         - conda-forge
```

```
In [20]: | %%writefile score.py
         import json
         import numpy as np
         import os
         import pickle
         import joblib
         from sklearn.linear model import LogisticRegression
         from azureml.core.model import Model
         def init():
             global model
             # retrieve the path to the model file using the model name
             model path = Model.get model path('sal model')
             model = joblib.load(model path)
         def run(raw data):
             data = np.array(json.loads(raw_data)['data'])
             # make prediction
             y hat = model.predict(data)
             return json.dumps(y_hat.tolist())
```

Overwriting score.py

### **Deploy the model to Azure Container Instance**

```
In [21]: 

""time image_config = ContainerImage.image_configuration(execution_script="score.py", runtime="python", conda_file="salenv.yml")

Wall time: 0 ns

<timed exec>:1: DeprecationWarning: ContainerImage class has been deprecated and will be removed in a future r elease. Please migrate to using Environments. https://docs.microsoft.com/en-us/azure/machine-learning/how-to-u se-environments (https://docs.microsoft.com/en-us/azure/machine-learning/how-to-use-environments)

In []: t url there open models and deploy(load .py,.yml files) after that deploy and at last check endpoint to know state..."
```

# **Test with Post URL**

```
In [29]: import requests
    data={'data':[[20]]}
    url="http://5a1b8455-6f29-4312-a514-b057a21944e1.southeastasia.azurecontainer.io/score"
    response=requests.post(url,json=data)
    response.json()

Out[29]: '[139920.39295392955]'

In [ ]:
```