Linear Regression with Multiple Variables

coursera.org/learn/machine-learning/exam/7pytE/linear-regression-with-multiple-variables

Quiz, 5 questions

5/5 points (100%)



Congratulations! You passed!

Correct

1/1 point

1. Question 1

Suppose m=4 students have taken some class, and the class had a midterm exam and a final exam. You have collected a dataset of their scores on the two exams, which is as follows:

| midterm exam | (midterm exam)^22 | final exam |
|-----------------|----------------------|---------------|
| 89 | 7921 | 96 |
| 72 | 5184 | 74 |
| 94 | 8836 | 87 |
| 69 | 4761 | 78 |

You'd like to use polynomial regression to predict a student's final exam score from their midterm exam score. Concretely, suppose you want to fit a model of the form h_\theta(x) = $\theta + \theta x_1 + \theta x_2 + \theta x_1 + \theta x_2 + \theta x_1 + \theta x_2 + \theta x_2 + \theta x_1 + \theta x_2 + \theta x_2 + \theta x_1 + \theta x_2 + \theta x_2 + \theta x_2 + \theta x_3 + \theta x_4 + \theta x$

What is the normalized feature $x_1^{(3)}x_1(3)$? (Hint: midterm = 94, final = 87 is training example 3.) Please round off your answer to two decimal places and enter in the text box below.

Question 2

Correct

1/1 point

2. Question 2

You run gradient descent for 15 iterations

with $\alpha = 0.3\alpha = 0.3$ and compute $\beta(\theta)$ after each

iteration. You find that the value of $J(\theta)$ increases over

time. Based on this, which of the following conclusions seems

most plausible?

Question 3

Correct

1/1 point

3. Question 3

Question 4

Correct

1/1 point

4. Question 4

Suppose you have a dataset with m = 1000000m=1000000 examples and n = 200000n=200000 features for each example. You want to use multivariate linear regression to fit the parameters \theta\theta\to our data. Should you prefer gradient descent or the normal equation?

Question 5

Correct

1/1 point

5. Question 5

Which of the following are reasons for using feature scaling?