



# Angles and Triangles

Graham Middle School Math Olympiad Team




$$\sqrt{x} = 3, 14$$
$$3 \times 3 = 9$$



## ELEMENTS

2320 years ago, Greek mathematician *Euclid of Alexandria* published **Elements**, the most influential non-religion book in history. In his book was about geometry Euclid split statements into *definitions*, *axioms*, and *propositions*. This approach influenced almost any aspect of our life: from law to logic and modern science. Euclid started from definitions of the simplest figures:



a **point** (is that which has position but not dimensions),  
a **line** (is length without breadth), and  
a **plane** (is that which has length and breadth).

Then he gave some axioms and postulates, statements that we accept without proof. After that he gave **mathematical proofs** of the propositions.

Some of the axioms reformulated by **Hilbert** (who helped Einstein with relativity theory equations):

*For every **two points**, there exists exactly **one line** that contains them both.*

*There exist at least **two points** on a **line**. There exist at least **three points** that do **not** lie on a line. There exists at least **one point** between **two points** of a line.*

And the most famous (the fifth postulate of Euclid):  
*For a line and a point not on a line, there is exactly **one line** in the plane that passes through the point and does **not intersect** given line (a parallel line).*

Most of the other axioms are about a plane and how to *measure segments* and *angles*.

The irony is that modern geometry doesn't define points, lines, and planes. So points, lines, and planes now are anything that satisfies the set of axioms.


## TYPES OF ANGLES AND THEIR MEASURES

We typically measure angles in degrees (symbol  $^{\circ}$ ), with an entire circle having a measure of  $360^{\circ}$ . A pair of rays intersecting to form a straight line therefore form a  $180^{\circ}$  angle. The number 360 is somewhat arbitrary. It was developed in ancient Babylonia where they used a sexagesimal (base 60) number system and had a 360 day calendar.

Angles are sometimes also measured in radians, where  $2\pi$  radians is equal to 360 degrees.


Angles are usually denoted with small greek letters. The most commonly used letters for angles are  $\alpha$  (alpha),  $\beta$  (beta),  $\gamma$  (gamma),  $\theta$  (theta),  $\phi$  (phi), and  $\psi$  (psi). Also, the letter  $\pi$  is used to denote an angle  $180^{\circ}$ .

Angles are classified as acute, right, or obtuse depending on whether they measure less than, equal to, or greater than  $90^{\circ}$  respectively.




Pairs of angles whose measures sum to  $90^{\circ}$  are called **complementary** angles.

Pairs of angles that sum to  $180^{\circ}$  are called **supplementary**.




## VERTICAL ANGLES AND ANGLES FORMED BY PARALLEL LINES



Two pairs of vertical angles ( $\theta$  and  $\theta'$ ,  $\phi$  and  $\phi'$ ) are formed by intersecting lines. Since they are angles that make a line,  $\theta$  and  $\phi$  sum to  $180^\circ$ . Likewise,  $\theta'$  and  $\phi$  sum to  $180^\circ$ . Therefore  $\theta = \theta'$  and the angles are said to be congruent. Since  $\phi$  and  $\phi'$  both form lines when combined with  $\theta$ , we also see that  $\phi = \phi'$ .

Intersecting lines form two pairs of congruent **vertical** angles.

In the figure below,  $l$  and  $m$  are parallel lines and line  $n$  is called a **transversal**.



Angles  $\alpha$  and  $\beta$  are called **alternate interior angles** and they are congruent.


Angles in same relative locations to lines  $l$  and  $m$  respectively are **corresponding angles**, such as  $\gamma$  and  $\beta$ , and they are also congruent.

## TYPES OF TRIANGLES


Any 3 points that *don't lie on the same line* can be vertices of a triangle.

The length of any side in a triangle must be **less than the sum of the lengths of the other two sides**.


Triangles can be classified by the number of sides of equal length.



Equilateral  
Triangle  
All sides and  
angles are  
equal




Isosceles  
Triangle  
One pair of  
sides and  
angles equal



Scalene  
No sides or  
angles equal


The sum of the angles in a triangle is always  $180^\circ$ .



Proof: Draw a line parallel to side  $AB$  of triangle  $ABC$  passing through point  $C$ . As alternate interior angles, we have the pairs of angles labeled  $\alpha$  and  $\beta$  in the figure equal. Since they form a line  $ED$ ,  $\angle ACB + \angle ECA + \angle BCD = 180^\circ$ . This means  $\gamma + \alpha + \beta = 180^\circ$ . Q.E.D.

## EXTERIOR ANGLE THEOREM

If we extend a side of triangle past vertex (as shown in the diagram below) we form an **exterior angle**  $\theta$ . The interior angles of the triangle that are not next to  $\theta$  are called **remote interior angles** (in this case  $\alpha$ ,  $\gamma$ ).



Exterior Angle Theorem:


The measure of an exterior angle in any triangle is equal to the sum of the two remote interior angles.

Proof: The proof is quite straightforward. The sum of the 3 interior angles  $\gamma + \alpha + \beta = 180^\circ$ . The exterior angle  $\theta$  and the adjacent interior angle  $\beta$  are angles that form a straight line so  $\theta + \beta = 180^\circ$ . Therefore  $\theta$  must equal the sum of the two remote interior angles  $\gamma + \alpha$ . Q.E.D.

## INTERIOR ANGLES OF AN $N$ -SIZED POLYGON

Now that we have found that the sum of the interior angles of a triangle is  $180^\circ$ , we can consider  $n$ -sided polygons.

As illustrated below, an  $n$ -sided polygon can always be divided into  $n - 2$  triangles.



The sum of the interior angles in an  $n$ -sided polygon is  $180(n - 2)$ .

How many sides does a regular polygon have, if each interior angle is  $162^\circ$  (a regular polygon has all of its angles equal to one another)?

Let  $n$  = number of sides. Since each interior angle is  $162^\circ$ ,

$$162n = 180(n - 2)$$

$$162n - 180n = -360$$

$$(162 - 180)n = -360$$

$$-18n = -360$$

$$n = 20 \text{ sides}$$

## SIMILAR TRIANGLES


Two triangles are said to be **congruent** ( $\cong$ ) if all of their angles and sides are identical.

Two triangles are said to be **similar** ( $\sim$ ) if all of their angles are equal and all of their sides are in the same proportion.

In the drawing below, this means:

Angles:  $\alpha = \alpha'$ ,  $\beta = \beta'$ ,  $\gamma = \gamma'$  and

Lengths:  $\frac{x}{x'} = \frac{y}{y'} = \frac{z}{z'}$ .



The 3 ways to prove triangles are similar:

Angle/Angle (AA), Side/Angle/Side (SAS) or Side/Side/Side (SSS)

(AA) If two angle pairs are the same, then the third pair must also be equal since the sum of the angles is  $180^\circ$ . When all corresponding angles are all equal, the three pairs of sides must also be in proportion. Picture three angles of a triangle floating around. If they are the vertices of a triangle, they don't determine the size of the triangle by themselves, because they can move farther away or closer to each other. But when they move, the triangle they create always retains its shape. Thus, they always form similar triangles.


(SAS) Any time two sides of a triangle and their included angle are fixed, then all three vertices of that triangle are fixed. With all three vertices fixed and two of the pairs of sides proportional, the third pair of sides must also be proportional.

(SSS) If the measures of corresponding sides are known, then their proportionality can be calculated. If all three pairs are in proportion, then the triangles are similar.




## SIMILAR TRIANGLES EXAMPLE

Find the unknown side length.



From the information given in the diagram, the two triangles are similar by SAS, and the proportionality ratio is  $1 : 2$ . Therefore the unknown side length is  $6$ .



Variations of the problem to the left are very common in olympiads. If  $DE \parallel BC$ , then  $\triangle ADE \sim \triangle ABC$  and the converse is true.

If  $DE \parallel BC$ , we have corresponding angles  $\angle ADE = \angle ABC$ ,  $\angle AED = \angle ACB$ . Hence  $\triangle ADE \sim \triangle ABC$  by angle-angle.

What if they didn't tell us the lines were parallel, but instead that  $AD = 5$ ,  $AB = 10$ ,  $AE = 6$ , and  $AC = 12$ .

The pair of triangles share  $\angle DAE$ , and the lengths of the sides including that angle have the same ratio, so  $\triangle ADE \sim \triangle ABC$  by SAS, and because we know all of the corresponding angles of the triangles are equal,  $DE$  must be parallel to  $BC$  by the corresponding angle theorem.


Transitive Property of Similarity.

If triangle  $A$  is similar to triangle  $B$ , and triangle  $B$  is similar to triangle  $C$ , then triangle  $A$  is similar to triangle  $C$ .

This is obviously true by AA similarity.

## EXERCISES


1. In  $\triangle ABC$ ,  $\alpha$ ,  $\beta$ ,  $\gamma$  are the exterior angles to interior angles  $A$ ,  $B$ , and  $C$ . What is the sum of  $\alpha + \beta + \gamma$ ?
2. How many radians are there in a right angle?
3. A nonagon is a 9-sided polygon. How many degrees are there in each interior angle of a regular nonagon?
4. In the diagram below lines  $l$  and  $m$  are parallel. if  $\alpha = 40^\circ$  what are the measures of angles  $\gamma$ ,  $\beta$ ,  $\theta$ ?




5. How many possible combinations (order does not matter) of three integer side lengths can form a scalene triangle with perimeter less than 13?
6. A 6 ft. tall man and his 4 ft. tall son standing some distance in front of him notice the low evening sun behind them is casting a shadow such that the top of the man's 12-ft. long shadow lines up with the top of the son's shadow. How far in front of the man is the son standing.
7. The sides of a triangle form a sequence of consecutive integers. What is the smallest possible perimeter for the triangle?
8. The sides of a triangle form a geometric sequence of integers. What is the smallest possible perimeter of the triangle?

## CHALLENGE PROBLEMS


1. The diagram shows regular pentagon  $ABCDE$  and square  $ABFG$ . Find the measure of angle  $FAD$  in degrees.



2. As shown, distinct points  $A, B, C, D, E$  and  $F$  all lie along line  $AF$ , while distinct points  $G, H, I, J$  and  $K$  lie along a different line  $GK$ . How many distinct triangles can be formed with these 11 points as their vertices?



3. In the figure,  $AB$  is parallel to  $CD$  and to  $EF$ . If  $AB = 4$  and  $EF = 3$ , what is  $CD$ ?



4. In the figure on the right, side  $BC$  of  $\triangle ABC$  is extended to point  $P$ , so that  $\triangle PAB \sim \triangle PCA$ . What is the length of  $PC$ ?

