Given the following:

```
    public class Runner {
    static int a=1;
    public static void main (String []args) {
    int b = 6;
    while (a++) {
    b--;
    }
    System.out.println("a=" + a + " b =" + b);
    }
```

What is the result?

9.}

- A. The output is a = 6 b = 0
- B. The output is a = 7 b = -1
- C. The output is a = 6 b = -1
- D. The output is a = 7 b = 0
- E. Compilation will fail.

```
Given the code fragment:

public static void main(String[] args){

   int x=0;

   int y=7;

   for(x=0;x<y-1;x=x+2){

      System.out.println(x+" ");

   }

What is the result?

A.2 4

B.0 2 4 6

C.0 2 4
```

D.Compilation fails

```
Given the code fragment:
public static void main(String[] args){
    String[] cars={"A","B","C","D"};
   for(int i=0;i<cars.length;i++){</pre>
            System.out.print(cars[i]+" ");
            if(cars[i].equals("C")){
                    continue;
            }
            System.out.println("End");
            break;
    }
}
What is the result?
A. A B C End
B. A B C D End
C. A End
```

D. Compilation fails

```
Given the code fragment:
public static void main(String[] args){
    String[][] cars={{"A","B","C"},{"D","E"}};
    ex: for(int i=0;i<cars.length;i++){
            for(int k=0;k<cars[i].length;k++){</pre>
                    System.out.print(cars[i][k]+" ");
                    if(cars[i][k].equals("B")){
                             break;
                    }
                    continue ex;
            }
    }
}
What is the result?
A. A B C
B. A D
C. A B D E
D. Compilation fails.
```

```
Given the code fragment:

int m[]={1,2,3,4,5};

for(---){

    System.out.print(m[i]);
}

Which option can replace --- to enable the code to print 135?

A.int i = 0; i <= 4; i ++

B.int i =0; i <5; i += 2

C.int i = 1; i <= 5; i += 1
```

D.int i = 1; i <5; i +=2

```
Given the following:
public static void main(String[] args){
    int a=5;
    while(isPresent(a)){
            System.out.print(a); //line 1
            //line 2
    }
}
public static boolean isPresent(int a){ //line 3
    return a-->0?true:false;
}
Which modification enables the code to print 54321?
A.Replace line 1 with System. out. print (--a);
B.At line 2, insert a --;
C.Replace line 1 with --a; and, at line 2, insert system. out. print (a);
D.Replace line 3 With return (a > 0) ?false: true;
```