

Practical Set -6

1. Create a file with file name sample.txt, accept some data from the user and store it in the file.

Get data from the user

```
data = input("Enter some data: ")
```

Write data to file

```
with open("sample.txt", "w") as file:
```

```
    file.write(data)
```

```
print("Data has been saved to sample.txt")
```

2. Display the data stored in the sample.txt file (created in question 1).

Read data from file

```
with open("sample.txt", "r") as file:
```

```
    data = file.read()
```

Display the data

```
print("Data stored in sample.txt:")
```

```
print(data)
```

Practical Set -6

3. Accept some data from the user and append it into the file sample.txt (created in question 1),also the data in the file.

```
# Accept some data from the user

new_data = input("Enter some new data: ")
```

```
# Append data to file
```

```
with open("sample.txt", "a") as file:
```

```
    file.write("\n" + new_data)
```

```
# Read data from file
```

```
with open("sample.txt", "r") as file:
```

```
    all_data = file.read()
```

```
# Display all the data in the file
```

```
print("All data stored in sample.txt:")
```

```
print(all_data)
```

4. Accept the file name from the user, check the availability of the file: i). If the file exists display the data on the screen, ii). If the file is not available, display the appropriate message.

```
import os
```

Practical Set -6

```
# Accept file name from user
```

```
file_name = input("Enter the file name: ")
```

```
# Check if the file exists
```

```
if os.path.exists(file_name):
```

```
    # Read data from file
```

```
    with open(file_name, "r") as file:
```

```
        data = file.read()
```

```
    # Display the data
```

```
    print("Data stored in", file_name, ":")
```

```
    print(data)
```

```
else:
```

```
    print("File", file_name, "does not exist.")
```

```
# 5. Accept the file name from the user, check the availability of the file:
```

```
    # a. If the file exists, display: i). No. of characters, ii). No. of words  
    and iii). No. of lines
```

```
    # b. If the file does exist, than display the appropriate message.
```

```
import os
```

Practical Set -6

```
# Accept file name from user

file_name = input("Enter the file name: ")


# Check if the file exists

if os.path.exists(file_name):

    # Open the file and read its contents

    with open(file_name, "r") as file:

        content = file.read()


    # Count characters, words, and lines

    num_chars = len(content)

    num_words = len(content.split())

    num_lines = content.count('\n') + 1 # Adding 1 for the last line without
'\n'


    # Display the results

    print("Number of characters:", num_chars)

    print("Number of words:", num_words)

    print("Number of lines:", num_lines)

else:

    print("File", file_name, "does not exist.")
```

Practical Set -6

6. Create and open the binary file with 'with' option. Store names of all the subjects you study in semester 2. Ask user to enter the subject number they wanted to see and display that subject name.

```
# with open('sub.bin','wb') as f:

#     n = int(input('Enter Number Of Subject in Sem - 2 :'))

#     for i in range(n):

#         sub = input('Enter Subject of Sem -2 : ')

#         ln = len(sub)

#         sub = sub.encode()

#         f.write(sub)
```

```
with open('sub.bin','rb') as f:

    str = f.read()

    print("Sub : ",str.decode()," ")
```

7. Create a file named 'img1', store an image into it. Open another file named 'img2', copy the same image as in the file 'img1'. Also store both files into the zip file named 'imp_img'.

```
from zipfile import *

f = open('img1.png','rb')

f1 = open('img2.png','wb')

zip = ZipFile('Imp_img.zip','w',ZIP_DEFLATED)

img = f.read()
```

Practical Set -6

```
f1.write(img)

zip.write('img1.png')

zip.write('img2.png')

f.close()

f1.close()

zip.close()
```

8. Create a file with 'with' option, name it as 'marks.dat'.

- i). Accept subject name and marks from the user, store the data in the file.
- ii). Give three options to the user: a). To view whole file, b). Accept and edit the marks of a subject user want to change.
- iii). Exit

```
import os

import mmap

import sys


print('1. Enter Subject Name and Marks...')

print('2. Show A File...')

print('3. Edit Marks of Subject...')

print('4. Exit')


ch = input('Enter Your Choice : ')
```

Practical Set -6

```
# with open('marks.dat','w') as f:

if ch == '1':

    with open('marks.dat','w') as f:

        n = int(input('Enter Number Of Subject You Want To Insert : '))

        for i in range(n):

            sub = input('Enter Subject Name :')

            # sub = sub.encode()

            # f.write(sub)

            mark = input('Enter Mark of Subject : ')

            # mark = mark.encode()

            # f.write(mark)

            f.write("{}: {}\n".format(sub, mark))

            # print(sub.decode())

            # print(mark.decode())

# with open('marks.dat','r') as f:

# mm = mmap.mmap(f.fileno(),0, access=mmap.ACCESS_READ)

if ch == '2':

    with open('marks.dat','r') as f:

        # print(mm.readline().decode())

        for line in f:

            print(line.strip())
```

Practical Set -6

```
if ch == '4':  
    sys.exit()  
  
# 9. Create a regular expression that:  
  
# a). Identifies and display the string starting with 's' and having 4  
# characters.  
  
import re  
  
str1 = "sparrows sing sweetly as they soar swiftly through the sky."  
result = re.findall(r's[\w]*',str1)  
print(result)  
  
# b). Splits the string where some special characters are found.  
  
import re  
  
str1 = "Hello!Iam MCAStudent. Iam Study In AtmiyaUniversity."  
res = re.split(r'[\W_]', str1 )  
print(res)  
  
# c). Display the word starting with number.  
  
import re  
  
str1 = "1one two three four 5five "  
res = re.findall(r'\b\d\w*\b', str1)  
print(res)
```

Practical Set -6

d). Display the word having 3 or 4 or 5 characters.

```
import re

str1 = "one two three four five. this is a number of one to five."

res = re.findall(r'\b\w{3,5}\b',str1)

print(res)
```

e). Display only the dates from the string.

```
import re

str1 = "001 abc 02-03-2022, 002 bcd 04-12-2011, 003 efg 4-2-10"

res = re.findall(r'\d{2}-\d{2}-\d{4}',str1)

print(res)
```

f). Create a string with name of the person and his Aadhar number, display only Aadhar number.

```
import re

str1 = "abc 123456789012, bcd 234567890123, efg 1243567809"

res = re.findall(r'\d{12}',str1)

print(res)
```

g). Display all the words that starts with 'at' or 'ap'.

Practical Set -6

```
import re
```

```
str1 = "atmiya university android application "
```

```
res = re.findall(r'a[tp][\w]*',str1)
```

```
print(res)
```

```
# h). Check if the string starts with 'at' than display appropriate message and otherwise.
```

```
import re
```

```
str1 = "atmiya university android application "
```

```
res = re.findall(r'at[\w]*',str1)
```

```
if res:
```

```
    print('String Start With AT..')
```

```
else:
```

```
    print('Sorry, But String Not Start With AT..')
```

```
# 10. Do as directed:
```

```
# a). Name the package used to deal with data frame.
```

```
=> Pandas
```

```
# b). Name the package used to deal with data .xlsx file.
```

Practical Set -6

=> Openpyxl

c). Name the function used to read the .csv file.

=> read.csv()

d). Name the function used to read the .xlsx file.

=> read.excel()

e). Name the function used to read the tuple.

=>

11. Create a dictionary which stores (at least 10 records)empid, name, city, salary and perform

following operations:

a). Display first three records

b). Display last five records

c). Display only Name and City

d). Display employee who belongs to Mumbai

e). Display employee name who belongs to Mumbai

f). Display employee whose salary is more than 25000

Practical Set -6

```
import pandas as pd

employees = {

    101: {'name': 'John', 'city': 'New York', 'salary': 6000},
    102: {'name': 'Alice', 'city': 'Los Angeles', 'salary': 75000},
    103: {'name': 'Bob', 'city': 'Chicago', 'salary': 5000},
    104: {'name': 'Emily', 'city': 'Houston', 'salary': 62000},
    105: {'name': 'Michael', 'city': 'San Francisco', 'salary': 80000},
    106: {'name': 'Sophia', 'city': 'Mumbai', 'salary': 7000},
    107: {'name': 'David', 'city': 'Seattle', 'salary': 72000},
    108: {'name': 'Emma', 'city': 'Mumbai', 'salary': 9000},
    109: {'name': 'Daniel', 'city': 'Atlanta', 'salary': 8000},
    110: {'name': 'Olivia', 'city': 'Mumbai', 'salary': 63000}

}

df = pd.DataFrame.from_dict(employees, orient='index')

print('=====')

print('1.Display First Three Record')

print(df.head(3))

print('=====')

print('2. Display Last Five Records')

print(df.tail(5))

print('=====')

print('3. Display Only Name And City ')
```

Practical Set -6

```
print(df[['name', 'city']])

print('=====')

print('4. Display employee who belongs to Mumbai')

mu = df[df['city'] == 'Mumbai']

print(mu)

print('=====')

print('5. Display employee name who belongs to Mumbai')

# df = pd.DataFrame.from_dict(employees, orient='index')

nmu = df.loc[df['city'] != 'Mumbai']

print(nmu)

print('=====')

print('6. Display employee whose salary is more than 25000')

sal = df[df['salary'] > 25000]

print(sal)


# 12. Create an xlsx file store marks of five subjects, plot the data on the bar
graph.


import xlrd

import pandas as pd

import matplotlib.pyplot as plt


df = pd.read_excel('Mark.xlsx')
```

Practical Set -6

```
print(df)

x = df['subject']

y = df['marks']


plt.bar(x,y,label="Mark Sheet")

plt.xlabel('Subject')

plt.ylabel('Marks')

plt.title('Mark Sheet')

plt.legend()

plt.show()
```

13. Take five income source of the Government and display it on the pie chart.

```
import xlrd

import pandas as pd

import matplotlib.pyplot as plt


df = pd.read_excel('Government.xlsx')

print(df)

x = df['source']

y = df['amount']


plt.bar(x,y,label="")
```

Practical Set -6

```
plt.xlabel('Source')
plt.ylabel('Amount')
plt.title('Government Income')
plt.legend()
plt.show()
```

14. Draw the line chart representing BSE (Bombay Stock Exchange) index in last 10 years.

```
import matplotlib.pyplot as plt

years = [2014,2015,2016,2017,2018,2019,2020,2021,2022,2023]
bsc = [89,59,74,84,85,94,16,45,36,47]

plt.plot(years,bsc,color='teal')
plt.title("Bombay Stock Exchange")
plt.xlabel('Years')
plt.ylabel('BSC')
plt.legend()
plt.show()
```

15. Plot the grouped bar graph using the appropriate data.

```
import matplotlib.pyplot as plt
```

Practical Set -6

```
# Employee id and their salary of Production department
x = [101,102,105,107,110]
y = [25000,26000,20000,21000,23000]

# Employee id and their salary of QA department
x1 = [103,104,106,108,109]
y1 = [19000,16000,18000,22000,21000]

plt.bar(x,y,label="Production Department",color="teal")
plt.bar(x1,y1,label="QA Department",color="yellow")
plt.xlabel('Employee Id')
plt.ylabel('Employee Salary')
plt.title('TCS')
plt.legend()
plt.show()
```