

Placement Empowerment Program

Cloud Computing and DevOps Centre

Set Up a Local Git Repository: Initialize a Git repository locally and version control your static website

Name: Jeffersen Godfrey A M

Department: CSE

INTRODUCTION:

Version control is a fundamental practice in software development that allows you to manage changes to your code over time. It provides a systematic way to track updates, collaborate with others, and revert to previous versions if needed. Git is one of the most widely used version control systems, known for its efficiency, flexibility, and distributed nature.

In this POC, we'll initialize a local Git repository to version control your static website. By doing so, you'll be able to track changes to your project files, experiment with new features in a controlled way, and easily share your project with others if needed. Setting up a Git repository is a critical step towards maintaining a structured and reliable workflow, especially for developers and teams working on collaborative projects.

OVERVIEW:

Here's what we will cover in this setup:

- 1. Installing Git:** Ensure Git is installed on your system and properly configured.

2. Creating a Local Repository: Initialize a Git repository in the root folder of your static website

3. Staging and Committing Files: Add your project files to the staging area and commit them to the repository to save a snapshot of your work.

4. Reviewing the evolves. Repository State: Use Git commands to check the status of your repository and verify that everything is tracked properly.

OBJECTIVES:

By the end of this POC, you will:

1. Understand the Basics of Version Control: Gain insight into the importance of Git for managing and tracking changes in your projects.

2. Set Up a Git Repository: Learn how to initialize a Git repository to version control your static website locally.

3. Track Changes Effectively: Understand how to stage and commit files to ensure every change is logged.

4. Organize Your Project: Maintain a clean and structured workflow for your static website, with the ability to roll back changes when needed.

5. Prepare for Collaboration: Lay the groundwork to share your repository and collaborate with others using Git when required

IMPORTANCE OF SETTING UP A LOCAL GIT REPOSITORY :


Track Changes: Git records all modifications, ensuring a clear history of your project.

Rollback: Easily revert to previous versions to recover from mistakes.

Collaboration: Prepares your project for team work, enabling smooth integration of changes.


STEP-BY-STEP OVERVIEW:

Step 1: Search for "Git" in Chrome, download it, and click the "Downloads" option on the website.



Step 2:

Click the **download** option on the page and use the Winget tool for installation. Copy the command given below.




Step 3: Paste it on command prompt and proceed for downloading.

```
PS C:\Users\Jeffersen Godfrey> winget install --id Git.Git -e --source winget
Found an existing package already installed. Trying to upgrade the installed package...
No available upgrade found.
No newer package versions are available from the configured sources.
PS C:\Users\Jeffersen Godfrey> |
```

Step 4: In your Desktop Create a folder named website for your static website

Inside that folder, create a simple HTML file named index.html. You can write some basic HTML



Step 5: Open the Command prompt and set the path to the folder named website we created

```
Microsoft Windows [Version 10.0.26100.2605]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Jeffersen Godfrey>cd OneDrive

C:\Users\Jeffersen Godfrey\OneDrive>cd desktop

C:\Users\Jeffersen Godfrey\OneDrive\Desktop>cd website
```

Step 6: Now, initialize Git by typing this command:

git init

This command will create a .git folder inside your project folder, which tells Git to start tracking your files.

```
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git init
Reinitialized existing Git repository in C:/Users/Jeffersen Godfrey/OneDrive/Desktop/website/.git/
```

Step 7: Next, we need to tell Git to start tracking your website files.

To tell Git which files to track, use the git add command. If you want to track all the files in your folder, type

git add .

This command adds all the files to Git's tracking system.

```
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git add .
```

Step 8: Set Up Your Name and Email Globally Git doesn't know who is making the commit because you haven't configured your name and email yet. Git uses this information to track who made the changes.

```
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git config --global user.name "JeffersenGodfrey"  
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git config --global user.email "jeffersengodfrey@gmail.com"
```

Step 9: Now, we need to save these changes in Git. When you "commit" changes, Git takes a snapshot of your files.

Type the following command to commit your changes:

```
git commit -m "Initial commit of my static website"
```

The -m flag allows you to add a message about your changes. In this case, we're saying this is the "initial commit," meaning the first time we're saving our work.

```
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git commit -m "my website"
```


Step 10 :

Create a New Repository:

Once you're logged in, click the green **"New"** button on the top- right of your GitHub homepage to create a new repository.

Give your repository a name, for example, my-website.

Leave the other settings as default, and click **"Create repository"**



The screenshot shows the GitHub 'Create a new repository' page. At the top, there's a navigation bar with the GitHub logo, 'New repository', and a search bar. The main heading is 'Create a new repository', followed by a subtext: 'A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)'. Below this, a note states 'Required fields are marked with an asterisk (*)'. The 'Owner' field is set to 'JeffersenGodfrey' with a dropdown arrow. The 'Repository name' field is empty and marked with an asterisk. A hint below says 'Great repository names are short and memorable. Need inspiration? How about [cautious-rotary-phone](#) ?'. The 'Description' field is optional and empty. Under 'Visibility', 'Public' is selected (radio button), with the description 'Anyone on the internet can see this repository. You choose who can commit.' 'Private' is unselected, with the description 'You choose who can see and commit to this repository.' Under 'Initialize this repository with:', 'Add a README file' is unselected, with a note 'This is where you can write a long description for your project. [Learn more about READMEs.](#)'. Under 'Add .gitignore', the template is set to 'None'. A note says 'Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)'. Under 'Choose a license', the license is set to 'None'. A note says 'A license tells others what they can and can't do with your code. [Learn more about licenses.](#)'. At the bottom, a note says 'You are creating a public repository in your personal account.' A green 'Create repository' button is at the bottom right.

Step 11: Add the Remote Repository URL to Your Local Repository:

Go back to your Command Line and type the following:

git remote add origin

<https://github.com/yourusername/my-website.git>

Replace your username with your GitHub username and my-website with the name of your GitHub repository.

```
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git remote add origin https://github.com/JeffersenGodfrey/JG-HTML-1-
```

Step 12: The **git branch -M** main command is used to **rename the current branch** to main. Here's what it does:

-M: This flag forces the renaming, even if a branch named main already exists. It will overwrite the existing main branch.

main: This is the new name for the current branch.

```
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git branch -M main
```

Step 13:

The command `git push -u origin main` is used to **push your local main branch to the remote repository (origin)** and set it as the upstream branch


```
C:\Users\Jeffersen Godfrey\OneDrive\Desktop\website>git push -u origin main
```

Step 14: Verify Your Files on GitHub

Go to your GitHub Repository:

Open your web browser and navigate to your GitHub repository (e.g., <https://github.com/yourusername/my-website>).

You should see your website files there!



EXPECTED OUTCOME:

By completing this PoC of setting up a local Git repository, you will:

1. Successfully initialize a Git repository in your local static website folder.
2. Track changes made to your website files (HTML, CSS, etc.) using Git version control.
3. Understand the basic Git commands (git init, git add, git commit) for version control.
4. Commit your changes locally with a descriptive commit message.
5. Gain hands-on experience with Git and how it helps manage and track website file changes.