




JB Method (Summing Over Hadrons Scattering off Nucleus with New Term)




JB Method (Summing Over Hadrons Scattering off Nucleus with New Term)





JB Method (Summing Over Hadrons Scattering off Nucleus with New Term)





JB Method (Summing Over Hadrons Scattering off Nucleus with New Term)



















JB Method (Summing Over Hadrons Scattering off Nucleus with New Term)










































































































































DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $0.10 \le Q^2 < 0.16 \text{ GeV}^2$ $0.16 \le Q^2 < 0.25 \text{ GeV}^2$ 0.9 18 GeV e on 275 GeV p, √s=141 GeV 8.0 0.7 Purity 0.5 0.3 0.2 0.1 $0.25 \le Q^2 < 0.40 \text{ GeV}^2$ $0.40 \le Q^2 < 0.63 \text{ GeV}^2$ 0.9 8.0 0.7 Purity 0.3 0.2 0.1

DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $0.63 \le Q^2 < 1.00 \text{ GeV}_-^2$ $1.00 \le Q^2 < 1.58 \text{ GeV}^2$ 0.9 18 GeV e on 275 GeV p, √s=141 GeV 8.0 0.7 Purity 0.5 0.3 0.2 0.1 $1.58 \le Q^2 < 2.51 \text{ GeV}^2$ $2.51 \le Q^2 < 3.98 \text{ GeV}^2$ 0.9 8.0 0.7 Purity 0.3 0.2 0.1


DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $3.98 \le Q^2 < 6.31 \text{ GeV}_{-}^2$ $6.31 \le Q^2 < 10.00 \text{ GeV}^2$ 0.9 18 GeV e on 275 GeV p, √s=141 GeV 8.0 0.7 Purity 0.5 0.3 0.2 0.1 $10.00 \le Q^2 < 15.85 \text{ Ge}$ $15.85 \le Q^2 < 25.12 \text{ GeV}^2$ 0.9 8.0 0.7 Purity 0.3 0.2 0.1




DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $158.49 \le Q^2 < 251.19 \text{ GeV}^2$ $251.19 \le Q^2 < 398.11 \text{ GeV}^2$ 0.9 18 GeV e on 275 GeV p, √s=141 GeV 8.0 0.7 0.5 0.3 0.2 0.1 $398.11 \le Q^2 < 630.96 \text{ GeV}^2$ $630.96 \le Q^2 < 1000.00 \text{ GeV}^2$ 0.9 8.0 0.7 0.6 0.3 0.2 0.1


Purity

Purity





DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $0.10 \le Q^2 < 0.16 \text{ GeV}^2$ $0.16 \le Q^2 < 0.25 \text{ GeV}^2$ 0.9



DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $0.63 \le Q^2 < 1.00 \text{ GeV}_-^2$ $1.00 \le Q^2 < 1.58 \text{ GeV}^2$ 0.9 18 GeV e on 275 GeV p, √s=141 GeV 8.0 0.7 Stability 0.6 0.5 0.3 0.2 0.1 $1.58 \le Q^2 < 2.51 \text{ GeV}^2$ $2.51 \le Q^2 < 3.98 \text{ GeV}^2$ 0.9 8.0 0.7 Stability 0.6 0.5 0.3 0.2 0.1 10^{-1} 10⁴

DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $3.98 \le Q^2 < 6.31 \text{ GeV}_-^2$ $6.31 \le Q^2 < 10.00 \text{ GeV}^2$ 0.9 18 GeV e on 275 GeV p, √s=141 GeV 8.0 0.7 Stability 0.6 0.5 0.3 0.2 0.1 $10.00 \le Q^2 < 15.85 \text{ Ge}$ $15.85 \le Q^2 < 25.12 \text{ GeV}^2$ 0.9 8.0 0.7 Stability 0.6 0.5 0.3 0.2 0.1 10^{-1}

DA Method (Summing Over Hadrons Scattering off Nucleus with New Term) $25.12 \le Q^2 < 39.81 \text{ GeV}^2$ $39.81 \le Q^2 < 63.10 \text{ GeV}^2$ 0.9 18 GeV e on 275 GeV p, √s=141 GeV 8.0

