Guide to the Secure Configuration of Fedora

with profile OSPP - Protection Profile for General Purpose Operating Systems

— This profile reflects mandatory configuration controls identified in the NIAP Configuration Annex to the Protection Profile for General Purpose Operating Systems (Protection Profile Version 4.2).

As Fedora OS is moving target, this profile does not guarantee to provide security levels required from US National Security Systems. Main goal of the profile is to provide Fedora developers with hardened environment similar to the one mandated by US National Security Systems.

The SCAP Security Guide Project

https://www.open-scap.org/security-policies/scap-security-guide

This guide presents a catalog of security-relevant configuration settings for Fedora. It is a rendering of content structured in the eXtensible Configuration Checklist Description Format (XCCDF) in order to support security automation. The SCAP content is is available in the scap-security-guide package which is developed at https://www.open-scap.org/security-policies/scap-security-guide.

Providing system administrators with such guidance informs them how to securely configure systems under their control in a variety of network roles. Policy makers and baseline creators can use this catalog of settings, with its associated references to higher-level security control catalogs, in order to assist them in security baseline creation. This guide is a catalog, not a checklist, and satisfaction of every item is not likely to be possible or sensible in many operational scenarios. However, the XCCDF format enables granular selection and adjustment of settings, and their association with OVAL and OCIL content provides an automated checking capability. Transformations of this document, and its associated automated checking content, are capable of providing baselines that meet a diverse set of policy objectives. Some example XCCDF Profiles, which are selections of items that form checklists and can be used as baselines, are available with this guide. They can be processed, in an automated fashion, with tools that support the Security Content Automation Protocol (SCAP). The DISA STIG, which provides required settings for US Department of Defense systems, is one example of a baseline created from this guidance.

Do not attempt to implement any of the settings in this guide without first testing them in a non-operational environment. The creators of this guidance assume no responsibility whatsoever for its use by other parties, and makes no guarantees, expressed or implied, about its quality, reliability, or any other characteristic.

Evaluation Characteristics

Evaluation target	Inanna.
Benchmark URL	#scap_org.open-scap_comp_ssg-fedora-xccdf.xml
Benchmark ID	xccdf_org.ssgproject.content_benchmark_FEDORA
Benchmark version	0.1.75
Profile ID	xccdf_org.ssgproject.content_profile_ospp
Started at	2025-05-27T09:01:29-06:00
Finished at	2025-05-27T09:01:59-06:00

Performed by	jeffrey
Test system	cpe:/a:redhat:openscap:1.4.2

CPE Platforms

- · cpe:/o:fedoraproject:fedora:39
- cpe:/o:fedoraproject:fedora:40
- cpe:/o:fedoraproject:fedora:41
- cpe:/o:fedoraproject:fedora:42
- cpe:/o:fedoraproject:fedora:43
- cpe:/o:fedoraproject:fedora:44
- cpe:/o:fedoraproject:fedora:45

Addresses

- IPv4 127.0.0.1
- IPv4 10.255.255.254
- IPv4 172.19.81.111
- IPv6 0:0:0:0:0:0:0:1
- IPv6 fe80:0:0:0:215:5dff:fe85:4556
- MAC 00:00:00:00:00
- MAC 00:15:5D:85:45:56

Compliance and Scoring

The target system did not satisfy the conditions of 22 rules! Please review rule results and consider applying remediation.

Rule results

8 passed

22 failed

0 other

Severity of failed rules

0 other

1 low

18 medium

3 high

Score

Scoring system	Score	Maximum	Percent
urn:xccdf:scoring:default	56.388889	100.000000	56.39%

Rule Overview

Title	Severity	Result
Guide to the Secure Configuration of Fedora 22x fail		
System Settings 22x fail		
Installing and Maintaining Software 7x fail		
System and Software Integrity 2x fail		
Software Integrity Checking		
Federal Information Processing Standard (FIPS)		
System Cryptographic Policies 1x fail		
Configure BIND to use System Crypto Policy	high	notapplicable
Configure System Cryptography Policy	high	fail
Configure Kerberos to use System Crypto Policy	high	pass
Configure Libreswan to use System Crypto Policy	high	pass
Configure OpenSSL library to use System Crypto Policy	medium	pass
Configure SSH to use System Crypto Policy	medium	pass
Operating System Vendor Support and Certification 1x fail		
The Installed Operating System Is Vendor Supported	high	fail
GNOME Desktop Environment		
System Tooling / Utilities		
Updating Software 5x fail		
Install dnf-automatic Package	medium	fail
Configure dnf-automatic to Install Available Updates Automatically	medium	fail
Configure dnf-automatic to Install Only Security Updates	low	fail
Ensure Fedora GPG Key Installed	high	fail
Ensure gpgcheck Enabled In Main dnf Configuration	high	notapplicable
Ensure gpgcheck Enabled for Local Packages	high	notapplicable
Ensure gpgcheck Enabled for All dnf Package Repositories	high	pass
Enable dnf-automatic Timer	medium	fail
Account and Access Control 10x fail		
Warning Banners for System Accesses		

Title	Severity	Result		
Protect Accounts by Configuring PAM 10x fail				
Set Lockouts for Failed Password Attempts 4x fail	Set Lockouts for Failed Password Attempts 4x fail			
Lock Accounts After Failed Password Attempts	medium	fail		
Configure the root Account for Failed Password Attempts	medium	fail		
Set Interval For Counting Failed Password Attempts	medium	fail		
Set Lockout Time for Failed Password Attempts	medium	fail		
Set Password Quality Requirements 6x fail				
Set Password Quality Requirements with pam_pwquality 6x	fail			
Ensure PAM Enforces Password Requirements - Minimum Digit Characters	medium	fail		
Ensure PAM Enforces Password Requirements - Minimum Lowercase Characters	medium	fail		
Ensure PAM Enforces Password Requirements - Minimum Length	medium	fail		
Ensure PAM Enforces Password Requirements - Minimum Special Characters	medium	fail		
Ensure PAM Enforces Password Requirements - Authentication Retry Prompts Permitted Per-Session	medium	fail		
Ensure PAM Enforces Password Requirements - Minimum Uppercase Characters	medium	fail		
Protect Physical Console Access				
Protect Accounts by Restricting Password-Based Login				
Secure Session Configuration Files for Login Accounts				
GRUB2 bootloader configuration				
Configure Syslog				
Network Configuration and Firewalls				
File Permissions and Masks 5x fail				
Restrict Partition Mount Options 3x fail				
Add nodev Option to /dev/shm	medium	fail		
Add noexec Option to /dev/shm	medium	fail		
Add nosuid Option to /dev/shm	medium	fail		
Restrict Programs from Dangerous Execution Patterns 2x fail				

Title	Severity	Result
Disable Core Dumps 2x fail		
Disable acquiring, saving, and processing core dumps	medium	notapplicable
Disable core dump backtraces	medium	fail
Disable storing core dump	medium	fail
Enable ExecShield		
Memory Poisoning		
Disable storing core dumps	medium	notapplicable
Restrict Access to Kernel Message Buffer	low	notapplicable
Disable Kernel Image Loading	medium	notapplicable
Disallow kernel profiling by unprivileged users	low	notapplicable
Disable Access to Network bpf() Syscall From Unprivileged Processes	medium	notapplicable
Restrict usage of ptrace to descendant processes	medium	notapplicable
Harden the operation of the BPF just-in-time compiler	medium	notapplicable
Disable the use of user namespaces	medium	notapplicable
SELinux		
Services		
System Accounting with auditd		

Red Hat and Red Hat Enterprise Linux are either registered trademarks or trademarks of Red Hat, Inc. in the United States and other countries. All other names are registered trademarks or trademarks of their respective companies.

Generated using OpenSCAP 1.4.2