Globant technical test

Jeison Mesa

17 abril, 2021

Introduction

In the workflow for data science professionals, it is important to achieve process automation. Automating processes allows to control human errors made by performing tasks manually. It is proposed to download files using web scraping. In this case, R is connected to the information available for each of the data sets in the web page. It is to recognise the structure of the information. It was possible to identify two types of data structure xls and csv files, for the set of csv files a totally different pattern was found to the xls format files, for this situation only the xls format files were keep. The next step is to have a logical file name. In this case, having files for different months, it is proposed to work with the following format "PCT_year_month" for all the files. This is because the structure presented on the website seemed rather "messy."

The additional step is done to identify the columns that are found for all the files. Resulting in the following variables:

colnames(clean_data)

```
## [1] "date" "TRANS VAT DESC" "ORIGINAL GROSS AMT"

## [4] "MERCHANT NAME" "CARD NUMBER" "TRANS CAC CODE 1"

## [7] "TRANS CAC DESC 1" "TRANS CAC CODE 2" "TRANS CAC DESC 2"

## [10] "TRANS CAC CODE 3" "year" "month"

## [13] "day" "wday"
```

As can be seen, a date column has been generated in ymd format; in addition to this, year, month and day columns were generated separately in order to have a more universal date format, it is also proposed to calculate the day of the week. In economics, it is usual to find different relationships for weekdays compared to weekends in financial variables.

Quality Control

The inferences that can be by a statistical model are largely influenced by the quality of the information, i.e. we must be able to guarantee that the information was verified and validated; for this purpose the following is generally checked:

1. Problems associated with the scale of the variable

Regardless of the type of software that we want to use, it is necessary that at the moment of loading the information those variables that by their typology are strictly numerical, the software can identify it because if we adjust a statistical model with a variable that is numerical and the software detects it as categorical we will reach erroneous conclusions (this is only an example of the many cases that can occur) or vice versa when giving numerical values to categorical variables the software detects them as numerical, in this case it is necessary to perform a transformation.

2. Missing values

It is important to be able to check which variables have a high percentage of missing values, since many of the optimisations of statistical models require having the complete data matrix. In this sense, if the information provided presents missing values for some of the variables, a process of imputation of values must be carried out (by some statistical technique ML, pca + NIPALS, KNN, etc...). But it is important to recognize the adjacent stochastic process that arises from credit card transactions. In essence, it is possible to consider a time series with irregular observations over time (Eyheramendy, Elorrieta, and Palma 2016). This is a new approach and can be analyzed by kalman filters and state space representation. In my master thesis I am proposing a regression approach with autocorrelated errors and irregular observations over time, such as credit transactions.



Figure 1: Valores Faltantes

Assuming that traditional methods will be used, the greatest concentration of missing data is found in the "TRANS VAT DESC" variable (Figure 1), and for this reason it will not be used in the statistical inferences to be developed. But it is important to recognize the adjacent stochastic process that arises from credit card transactions. In essence, one can consider a time series with irregular observations over time.

3. Problems due to the Characteristic of your Variables.

In many cases we cannot assume that the information is correct, since there may be typing problems or problems due to "outliers" (e.g. imagine a negative precipitation is not possible). When the problem related to the outlier is trivial, i.e. we can know with certainty that it is a value that cannot occur, we can choose to induce a missing value for that data. On the other hand, in order to identify possible outliers it is necessary to use descriptive or inferential statistical techniques; for the descriptive option a box plot can be performed and for the inferential case a probability distribution can be fitted and those values which are not under the distribution curve can be determined.

The Figure 2 shows possible outliers for some transactions. In this case we have a record that may be due to a return of around £5000000 and a value per purchase of more than £250000. These are points that we will later evaluate if they can truly be considered as outliers or fraud issues.

Why is it necessary to develop a deeper analysis? It is necessary because we cannot consider outliers under the assumption of the interquartile ranges of the boxplot. Other types of outlier distributions such as the Gumbel distribution or non-parametric methods can be considered.

The figure 3 shows the dynamics associated with the transactions carried out. In particular, some rather "strange" points can be observed according to the records. The red areas indicate two cases: no transactions were made or no information was found for those periods.




Figure 2: Gross Outlier Detection




Figure 3: Time Serie Gross AMT

Now it is necessary to perform descriptive statistics that provide valuable information when generating a statistical model.

The most relevant results are shown below.




Figure 4: Activity in credit card transaction (percentages are the proportion of the number of times the card was used for the particular merchant, the bars indicate the amount of money used)

The Figure 4 shows that the client for which the most money was spent was "the furnishing service" but not as many transactions were recorded as in the case of "travelodge gb0000." It is also possible to look at several transactions for amazon but different divisions within amazon, now we can aggregate for the amazon category (additionally if we have a team it is possible to collect other variables).

The Figure 5 shows that amazon moved up in the ranking, but the associated spend per transaction is still higher for the "the furnishing service" category. This analysis can be extended to other variables.

Table 1: Sector top 10

TRANS CAC DESC 1	n	prop
Equip Operational	33699	18.59%
Vehicle Fuel	22227	12.26%
Purchases Food	20017	11.05%
Books	11142	6.15%
Supplies & Sev Mic	10499	5.79%
Other Third Parties	9330	5.15%
Mat'l Raw/Drct	7600	4.19%
Conference Fees Subs UK	6444	3.56%
Equip Other	5448	3.01%
Hospitality	4826	2.66%

The Table 1 shows that the sector with the highest transaction is "Equip Operational." In addition, another important use of the card is for "Vehicle Fuel" and "Purchases Food," which represent a person's daily expenses.

With all amazon's divisions in one




Figure 5: Activity in credit card transaction (percentages are the proportion of the number of times the card was used for the particular merchant, the bars indicate the amount of money used) (Amazon)

Other important descriptive statistics are included

Table 2: TRANS VAT DESC top 10

TRANS VAT DESC	n	prop
VR	86222	50.24%
VZ	83691	48.77%
VL	754	0.44%
VE	618	0.36%
VS	297	0.17%
VT	29	0.02%
6.65%	5	0%

Table 3: TRANS CAC DESC 2 top 10

TRANS CAC DESC 2	n	prop
Illegal Money Lending T Stds Comm Inv.	13450	7.43%
Homeless Private Sector Accom	8558	4.73%
The City of Birmingham School	4904	2.71%
Camborne House HLDC	3065	1.69%
Technical Unit	2581	1.43%
Ward End Junior & Infant (NC)	1777	0.98%
West Heath Primary	1649	0.91%
Corp Inbound Post	1511	0.83%
Selly Oak Nursery School	1509	0.83%
Warwick Hse HLDC, 938 Warwick Rd B27	1448	0.8%

Table 4: Day of the week for the transaction

n	prop
36781	20.28%
36236	19.98%
34736	19.16%
32155	17.73%
29855	16.46%
6583	3.63%
4989	2.75%
	36781 36236 34736 32155 29855 6583

The Table 4 shows something very important, the transactions are being made on weekdays, since there is little use on weekends. This may indicate the fact that the most of the transactions are for "Equip Operational" as these are being made on weekdays.

References

Eyheramendy, Susana, Felipe Elorrieta, and Wilfredo Palma. 2016. "An Autoregressive Model for Irregular Time Series of Variable Stars." *Proceedings of the International Astronomical Union* 12 (S325): 259–62. https://doi.org/10.1017/S1743921317000448.