

Homework #1: Queue<Anon>

Issued: Thursday, August 26

Due: Thursday, September 2

Purpose

This assignment asks you to understand the design of, and complete the implementation of, a general-purpose list module. The data structure is actually a double-ended doubly-linked queue of pointers to arbitrary (aka, anonymous) data objects.

Your module will be useful in future assignments, perhaps as a shared library.

Skeletal Code

A partial implementation of the module is in:

`pub/hw1`

The module's interface is repeated, below.

Requirements

1. Implement the given interface: You cannot change it.
2. The interface, as given, is mostly syntactic. We will discuss its semantics in lecture. Implement what we discuss: An excuse of “I didn’t want to do it that way” is unacceptable.
3. Implement a double-ended doubly-linked list. Pairwise, operations on opposite ends are symmetric. Factor-out commonality, and only implement it once.

4. Develop and demonstrate a thorough test suite.
5. Use `valgrind` to show that your module has no memory leaks.
6. Provide good documentation and error messages.
7. Your submission will be evaluated on `onyx`.

Submission

Homework is due at 11:59PM, Mountain Time, on the day it is due. Late work is not accepted. To submit your solution to an assignment, login to a lab computer, change to the directory containing the files you want to submit, and execute:

```
submit jbuffenb class assignment
```

For example:

```
submit jbuffenb cs101 hw1
```

The `submit` program has a nice `man` page.

Interface

```
1  #ifndef DEQ_H
2  #define DEQ_H

3  // put: append onto an end, len++
4  // get: return from an end, len--
5  // ith: return by 0-base index, len unchanged
6  // rem: return by == comparing, len-- (iff found)

7  typedef void *Deq;
8  typedef void *Data;

9  extern Deq deq_new();
10 extern int deq_len(Deq q);

11 extern void deq_head_put(Deq q, Data d);
12 extern Data deq_head_get(Deq q);
13 extern Data deq_head_ith(Deq q, int i);
14 extern Data deq_head_rem(Deq q, Data d);

15 extern void deq_tail_put(Deq q, Data d);
16 extern Data deq_tail_get(Deq q);
17 extern Data deq_tail_ith(Deq q, int i);
18 extern Data deq_tail_rem(Deq q, Data d);

19 typedef char *Str;
20 typedef void (*DeqMapF)(Data d);
21 typedef Str (*DeqStrF)(Data d);

22 extern void deq_map(Deq q, DeqMapF f); // foreach
23 extern void deq_del(Deq q, DeqMapF f); // free
24 extern Str deq_str(Deq q, DeqStrF f); // toString

25 #endif
```