

# 4

## Hometown Temperature Competition

### Quick Links To Sections

---

#### 4.1 Creating a Shapefile in QGIS

- 4.1.1 Installing the *Lat Lon Tools* Plugin
- 4.1.2 Adding an Open Street Basemap Layer
- 4.1.3 Finding GPS Coordinates with *Lat Lon Tools*
- 4.1.4 Drawing a Shapefile

#### 4.2 ECOSTRESS & Clouds


#### 4.3 Temperature Competition

#### Map of the Week Assignments

---

### Objectives:

1. Create your own shapefiles in QGIS.
2. Learn about cloud filtering options in AppEEARS.
3. Access and download land surface data from ECOSTRESS of the highest and lowest temperatures in 2022 for your hometown, favorite place you have lived, or somewhere you wish to move in the future.



## Motivation For Today's Tutorial : Temperature Competition





For this tutorial, we are going to combine the skills you have learned so far and enter you into a little competition to see who had the hottest and coldest hometown temperatures for 2022. You are welcome to use your hometown, favorite place you have lived, or somewhere you wish to move in the future.

### 4.1 CREATING A SHAPEFILE IN QGIS


In the previous tutorials, we provided you with a shapefile of Death Valley. Remember that shapefiles are a type of file that stores data on locations, shapes and attributes of geographic features. Today, you are going to learn how to create your own in QGIS. We are also going to introduce you to another plugin that can make working with latitude and longitude data in QGIS easier. Let's install Lat Lon Tools.

#### 4.1.1 Installing the *Lat Lon Tools* Plugin


1. Open QGIS and start a new project by selecting the *Project* menu → then *New*.
2. To install the Lat Lon Tools plugin, click on the *Plugins* drop down menu and select *Manage and Install Plugins*.
3. In the next window, make sure *All* is selected in the first window pane and search for *Lat Lon Tools*.
4. Click *Install Plugin* and wait for the installation to complete.



## 4.1.2 Adding an Open Street Basemap Layer



5. In the browser window, expand your options by clicking on the small arrow next to *XYZ Tiles*.
6. Double click on Open Street Map to load in a basic open source map. You will notice that we just added a layer to the layer window below.




### 4.1.3 Finding GPS Coordinates with *Lat Lon Tools*

Let's say you were interested in requesting and downloading ECOSTRESS land surface temperature (LST) data for Vancouver Island. You need to tell AppEEARS where Vancouver Island is located, then request and download the data before you can make a map of the results. The first step is to find the island on the basemap we just added.

7. Open up the Lat Lon Tools window by selecting the *Plugins* menu → *Lat Lon Tools* → *Zoom To Coordinate*.
8. Enter in the following GPS coordinates (formatted as latitude, longitude) : 49.650600, -125.449400. Note that if you are not sure of a location's latitude and longitude, you can navigate to that location in Google Maps and right click on the location to display the coordinates.
9. The Lat Lon Tools plugin has found the GPS coordinates for Vancouver Island and marked them with a “+” on the map.

### 4.1.4 Drawing a Shapefile




Next, we want to draw a polygon (i.e., a line that forms the perimeter of the area of interest) that encompasses Vancouver Island, so that we can pull the request and download the data from AppEEARS.

10. Zoom in to the GPS coordinates we entered and marked with a “+” on the basemap using the *zoom in* , *zoom out* , and *pan* buttons in toolbar. If you are on a laptop, you could use the trackpad to do the same.
11. Next, we are going to create a new layer in the map by selecting the following menus: *Layer* → *Create*


# I.C.E.C.R.E.A.M. TUTORIALS

Observing Earth from Above (Env 329) - Fall 2023

Schmid College of Science and Technology - Chapman University



Layer → New Shapefile Layer...




12. Select the “...” option next to the *Filename* input window. Navigate somewhere you can remember and save it with a worthy filename. “Vancouver Island Perimeter” seems appropriate.


13. Select *UTF-8* for *File encoding*.

14. Select *Polygon* for geometry type.


15. Leave the remaining options as their defaults and click *OK*.




16. Now, it is time to draw the polygon. First, make sure that your new “Vancouver Island” layer is highlighted in the *Layers* window.



17. Select the *Toggle Editing*  button from the toolbar to start editing the layer.



18. Then select the *Add Polygon Feature*  button to begin drawing your shapefile.

19. Draw a polygon that encompasses Vancouver Island. Don't worry too much about being perfect, getting the basic shape will do. Right click on Windows or Linux and Ctrl click on Mac to stop drawing when your shape is complete.

**NOTE:** Drawing a polygon in QGIS is both straightforward and nuanced. You use successive clicks with your mouse to create your desired shape. Simple forms like squares or rectangles are easy achievable, while more complex designs take some practice to master. My recommended route is to start by clicking near Parksville then proceed clockwise around the island. See the screenshot above (step 19).

20. After you finish drawing, QGIS will prompt you for a feature ID. This is an arbitrary designation for our purposes today, so simply using the number 1 is my recommendation.

21. Click *OK*.

22. Select the *Toggle Editing*  button from the toolbar to toggle of editing the layer. QGIS will prompt you to confirm saving the layer. Select *Yes*. QGIS has now saved a shapefile with your polygon.

## What Are Shapefiles?

The shapefile format is one of the most commonly used vector file formats for geographic information. A shapefile dataset consists of several files. The following three are required:

**.shp** file containing the feature geometries

**.dbf** file containing the attributes in **dBase** format

**.shx** index file


Additionally, they can have:

**.prj** which contains projection information

**.cpg** plain text files that describes the encoding applied

**.qix** spatial index file containing zoom and pan information

23. As you likely remember from Tutorial 2, the AppEEARS interface we use to access ECOSTRESS data requires shapefiles to be combined in a **zip file**. Use the following instructions for your operating system to zip the shapefile data into one zip file.



Windows

1. Locate the Vancouver Island shapefile layer files that you saved in step 12 using your computer's *File Explorer* application .
2. Hold the *ctrl* button down and select the files with the .shp, .dbf, .shx, .prj, and .cpg extensions.
3. When they are all selected, release the *ctrl* button and right-click the highlighted files, select *Send to*, and then select *Compressed (zipped) folder*.
4. A new zipped file with the same name is created in the same location. To rename it right-click the .zip file, select *Rename*, and then type the new name. “VancouverIsland.zip” seems like a good choice.
5. This .zip shapefile dataset is now ready to be used in *AppEEARS*.




Apple macOS

1. Locate the Vancouver Island shapefile layer files that you saved in step 12 using your computer's *Finder* application .
2. Hold the *command* button down and select the files with the .shp, .dbf, .shx, .prj, and .cpg extensions.
3. When they are all selected, release the *command* button and ctrl-click the highlighted files, select *Compress*, and then select *Compressed (zipped) folder*.
4. A new zipped folder with the name “Archive.zip” is created in the same location. To rename it, ctrl-click the folder, select *Rename*, and then type the new name. “VancouverIsland.zip” seems like a good choice.
5. This .zip shapefile dataset is now ready to be used in *AppEEARS*.

## 4.2 ECOSTRESS & CLOUDS

ECOSTRESS (like nearly all instruments used for remote sensing) cannot see through the clouds and relies on clear skies to provide reliable observations of land surface temperature. The *AppEEARS* database has a few layer options to ensure clouds aren't interfering with an analysis, depending on your goals and timeframes. You may remember that we used the *Cloud\_final* layer in [Tutorial 2's](#) Death Valley Experiment. This is a newer “V2” product that was introduced in late 2022. For data before that, we have to use an alternative metric:



Cloud_final	SDS_CloudMask	SDS_QC
<p>Select the layers to include in the sample ⓘ</p> <p>ECOSTRESS Cloud Mask Instantaneous ECO_L2_CLOUD.002, 70m, ISS-dependent, (2018-07-09 to Present)</p> <p>+ Cloud_confidence + Cloud_final </p> <p>Select All (2)</p>	<p>Select the layers to include in the sample ⓘ</p> <p>ECOSTRESS Cloud Mask ECO2CLD.001, 70m, ISS-dependent, (2018-07-09 to Present)</p> <p>+ SDS_CloudMask </p> <p>Select All (1)</p>	<p>Select the layers to include in the sample ⓘ</p> <p>ECOSTRESS Land Surface Temperature &amp; Emissivity (LST&amp;E) ECO2LSTE.001, 70m, ISS-dependent, (2018-07-09 to Present)</p> <p>+ SDS_LST + SDS_LST_err + SDS_PWV + SDS_QC </p> <p>Select All (15)</p>

- Simple & straightforward.
- Pixels with values = 0 have been determined by the algorithm as “not cloudy”.
- Pixels with values = 1 have been determined by the algorithm as “cloudy”.
- Includes QA Stats for confidence in cloudiness determination, 0 = “confidently clear”, 1 = “probably clear”, and 2 = “probably cloudy”, and 3 = “confidently cloudy”.
- Easy to visualize clouds in QGIS.
- Only available from late 2022 on!

- Previous version of *Cloud\_final*.
- Not as user-friendly.
- Best to visualize through AppEEARS built-in graphs.
- Contains cloud information in addition to the tests used to determine cloudiness.

- Broad quality control.
- Not as user-friendly.
- Best to visualize through AppEEARS built-in graphs.
- Contains cloud information in addition to other quality metrics regarding missing pixels and atmosphere conditions.


To showcase the differences in these layers, let's create a new request in AppEEARS for our new Vancouver Island shapefile for the week between Christmas Eve 2022 and New Year's Day 2023.

24. Head over to <https://appears.earthdatacloud.nasa.gov/> and sign in.
25. Click the *Extract* dropdown menu to select Area. Next select Start a New Request.
26. Use the screenshot below to set up your request. Name your sample, upload your Vancouver Island .zip shapefile, enter 12-24-2022 and 01-01-2023 as start and end dates, and select land surface temperature (*SDS\_LST*), *SDS\_QC*, *Cloud\_final*, and *SDS\_CloudMask* as layers. Keep GeoTiff as the format and select *Native Projection* for the projection. Click *Submit*.

# I.C.E.C.R.E.A.M. TUTORIALS

Observing Earth from Above (Env 329) - Fall 2023

Schmid College of Science and Technology - Chapman University



## Extract Area Sample

Enter a name to identify your sample  
Vancouver Island Late December 2022

Upload a file or draw a polygon using the or icon

Drop a vector polygon file containing the area feature(s) to extract or click here to select the file.

Supported file formats:

- Shapefile (.zipped including .shp, .dbf, .prj, and .shx files)
- GeoJSON (.json or .geojson)

Start Date: 12-24-2022 End Date: 01-01-2023

Is Date Recurring?

Selected file (Vancouverisland)

To clear a polygon, draw a new polygon or upload a vector polygon file.

Select the layers to include in the sample

ECOSTRESS Land Surface Temperature & Emissivity (LST&E) \*  
ECO2LSTE\_001, 70m, ISS-dependent, (2018-07-09 to Present)

Layer	Type	Resolution	Status
SDS_LST	Surface Temperature	70m, ISS-dependent	-
Cloud_final	Cloud Mask	70m, ISS-dependent	-
SDS_CloudMask	Cloud Mask	70m, ISS-dependent	-
SDS_QC	Quality Control	70m, ISS-dependent	-

Selected layers

Remove All (4)

Select All (13)

Output Options

File Format: GeoTiff

Projection: Native Projection

NOTE: Be aware that any reprojection of data from its source projection to a different projection will inherently change the data from its original format. All reprojections use GDAL's gdalwarp function in combination with the PROJ.4 string listed above. For additional information, see the AppEEARS help documentation.

Submit Cancel

27. Use the *Explore* dropdown menu to track the status of your request.

AppEEARS Extract Explore

Explore Requests

Showing requests 1 - 39 of 39

« Prev 1 Next »


28

While AppEEARS crunches the numbers, a status bar will show up here.

Request	Type	Status	Details	Date Submitted	Date Completed
Vancouver Island Late December 2022	Area Sample	Done		09-05-2023 9:17:51 PM PDT	09-05-2023 9:33:02 PM PDT

28. When the request is complete, click on the name of your request to access the layer stats.


29. In the meantime, let's visualize some of the cloud data. I have already accessed the *Cloud\_final* layer for Vancouver Island from 1/1/2023.




**Please download these three GeoTIFF files, saving them somewhere logical and accessible, such as the same folder where you used to save the Vancouver Island shapefile:**

- [ECO\\_L2\\_CLOUD.002\\_Cloud\\_final\\_doy2023001105856\\_aid0001.tif](#)
- [ECO\\_L2\\_CLOUD.002\\_Cloud\\_final\\_doy2023001123515\\_aid0001.tif](#)
- [ECO\\_L2\\_CLOUD.002\\_Cloud\\_final\\_doy2023001141155\\_aid0001.tif](#)

30. Switch over to QGIS, where you should still have your shapefile loaded as a layer. Load these three GeoTIFFs into active layers by double clicking on each in the browser window.




31. Right click on one of the layers in the *Layer* browser, and select *Properties*.
32. In the panel, make sure *Symbology* is selected.
33. Change *Render type* to *Singleband pseudocolor*. Now, we have told QGIS that we want this layer to be in color.
34. Change *Mode* to *Equal Interval*. Now, we have told QGIS that we want this layer to be to have different colors for each value.
35. Change *Classes* to 2. Remember Cloud\_final has only two values. 0 = “not cloudy” and 1 = “cloudy”. Now we can change the color for each value.
36. Right click on Windows/Linux or ctrl-click on Mac for the first value, 0.
37. Since 0 = “not cloudy”, lets change this to be completely transparent by sliding the *Opacity* bar all the way to zero. Click *OK* and then right click on Windows/Linux or ctrl-click on Mac for the second value, 1.
38. If you are feeling particularly dark, make the clouds black by typing “#000000” in the *HTML notation* box (this is HTML code for black.) Click *OK*.
39. Click *Apply* to apply the color changes to your map.
40. Repeat these steps for the other two Cloud\_final layers. You now have a cloudiness map for New Year’s Day 2023 on Vancouver Island.




41. Checking back on our Vancouver Island request in AppEEARS. If it is ready, you can browse through the different layers shows to see how the quality and cloud metrics work.


### Cloud\_final:




### Cloud\_confidence:




### SDS\_CloudMask:





## SDS\_QC:



The layers we have described here start simple and increase in complexity. As a general rule, we suggest using the simplest tools to complete your task. So, if your desired data is after November 2022, stick with the Cloud\_final layer. If it is before November 2022, use the SDS\_CloudMask. Finally, as your interest in remote sensing grows, you can learn more about the SDS\_QC layer in the [ECOSTRESS Level 2 Product User Guide](#).


## 4.3 TEMPERATURE COMPETITION

By the end of the next tutorial, you will have all of the skills to generate a map showcasing the highest and lowest temperatures for your hometown. For now, let's focus on acquiring the data.

### Temperature Competition Instructions

1. Start a new project and create a shapefile for your hometown, favorite place you have lived, or somewhere you wish to move in the future using the steps outlined in this tutorial.
2. Use the same procedure we followed in [Tutorial #2 Accessing Remote Sensing Data With AppEEARS](#) to create a new request in AppEEARS, using your hometown shapefile, to access ECOSTRESS land surface temperature data for the entire year of 2022. (This may take several hours).
3. On your own time, determine which passes have the hottest and coldest observations of land surface temperature in 2022 and download those GeoTIFF data files somewhere you can access. We will use them in a future tutorial to finish the competition. This is a similar process to our Death Valley temperature in [Tutorial #2 Accessing Remote Sensing Data With AppEEARS](#).

You can ask your classmates for suggestions if you get stuck, but remember to complete the work on your own. You will need these skills for future projects!



## Next Tutorial

Next time you will learn how to make professional maps in QGIS and pull all of your new skills together to make a map with this new data for your hometown that showcases the highest and lowest temperatures for 2022.

**NOTE:** It is entirely possible for ECOSTRESS to produce bad data with extreme and unrealistic values for land surface temperature. Make sure you are filtering for clouds. Also, keep in mind that the theoretical maximum possible ground surface temperature has been estimated to be 212 degrees Fahrenheit.

## Map of the Week Assignments

1. Read about how your choice of colors in maps can be very important in the article: [How rainbow colour maps can distort data and be misleading.](#)
2. Submit the map of your hometown, like the timezone map we made in [Tutorial #3 Making Basic Maps In QGIS](#), with your favorite basemap (Google Satellite, ESRI Imagery, ESRI Delorme, etc.). Make sure it includes an outline of your hometown created with your new shapefile you made today. We'll add the temperature data in the future.
3. Save GeoTIFF files of the hottest and coldest land surface temperature observations of your hometown for 2022. Bring them for the next tutorial.

Submit your map via Canvas before Monday's class.

---

**Recommended Citation:** Forsythe, J.D., G.R. Goldsmith, and J.B. Fisher. 2023. Observing Earth from Above Tutorials. Chapman University. <https://jeremydforsythe.github.io/icecream-tutorials/>

This work is supported by funding from NASA ECOSTRESS Mission Grant #80NSSC23K0309 (I.C.E. C.R.E.A.M.: Integrating Communication of ECOSTRESS Into Community Research, Education, Applications, and Media).