1996-AL-P-MATH-1-Q05

5(a)

Consider augmented matrix of the system:

$$\begin{bmatrix} 1 & 1 & 0 & a \\ 1 & 0 & 1 & b \\ 0 & 1 & 1 & c \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 1 & 1 & 0 & a \\ 0 & -1 & 1 & b - a \\ 0 & 1 & 1 & c \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 1 & 1 & 0 & a \\ 0 & -1 & 1 & b - a \\ 0 & 0 & 2 & b + c - a \end{bmatrix}$$

$$\Rightarrow egin{bmatrix} 1 & 1 & 0 & a \ 0 & 1 & -1 & a-b \ 0 & 0 & 1 & rac{b+c-a}{2} \end{bmatrix}$$

$$\Rightarrow egin{bmatrix} 1 & 1 & 0 & a \ 0 & 1 & 0 & rac{a-b+c}{2} \ 0 & 0 & 1 & rac{b+c-a}{2} \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 1 & 0 & 0 & \frac{a+b-c}{2} \\ 0 & 1 & 0 & \frac{a-b+c}{2} \\ 0 & 0 & 1 & \frac{b+c-a}{2} \end{bmatrix}$$

$$\Rightarrow X = \frac{-a+b+c}{2}, \; Y = \frac{a-b+c}{2}, \; Z = \frac{a+b-c}{2}$$

5(b)

Let Z = xy, Y = xz, X = yz

By result in 5(a),

$$X=\frac{-a+b+c}{2},\ Y=\frac{a-b+c}{2},\ Z=\frac{a+b-c}{2}$$

$$\Rightarrow yz=rac{-a+b+c}{2},\; xz=rac{a-b+c}{2},\; xy=rac{a+b-c}{2}$$

$$\Rightarrow yz = \frac{-a+b+c}{2}, \ xz = \frac{a-b+c}{2}, \ xy = \frac{a+b-c}{2}, \ \frac{y}{x} = \frac{-a+b+c}{a-b+c}, \ \frac{z}{y} = \frac{a-b+c}{a+b-c}, \ \frac{z}{z} = \frac{a+b-c}{-a+b+c}$$

$$\Rightarrow y \cdot \frac{a-b+c}{a+b-c} \cdot y = \frac{-a+b+c}{2}, \ z \cdot \frac{a+b-c}{-a+b+c} \cdot z = \frac{a-b+c}{2}, \ x \cdot \frac{-a+b+c}{a-b+c} \cdot x = \frac{a+b-c}{2}$$

$$\Rightarrow y^2 = \frac{(a+b-c)(-a+b+c)}{2(a-b+c)}, \ z^2 = \frac{(a-b+c)(-a+b+c)}{2(a+b-c)}, \ x^2 = \frac{(a+b-c)(a-b+c)}{2(-a+b+c)}$$

$$\Rightarrow x^{2} = \frac{(a+b-c)(a-b+c)}{2(-a+b+c)}, \ y^{2} = \frac{(a+b-c)(-a+b+c)}{2(a-b+c)}, \ z^{2} = \frac{(a-b+c)(-a+b+c)}{2(a+b-c)}$$

$$\Rightarrow x^{2} = \frac{(a+b-c)(a-b+c)}{2(-a+b+c)}, \ y^{2} = \frac{(a+b-c)(-a+b+c)}{2(a-b+c)}, \ z^{2} = \frac{(a-b+c)(-a+b+c)}{2(a+b-c)}$$

$$\Rightarrow x = \sqrt{\frac{(a+b-c)(a-b+c)}{2(-a+b+c)}}, \ y = \sqrt{\frac{(a+b-c)(-a+b+c)}{2(a-b+c)}}, \ z = \sqrt{\frac{(a-b+c)(-a+b+c)}{2(a+b-c)}}$$
or
$$\Rightarrow x = -\sqrt{\frac{(a+b-c)(a-b+c)}{2(a+b-c)}}, \ y = -\sqrt{\frac{(a+b-c)(-a+b+c)}{2(a-b+c)}}, \ z = -\sqrt{\frac{(a-b+c)(-a+b+c)}{2(a-b+c)}}$$

$$\Rightarrow x = -\sqrt{\frac{(a+b-c)(a-b+c)}{2(-a+b+c)}}, \ y = -\sqrt{\frac{(a+b-c)(-a+b+c)}{2(a-b+c)}}, \ z = -\sqrt{\frac{(a-b+c)(-a+b+c)}{2(a+b-c)}}$$