

Ex. No.: 6

Date: 30/03/24

## INSTALL AND CONFIGURE IPTABLES FIREWALL

AIM:

To install iptables and configure it for variety of options.

### COMMON CONFIGURATIONS & OUTPUTS:

1. Start/stop/restart firewalls [root@localhost ~]# systemctl start firewalld  
[root@localhost ~]# systemctl restart firewalld [root@localhost ~]# systemctl stop  
firewalld [root@localhost ~]#
2. Check all existing IPtables Firewall Rules  
[root@localhost ~]# iptables -L -n -v  
[root@localhost ~]#
3. Block specific IP Address(eg. 172.16.8.10) in IPtables Firewall [root@localhost ~]#  
iptables -A INPUT -s 172.16.8.10 -j DROP [root@localhost ~]#
4. Block specific port on IPtables Firewall  
[root@localhost ~]# iptables -A OUTPUT -p tcp --dport xxx -j DROP [root@localhost ~]#
5. Allow specific network range on particular port on iptables  
[root@localhost ~]# iptables -A OUTPUT -p tcp -d 172.16.8.0/24 --dport xxx -j ACCEPT  
[root@localhost ~]#
6. Block Facebook on IPTables [root@localhost ~]# host facebook.com facebook.com has  
address 157.240.24.35  
facebook.com has IPv6 address 2a03:2880:f10c:283:face:b00c:0:25de facebook.com mail is  
handled by 10 smtpin.vvv.facebook.com.  
[root@localhost ~]# whois 157.240.24.35 | grep CIDR CIDR:  
157.240.0.0/16 [root@localhost ~]#  
[root@localhost ~]# whois 157.240.24.35 [Querying whois.arin.net] [whois.arin.net]  
  
#  
# ARIN WHOIS data and services are subject to the Terms of Use # available at:  
<https://www.arin.net/resources/registry/whois/tou/> #  
# If you see inaccuracies in the results, please report at  
#  
[https://www.arin.net/resources/registry/whois/inaccuracy\\_reportin](https://www.arin.net/resources/registry/whois/inaccuracy_reporting/)  
g/ # # Copyright 1997-2019, American Registry for Internet  
Numbers, Ltd. #  
  
NetRange: 157.240.0.0 - 157.240.255.255 CIDR: 157.240.0.0/16  
NetName: THEFA-3 NetHandle: NET-157-240-0-0-1  
Parent: NET157 (NET-157-0-0-0-0)  
NetType: Direct Assignment OriginAS:  
Organization: Facebook, Inc. (THEFA-3) RegDate: 2015-05-14  
Updated: 2015-05-14  
Ref: <https://rdap.arin.net/registry/ip/157.240.0.0>  
  
OrgName: Facebook, Inc. OrgId: THEFA-3  
Address: 1601 Willow Rd. City: Menlo Park StateProv:

CA PostalCode: 94025  
Country: US RegDate: 2004-08-11  
Updated: 2012-04-17

Ref: <https://rdap.arin.net/registry/entity/THEFA-3>  
 OrgTechHandle: OPERA82-ARIN OrgTechName: Operations OrgTechPhone: +1-650-543-4800 OrgTechEmail: domain@facebook.com  
 OrgTechRef: <https://rdap.arin.net/registry/entity/OPERA82-ARIN>  
 OrgAbuseHandle: OPERA82-ARIN OrgAbuseName: Operations OrgAbusePhone: +1-650-543-4800 OrgAbuseEmail: domain@facebook.com  
 OrgAbuseRef: <https://rdap.arin.net/registry/entity/OPERA82-ARIN>

#  
 # ARIN WHOIS data and services are subject to the Terms  
 of Use # available at:  
<https://www.arin.net/resources/registry/whois/tou/#> # If you  
 see inaccuracies in the results, please report at  
 #  
[https://www.arin.net/resources/registry/whois/inaccuracy\\_reporting/](https://www.arin.net/resources/registry/whois/inaccuracy_reporting/) # # Copyright 1997-2019, American Registry for Internet  
 Numbers, Ltd. #

[root@localhost ~]# iptables -A OUTPUT -p tcp -d 157.240.0.0/16 -j DROP Open browser and  
 check whether <http://facebook.com> is accessible

To allow facebook use -D instead of -A option  
 [root@localhost ~]# iptables -D OUTPUT -p tcp -d 157.240.0.0/16 -j DROP [root@localhost  
 ~]#

6. Block Access to your system from specific MAC Address(say 0F:22:1E:00:02:30)  
 [root@localhost  
 ~]# iptables -A INPUT -m mac --mac-source 0F:22:1E:00:02:30 -j DROP [root@localhost ~]#

7. Save IPtables rules to a file  
 [root@localhost ~]# iptables-save > ~/iptables.rules [root@localhost ~]# vi iptables.rules  
 [root@localhost ~]#

8. Restrict number of concurrent connections to a Server(Here restrict to 3 connections  
 only) [root@localhost ~]# iptables -A INPUT -p tcp --syn --dport 22 -m connlimit --  
 connlimit-above 3 -j REJECT

9. Disable outgoing mails through IPtables  
 [root@localhost ~]# iptables -A OUTPUT -p tcp --dport 25 -j REJECT [root@localhost  
 ~]# 10. Flush IPtables Firewall chains or rules [root@localhost ~]# iptables -F  
 [root@localhost ~]#

## RESULT:

Thus the iptables are installed and configured for variety of options.