

1. Use the inverse matrix method without the aid of the calculator to solve the system  $\begin{cases} x + 3y = 7 \\ 4x - y = 2 \end{cases}$ .

$$\begin{pmatrix} 1 & 3 \\ 4 & -1 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 7 \\ 2 \end{pmatrix}$$






$$A = \begin{pmatrix} 1 & 3 \\ 4 & -1 \end{pmatrix}, |A| = -1 - 12 = -13$$

$$\text{So } A^{-1} = -\frac{1}{13} \begin{pmatrix} -1 & -3 \\ -4 & 1 \end{pmatrix}$$

$$\text{Therefore, } \begin{pmatrix} x \\ y \end{pmatrix} = -\frac{1}{13} \begin{pmatrix} -1 & -3 \\ -4 & 1 \end{pmatrix} \begin{pmatrix} 2 \\ 7 \end{pmatrix} = \begin{pmatrix} 1 \\ 2 \end{pmatrix}$$

Very good work 9.5/10. In question 2, you have the 5 isomers of hexane but there are 6 trees. The 6th tree has a central vertex with degree 5, which fails to be an isomer. A small point in question 4, the series  $3/n$  is a multiple of the harmonic series rather than the harmonic series itself.

2. Draw all the non-isomorphic trees on six vertices. How many isomers does hexane ( $C_6H_{14}$ ) have?



6 trees, but only 5 blacks ones are isomers.


A very very little point, the C and H in the parenthesis should not be in math mode.

3. Let  $A = (0, 0)$  and  $B = (6, 0)$ . If  $AP : PB = 2 : 1$ , show that the locus of  $P$  is a circle and find its centre and radius.

According to the Apollonius' Circle Theorem, since  $\frac{AP}{PB} = 2$ , the locus of  $P$  is a circle.

Let  $OB = x$ , then  $P_2A = 2P_2B$ ,  $6 + x + x + 2 = 2(x + x + 2)$ , so  $x = 2$ .

$OP_1 = 4$  with  $O$  at  $(8, 0)$ .



4. Use the limit comparison test to determine whether the series  $\sum_{n=1}^{\infty} \frac{3n^2 - n}{\sqrt{n^6 + n^3}}$  converges or diverges.

$$\begin{aligned} & \lim_{n \rightarrow \infty} \frac{3n^2 - n}{\sqrt{n^6 + n^3}} \\ &= \lim_{n \rightarrow \infty} \frac{\frac{3n^2 - n}{n^2}}{\sqrt{\frac{n^6 + n^3}{n^4}}} \\ &= \lim_{n \rightarrow \infty} \frac{3 - \frac{1}{n}}{\sqrt{n^2 + \frac{1}{n}}} \\ &= \lim_{n \rightarrow \infty} \frac{3}{n} \end{aligned}$$

Since  $\lim_{n \rightarrow \infty} \frac{\frac{3n^2 - n}{\sqrt{n^6 + n^3}}}{\frac{3}{n}} = 1$ , and the harmonic series  $\sum_{n=1}^{\infty} \frac{3}{n}$  diverges, according to the limit comparison test, the series  $\sum_{n=1}^{\infty} \frac{3n^2 - n}{\sqrt{n^6 + n^3}}$  diverges.

5. Consider the symmetric group  $(S_4, \circ)$ . Let  $A$  be the set of elements in  $S_4$  that commute with  $(12)(3)(4)$ .

(a) There are four elements in  $A$ . Write them down.

$$P1 = (1)(2)(3)(4)$$

$$P2 = (1)(2)(34)$$

$$P3 = (12)(3)(4)$$

$$P4 = (12)(34)$$

(b) Construct the operation table for  $(A, \circ)$ . Does  $(A, \circ)$  form a group? Be sure to justify your answer.

$(A, \circ)$  is an abelian group with associativity, identity element P1, elements inverse with themselves, and closed within P1, P2, P3, and P4.

$\circ$	P1	P2	P3	P4
P1	P1	P2	P3	P4
P2	P2	P1	P4	P3
P3	P3	P4	P1	P2
P4	P4	P3	P2	P1