



Cyberscope

## Audit Report

# HealthFi Token

May 2022

Type      BEP20

Network    BSC

Address    0x0EFfeC9798e84b70c9136F9E086fDD5baaD4A2d5

Audited by   © cyberscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Source Files</b>	<b>3</b>
<b>Filename</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>OCTD - Owner Contract Tokens Drain</b>	<b>5</b>
<b>Description</b>	<b>5</b>
<b>Recommendation</b>	<b>5</b>
<b>Contract Diagnostics</b>	<b>6</b>
<b>L01 - Public Function could be Declared External</b>	<b>7</b>
<b>Description</b>	<b>7</b>
<b>Recommendation</b>	<b>7</b>
<b>L02 - State Variables could be Declared Constant</b>	<b>8</b>
<b>Description</b>	<b>8</b>
<b>Recommendation</b>	<b>8</b>
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>9</b>
<b>Description</b>	<b>9</b>
<b>Recommendation</b>	<b>9</b>
<b>L09 - Dead Code Elimination</b>	<b>10</b>
<b>Description</b>	<b>10</b>
<b>Recommendation</b>	<b>10</b>
<b>L14 - Uninitialized Variables in Local Scope</b>	<b>11</b>
<b>Description</b>	<b>11</b>
<b>Recommendation</b>	<b>11</b>
<b>Contract Flow</b>	<b>12</b>

<b>Domain Info</b>	<b>17</b>
<b>Summary</b>	<b>18</b>
<b>Disclaimer</b>	<b>19</b>
<b>About Cyberscope</b>	<b>20</b>

## Contract Review

<b>Contract Name</b>	FirstToken
<b>Compiler Version</b>	v0.8.12+commit.f00d7308
<b>Optimization</b>	20 runs
<b>Licence</b>	MIT
<b>Explorer</b>	<a href="https://bscscan.com/token/0x0EFfeC9798e84b70c9136F9E086fDD5baaD4A2d5">https://bscscan.com/token/0x0EFfeC9798e84b70c9136F9E086fDD5baaD4A2d5</a>
<b>Symbol</b>	HEFI
<b>Decimals</b>	18
<b>Total Supply</b>	100,000,000
<b>Domain</b>	

## Source Files

<b>Filename</b>	<b>SHA256</b>
<b>contract.sol</b>	e0ca4f194825ff05043d1d281a87bab26287eed3700d904c7c1a9a2e0beeb650

## Audit Updates

<b>Initial Audit</b>	23rd May 2022
<b>Corrected</b>	30th May 2022

# Contract Analysis

● Critical   ● Medium   ● Minor   ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

## OCTD - Owner Contract Tokens Drain

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L1517

### Description

The contract owner has the authority to claim all the balance of the contract. The owner may take advantage of it by calling the `withdraw` function.

```
function withdraw() external onlyRole(BOSS_CONTROL_ROLE) {  
    // just in-case swap not work  
    uint256 contractTokenBalance = balanceOf(address(this));  
    _transfer(address(this), addressForBosses, contractTokenBalance);  
}
```

### Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L09	Dead Code Elimination
●	L14	Uninitialized Variables in Local Scope

## L01 - Public Function could be Declared External

**Criticality**

minor

**Location**

contract.sol#L433,441,458,465,484,507,529,552,572,1116,1129,1147

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
renounceRole
revokeRole
grantRole
decreaseAllowance
increaseAllowance
transferFrom
approve
transfer
totalSupply
...
```

### Recommendation

Use the external attribute for functions never called from the contract.



## L02 - State Variables could be Declared Constant

**Criticality**

minor

**Location**

contract.sol#L1482

### Description

Constant state variables should be declared constant to save gas.

```
maxSupply
```

### Recommendation

Add the constant attribute to state variables that never change.

## L04 - Conformance to Solidity Naming Conventions

**Criticality**

minor

**Location**

contract.sol#L1217,1398,1408,1421,1434,1448

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow `_` at the beginning of the `mixed_case` match for private variables and unused parameters.

```
_buyFeeRate  
_sellFeeRate  
_tokenForBosses  
_addressForBosses  
_target  
WETH
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

## L09 - Dead Code Elimination

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L1180,651,888,863

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
toString  
toHexString  
_burn  
_setRoleAdmin
```

### Recommendation

Remove unused functions.

## L14 - Uninitialized Variables in Local Scope

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L1541

### Description

These are variables that are defined in the local scope and are not initialized.

```
transferFeeRate
```

### Recommendation

All the local scoped variables should be initialized.

# Contract Flow

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>SafeMath</b>	Library			
	tryAdd	Internal		
	trySub	Internal		
	tryMul	Internal		
	tryDiv	Internal		
	tryMod	Internal		
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		
<b>IERC20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>IERC20Metadata</b>	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-

<b>Context</b>	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
<b>ERC20</b>	Implementation	Context, IERC20, IERC20Met adata		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_spendAllowance	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	
<b>IAccessControl</b>	Interface			
	hasRole	External		-
	getRoleAdmin	External		-
	grantRole	External	✓	-
	revokeRole	External	✓	-
	renounceRole	External	✓	-

<b>Strings</b>	Library			
	toString	Internal		
	toHexString	Internal		
	toHexString	Internal		
<b>IERC165</b>	Interface			
	supportsInterface	External		-
<b>ERC165</b>	Implementation	IERC165		
	supportsInterface	Public		-
<b>AccessControl</b>	Implementation	Context, IAccessControl, ERC165		
	supportsInterface	Public		-
	hasRole	Public		-
	_checkRole	Internal		
	_checkRole	Internal		
	getRoleAdmin	Public		-
	grantRole	Public	✓	onlyRole
	revokeRole	Public	✓	onlyRole
	renounceRole	Public	✓	-
	_setupRole	Internal	✓	
	_setRoleAdmin	Internal	✓	
	_grantRole	Internal	✓	
	_revokeRole	Internal	✓	
<b>IUniswapV2Router01</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-

	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
<b>IUniswapV2Router02</b>	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
<b>IUniswapV2Factory</b>	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-



<b>ERC20Control</b>	Implementation	AccessControl		
	setWhiteLists	External	✓	onlyRole
	removeWhiteLists	External	✓	onlyRole
	setAddressForBosses	External	✓	onlyRole
	setTokenForBosses	External	✓	onlyRole
	setFeeRate	External	✓	onlyRole
	setRoleSuperAdmin	External	✓	onlyRole
<b>FirstToken</b>	Implementation	ERC20, ERC20Control		
	<Constructor>	Public	✓	ERC20
	sweepTokenForBosses	External	✓	onlyRole
	withDraw	External	✓	onlyRole
	_swapTokensForEth	Private	✓	
	_transfer	Internal	✓	

## Domain Info

<b>Domain Name</b>	healthfi.app
<b>Registry Domain ID</b>	48E38B29B-APP
<b>Creation Date</b>	2022-05-03T12:10:51Z
<b>Updated Date</b>	2022-05-08T12:10:51Z
<b>Registry Expiry Date</b>	2024-05-03T12:10:51Z
<b>Registrar WHOIS Server</b>	whois.godaddy.com
<b>Registrar URL</b>	<a href="https://www.godaddy.com/">https://www.godaddy.com/</a>
<b>Registrar</b>	GoDaddy.com, LLC
<b>Registrar IANA ID</b>	146

The domain has been created 20 days before the creation of the audit. It will expire in almost 2 years.

There is no public billing information, the creator is protected by the privacy settings.

## Summary

HealthFi is an interesting project that has a friendly and growing community. The Smart Contract analysis reported one minor issue. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.

## Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

# About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Cyberscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>