



Cyberscope

# Audit Report

## **HODLXRP**

June 2022

Type           BEP20

Network       BSC TESTNET

Address       0xdfEF17A40Db2bF4f42cF3656B9fc746315c27380

Audited by   © cyberscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Source Files</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>BC - Blacklisted Contracts</b>	<b>5</b>
Description	5
Recommendation	5
<b>Contract Diagnostics</b>	<b>6</b>
<b>L01 - Public Function could be Declared External</b>	<b>7</b>
Description	7
Recommendation	7
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>8</b>
Description	8
Recommendation	8
<b>L07 - Missing Events Arithmetic</b>	<b>9</b>
Description	9
Recommendation	9
<b>L09 - Dead Code Elimination</b>	<b>10</b>
Description	10
Recommendation	10
<b>L11 - Unnecessary Boolean equality</b>	<b>11</b>
Description	11
Recommendation	11
<b>L12 - Using Variables before Declaration</b>	<b>12</b>
Description	12

<b>Recommendation</b>	<b>12</b>
<b>L13 - Divide before Multiply Operation</b>	<b>13</b>
<b>Description</b>	<b>13</b>
<b>Recommendation</b>	<b>13</b>
<b>L14 - Uninitialized Variables in Local Scope</b>	<b>14</b>
<b>Description</b>	<b>14</b>
<b>Recommendation</b>	<b>14</b>
<b>Contract Functions</b>	<b>15</b>
<b>Contract Flow</b>	<b>19</b>
<b>Summary</b>	<b>20</b>
<b>Disclaimer</b>	<b>21</b>
<b>About Cyberscope</b>	<b>22</b>

## Contract Review

<b>Contract Name</b>	HODLXRP
<b>Compiler Version</b>	v0.8.14+commit.80d49f37
<b>Optimization</b>	5000 runs
<b>Licence</b>	MIT
<b>Explorer</b>	<a href="https://testnet.bscscan.com/token/0xdfEF17A40Db2bF4f42cF3656B9fc746315c27380">https://testnet.bscscan.com/token/0xdfEF17A40Db2bF4f42cF3656B9fc746315c27380</a>
<b>Symbol</b>	HODLXRP
<b>Decimals</b>	18
<b>Total Supply</b>	1,000,000,000

## Source Files

<b>Filename</b>	<b>SHA256</b>
<b>contract.sol</b>	090f54793993f386046d668cd38763addabc22627cc610f7f0bfadc9a71cc458

## Audit Updates

<b>Initial Audit</b>	17th June 2022
<b>Corrected</b>	

# Contract Analysis

● Critical   ● Medium   ● Minor   ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

## BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L421

### Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `setBlacklistEnabledMultiple` function.

```
function setBlacklistEnabledMultiple(address[] memory accounts, bool
enabled) external onlyOwner {
    antiSnipe.setBlacklistEnabledMultiple(accounts, enabled);
    for(uint256 i = 0; i < accounts.length; i++){
        setDividendExcluded(accounts[i], enabled);
    }
}
```

### Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L04	Conformance to Solidity Naming Conventions
●	L07	Missing Events Arithmetic
●	L09	Dead Code Elimination
●	L11	Unnecessary Boolean equality
●	L12	Using Variables before Declaration
●	L13	Divide before Multiply Operation
●	L14	Uninitialized Variables in Local Scope

## L01 - Public Function could be Declared External

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L311,325,342,430,442,488

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
getMaxTX  
enableTrading  
isBlacklisted  
setNewRouter  
approveContractContingency  
approve
```

### Recommendation

Use the external attribute for functions never called from the contract.



## L04 - Conformance to Solidity Naming Conventions

**Criticality**

minor

**Location**

contract.sol#L33,438,510,120,123,134,136,137,138,140,156,162,170,171,172,173,174,189,209

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_hasLiqBeenAdded  
_taxWallets  
masterTaxDivisor  
maxRoundtripTax  
maxTransferTaxes  
maxSellTaxes  
maxBuyTaxes  
_ratios  
_taxRates  
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>.

## L07 - Missing Events Arithmetic

**Criticality**

minor

**Location**

contract.sol#L483,492,498,515

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
reflectorGas = gas
piSwapPercent = priceImpactSwapPercent
swapThreshold = (_tTotal * thresholdPercent) / thresholdDivisor
_maxTxAmount = (_tTotal * percent) / divisor
```

### Recommendation

Emit an event for critical parameter changes.

## L09 - Dead Code Elimination

**Criticality**

minor

**Location**

contract.sol#L645

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
_basicTransfer
```

### Recommendation

Remove unused functions.

## L11 - Unnecessary Boolean equality

**Criticality**

minor

**Location**

contract.sol#L355

### Description

The comparison to boolean constants is redundant. Boolean constants can be used directly and do not need to be compared to true or false.

```
enabled == false
```

### Recommendation

Remove the equality to the boolean constant.

## L12 - Using Variables before Declaration

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L604

### Description

The contract is using a variable before the declaration. This is usually happening either if it has not been declared yet or the variable has been declared in a different scope.

check

### Recommendation

The variables should be declared before any usage of them.

## L13 - Divide before Multiply Operation

**Criticality**

minor

**Location**

contract.sol#L674

### Description

Performing divisions before multiplications may cause lose of prediction.

```
toLiquify = ((contractTokenBalance * ratios.liquidity) / (ratios.total)) / 2
```

### Recommendation

The multiplications should be prior to the divisions.

## L14 - Uninitialized Variables in Local Scope

**Criticality**

minor

**Location**

contract.sol#L603,604

### Description

These are variables that are defined in the local scope and are not initialized.

check  
checked

### Recommendation

All the local scoped variables should be initialized.

# Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>IERC20</b>	Interface			
	totalSupply	External		-
	decimals	External		-
	symbol	External		-
	name	External		-
	getOwner	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>IFactoryV2</b>	Interface			
	getPair	External		-
	createPair	External	✓	-
<b>IV2Pair</b>	Interface			
	factory	External		-
	getReserves	External		-
	sync	External	✓	-
<b>IRouter01</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidityETH	External	Payable	-
	addLiquidity	External	✓	-
	swapExactETHForTokens	External	Payable	-
	getAmountsOut	External		-
	getAmountsIn	External		-




<b>IRouter02</b>	Interface	IRouter01		
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokens	External	✓	-
<b>AntiSnipe</b>	Interface			
	checkUser	External	✓	-
	setLaunch	External	✓	-
	setLpPair	External	✓	-
	setProtections	External	✓	-
	removeSniper	External	✓	-
	isBlacklisted	External		-
	transfer	External	✓	-
	setBlacklistEnabled	External	✓	-
	setBlacklistEnabledMultiple	External	✓	-
<b>Cashier</b>	Interface			
	setRewardsProperties	External	✓	-
	tally	External	✓	-
	load	External	Payable	-
	cashout	External	✓	-
	giveMeWelfarePlease	External	✓	-
	getTotalDistributed	External		-
	getUserInfo	External		-
	getUserRealizedRewards	External		-
	getPendingRewards	External		-
	initialize	External	✓	-
<b>HODLXRP</b>	Implementation	IERC20		
	<Constructor>	Public	Payable	-
	transferOwner	External	✓	onlyOwner

	renounceOwnership	External	✓	onlyOwner
	<Receive Ether>	External	Payable	-
	totalSupply	External		-
	decimals	External		-
	symbol	External		-
	name	External		-
	getOwner	External		-
	balanceOf	Public		-
	allowance	External		-
	approve	Public	✓	-
	_approve	Private	✓	
	approveContractContingency	Public	✓	onlyOwner
	transfer	External	✓	-
	transferFrom	External	✓	-
	setNewRouter	Public	✓	onlyOwner
	setLpPair	External	✓	onlyOwner
	setInitializers	External	✓	onlyOwner
	isExcludedFromFees	External		-
	isExcludedFromDividends	External		-
	isExcludedFromLimits	External		-
	isExcludedFromProtection	External		-
	setExcludedFromLimits	External	✓	onlyOwner
	setDividendExcluded	Public	✓	onlyOwner
	setExcludedFromFees	Public	✓	onlyOwner
	setExcludedFromProtection	External	✓	onlyOwner
	setBlacklistEnabled	External	✓	onlyOwner
	setBlacklistEnabledMultiple	External	✓	onlyOwner
	isBlacklisted	Public		-
	removeSniper	External	✓	onlyOwner
	setProtectionSettings	External	✓	onlyOwner
	enableTrading	Public	✓	onlyOwner
	setWallets	External	✓	onlyOwner
	setTaxes	External	✓	onlyOwner
	setRatios	External	✓	onlyOwner
	setMaxTxPercent	External	✓	onlyOwner

	getMaxTX	Public		-
	setSwapSettings	External	✓	onlyOwner
	setPriceImpactSwapAmount	External	✓	onlyOwner
	setContractSwapEnabled	External	✓	onlyOwner
	setRewardsProperties	External	✓	onlyOwner
	setReflectorSettings	External	✓	onlyOwner
	excludePresaleAddresses	External	✓	onlyOwner
	_hasLimits	Private		
	_transfer	Internal	✓	
	finalizeTransfer	Internal	✓	
	processRewards	Internal	✓	
	_basicTransfer	Internal	✓	
	takeTaxes	Internal	✓	
	contractSwap	Internal	✓	swapping
	_checkLiquidityAdd	Private	✓	
	multiSendTokens	External	✓	onlyOwner
	manualDeposit	External	✓	onlyOwner
	sweepContingency	External	✓	onlyOwner
	claimPendingRewards	External	✓	-
	getTotalReflected	External		-
	getUserInfo	External		-
	getUserRealizedGains	External		-
	getUserUnpaidEarnings	External		-

# Contract Flow



## Summary

The Smart Contract analysis reported one medium severity issue. The contract owner has the authority to blacklist addresses. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats. There is also a limit of max 15% fees.

## Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

## About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>